

BRIDGESTONE

ULTRA HIGH PERFORMANCE

Potenza RE-71R.....	122
Potenza S-04 Pole Position	124
Potenza RE050A.....	126
Potenza S007A RFT.....	128
Potenza RE980AS.....	130
Potenza RE97AS.....	132

TOURING

DriveGuard.....	134
Turanza QuietTrack.....	136
Turanza EL400-02.....	138
Turanza T005.....	140

ECO TOURING / PASSENGER

Ecopia EP422 Plus.....	142
Ecopia H/L 422 Plus.....	144

LIGHT TRUCK / SUV HIGHWAY

Dueler H/P Sport.....	146
Dueler H/P Sport AS.....	148
Dueler H/L Alenza Plus.....	150
Dueler H/L 400	152
Dueler H/T 684II.....	154
Dueler H/T 685	156

LIGHT TRUCK / SUV ALL-TERRAIN

Dueler A/T REVO 3.....	158
Dueler A/T RH-S.....	160

LIGHT TRUCK / COMMERCIAL HIGHWAY ALL-TERRAIN

Duravis R238.....	162
Duravis R500HD.....	164
Duravis M700HD.....	166

WINTER

Blizzak WS90.....	168
Blizzak LM-32.....	170
Blizzak LM001	172

LIGHT TRUCK / SUV WINTER

Blizzak DM-V2	174
Blizzak LT	176

BRIDGESTONE

TIRE SPECIFICATIONS CURRENT AT TIME OF PUBLICATION





TIRE RESOURCE MANUAL

BRIDGESTONE

POTENZA™ RE-71R

MAKE EVERY HUNDREDTH OF A SECOND COUNT

FEATURES AND BENEFITS

-  Unique construction and tread compounds are designed for maximum grip
-  Engineered with Bridgestone's most extreme racing-inspired technology
-  Shoulder stiffness allows for confident cornering
-  Extreme summer performance tire



UNIQUE TREAD COMPOUND

provides maximum contact and grip when braking and cornering

HYDRO EVACUATION SURFACE

provides effective drainage in wet conditions

A WIDE CENTER RIB

promotes agile steering response

SHOULDER STIFFNESS

allows for extreme cornering



SIZE	SERVICE DESCRIPTION	LOAD RANGE	ARTICLE NUMBER	SIDEWALL STYLING	APPROVED RIM WIDTHS	MEASURING RIM WIDTH	OVERALL DIAMETER	SECTION WIDTH	TREAD DEPTH (32ND")	REVS PER MILE	UTQG	WEIGHT LBS
15" RIM DIAMETER												
195/50R15	82V	---	009368	BW	5.5-7.0	6.0	22.7	7.9	8	917	200 A A	19.8
205/50R15	86V	---	009402	BW	5.5-7.5	6.5	23.1	8.4	8	901	200 A A	20.7
16" RIM DIAMETER												
195/55R16	87V	---	002986	BW	5.5-7.0	6.0	24.4	7.9	8	853	200 A A	20.4
205/55R16	91V	---	009436	BW	5.5-7.5	6.5	24.9	8.4	8	837	200 A A	22.6
205/50R16	87V	---	002984	BW	5.5-7.5	6.5	24.1	8.4	8	865	200 A A	21.7
225/50R16	92V	---	009453	BW	6.0-8.0	7.0	24.9	9.2	8	837	200 A A	23.5
205/45R16	87W	XL	009470	BW	6.5-7.5	7.0	23.2	8.1	8	897	200 A A	19.3
17" RIM DIAMETER												
205/45R17	88W	XL	009606	BW	6.5-7.5	7.0	24.3	8.1	8	859	200 A A	20.8
215/45R17	91W	XL	009521	BW	7.0-8.0	7.0	24.7	8.4	8	845	200 A A	22.3
225/45R17	94W	XL	009538	BW	7.0-8.5	7.5	25.0	8.9	8	835	200 A A	23.5
235/45R17	94W	---	009572	BW	7.5-9.0	8.0	25.4	9.3	8	822	200 A A	23.4
245/45R17	95W	---	009589	BW	7.5-9.0	8.0	25.7	9.6	8	812	200 A A	21.5
245/40R17	91W	---	009674	BW	8.0-9.5	8.5	24.7	9.8	8	843	200 A A	23.8
255/40R17	98W	XL	009691	BW	8.5-10.0	9.0	25.0	10.2	8	832	200 A A	21.9
18" RIM DIAMETER												
225/50R18	95W	---	002982	BW	6.0-8.0	7.0	26.9	9.2	8	775	200 A A	25.5
215/45R18	93W	XL	009623	BW	7.0-8.0	7.0	25.6	8.4	8	813	200 A A	22.7
225/45R18	95W	XL	009640	BW	7.0-8.5	7.5	25.9	8.9	8	803	200 A A	23.3
235/45R18	94W	---	002964	BW	7.5-9.0	8.0	26.3	9.3	8	791	200 A A	24.4
245/45R18	100W	XL	009657	BW	7.5-9.0	8.0	26.7	9.6	8	782	200 A A	24.5
265/45R18	104W	XL	002955	BW	8.5-10.0	9.0	27.4	10.5	8	760	200 A A	27.7
215/40R18	89W	XL	002980	BW	7.0-8.5	7.5	24.8	8.6	8	841	200 A A	22.2
225/40R18	92W	XL	009742	BW	7.5-9.0	8.0	25.1	9.1	8	831	200 A A	23.7
235/40R18	95W	XL	009759	BW	8.0-9.5	8.5	25.4	9.5	8	820	200 A A	23.9
245/40R18	97W	XL	009793	BW	8.0-9.5	8.5	25.7	9.8	8	810	200 A A	26.3
255/40R18	99W	XL	002978	BW	8.5-10.0	9.0	26.0	10.2	8	801	200 A A	27.4
255/35R18	94W	XL	009844	BW	8.5-10.0	9.0	25.0	10.2	8	833	200 A A	25.9
265/35R18	97W	XL	009861	BW	9.0-10.5	9.5	25.3	10.7	8	823	200 A A	27.2
275/35R18	95W	---	009878	BW	9.0-11.0	9.5	25.6	10.9	8	815	200 A A	25.2
285/30R18	93W	---	009912	BW	9.5-10.5	10.0	24.8	11.4	8	841	200 A A	27.6
19" RIM DIAMETER												
235/40R19	92W	---	002970	BW	8.0-9.5	8.5	26.4	9.5	8	788	200 A A	24.4
245/40R19	98W	XL	009980	BW	8.0-9.5	8.5	26.7	9.8	8	779	200 A A	22.0
265/40R19	98W	---	002972	BW	9.0-10.5	9.5	27.4	10.7	8	760	200 A A	28.2
225/35R19	88W	XL	002976	BW	7.5-9.0	8.0	25.2	9.1	8	825	200 A A	23.5
235/35R19	91W	XL	010048	BW	8.0-9.5	8.5	25.5	9.5	8	818	200 A A	24.1
245/35R19	93W	XL	010082	BW	8.0-9.5	8.5	25.8	9.8	8	808	200 A A	25.3
255/35R19	96W	XL	010099	BW	8.5-10.0	9.0	26.0	10.2	8	801	200 A A	22.2
265/35R19	98W	XL	010150	BW	9.0-10.5	9.5	26.3	10.7	8	791	200 A A	27.5
275/35R19	96W	---	010116	BW	9.0-11.0	9.5	26.6	10.9	8	784	200 A A	30.4
285/35R19	99W	---	010133	BW	9.5-11.0	10.0	26.9	11.4	8	775	200 A A	29.9
305/30R19	102W	XL	010184	BW	10.5-11.5	11.0	26.3	12.3	8	793	200 A A	31.5
20" RIM DIAMETER												
255/40R20	97W	---	002962	BW	8.5-10.0	9.0	28.0	10.2	8	743	200 A A	29.7
245/35R20	95W	XL	002966	BW	8.0-9.5	8.5	26.8	9.8	8	778	200 A A	26.5
285/35R20	100W	---	002974	BW	9.5-11.0	10.0	27.9	11.4	8	747	200 A A	32.1
295/30R20	101W	XL	002968	BW	10.0-11.0	10.5	27.0	11.9	8	772	200 A A	30.8






BRIDGESTONE

POTENZA S-04 *Pole Position*

MAXIMIZE YOUR DRIVING PERFORMANCE

FEATURES AND BENEFITS

-  Summer Ultra-High Performance
-  Confident wet and dry performance
-  Technologies enhance responsiveness and cornering



SILICA-ENRICHED TREAD COMPOUND

supports wet and dry traction improve cornering

LARGE STIFF OUTSIDE SHOULDER BLOCKS

improve cornering

WIDE CIRCUMFERENTIAL GROOVES

help improve wet traction and resistance to hydroplaning

CONTINUOUS INTERLOCKING CENTER RIB

helps improve steering response



SIZE	SERVICE DESCRIPTION	LOAD RANGE	ARTICLE NUMBER	SIDEWALL STYLING	APPROVED RIM WIDTHS	MEASURING RIM WIDTH	OVERALL DIAMETER	SECTION WIDTH	TREAD DEPTH (32ND")	REVS PER MILE	UTQG	WEIGHT LBS
16" RIM DIAMETER												
205/55R16	91Y	---	120743	BW	5.5-7.5	6.5	24.9	8.4	10	837	280 AA A	24.1
17" RIM DIAMETER												
205/50R17	93Y	XL	102638	BW	5.5-7.5	6.5	25.1	8.4	10	830	280 AA A	29.3
235/50R17	96Y	---	120794	BW	6.5-8.5	7.5	26.3	9.7	10	792	280 AA A	28.0
205/45R17	88Y	XL	102655	BW	6.5-7.5	7.0	24.3	8.1	10	857	280 AA A	23.0
215/45R17	91Y	XL	120777	BW	7.0-8.0	7.0	24.7	8.4	10	843	280 AA A	23.3
225/45R17	91Y	---	102672	BW	7.0-8.5	7.5	25.0	8.9	10	833	280 AA A	25.1
235/45R17	94Y	---	102706	BW	7.5-9.0	8.0	25.4	9.3	10	820	280 AA A	26.3
245/40R17	91Y	---	102774	BW	8.0-9.5	8.5	24.7	9.8	10	843	280 AA A	26.3
255/40R17	94Y	---	102842	BW	8.5-10.0	9.0	25.0	10.2	10	833	280 AA A	27.5
18" RIM DIAMETER												
225/50R18	95Y	---	120828	BW	6.0-8.0	XL	26.9	9.2	10	774	280 AA A	28.2
215/45R18	93Y	XL	120811	BW	7.0-8.0	7.0	25.6	8.4	10	814	280 AA A	26.2
225/45R18	91Y	XL	102689	BW	7.0-8.5	7.5	25.9	8.9	10	833	280 AA A	25.1
235/45R18	94Y	XL	001210	BW	7.5-9.0	8.0	26.3	9.3	10	791	280 AA A	27.3
245/45R18	96Y	XL	102740	BW	7.5-9.0	8.0	26.7	9.6	10	780	280 AA A	28.6
255/45R18	99Y	XL	120879	BW	8.0-9.5	8.5	27.1	10.0	10	769	280 AA A	30.8
265/45R18	101Y	---	001211	BW	8.5-10.0	9.0	27.4	10.5	10	760	280 AA A	31.7
225/40R18	92Y	XL	102757	BW	7.5-9.0	8.0	25.1	9.1	10	830	280 AA A	29.7
235/40R18	95Y	XL	120845	BW	8.0-9.5	8.5	25.4	9.5	10	820	280 AA A	26.5
245/40R18	97Y	XL	102791	BW	8.0-9.5	8.5	25.7	9.8	10	811	280 AA A	27.6
255/40R18	99Y	XL	102859	BW	8.5-10.0	9.0	26.0	10.2	10	801	280 AA A	28.2
265/40R18	101Y	XL	124143	BW	9.0-10.5	9.5	26.3	10.7	10	792	280 AA A	31.6
245/35R18	92Y	XL	120862	BW	8.0-9.5	8.5	24.8	9.8	10	840	280 AA A	26.7
255/35R18	94Y	XL	103080	BW	8.5-10.0	9.0	25.0	10.2	10	833	280 AA A	27.2
265/35R18	97Y	XL	103114	BW	9.0-10.5	9.5	25.3	10.7	10	823	280 AA A	29.4
275/35R18	95Y	---	103131	BW	9.0-11.0	9.5	25.6	10.9	10	814	280 AA A	30.0
285/35R18	101Y	XL	103165	BW	9.5-11.0	10.0	25.9	11.4	10	804	280 AA A	32.2
285/30R18	93Y	---	103301	BW	9.5-10.5	10.0	24.8	11.4	10	841	280 AA A	27.7
19" RIM DIAMETER												
225/45R19	96Y	XL	120947	BW	7.0-8.5	7.5	27.0	8.9	10	772	280 AA A	28.7
245/45R19	98Y	---	120964	BW	7.5-9.0	8.0	27.7	9.6	10	752	280 AA A	30.0
225/40R19	93Y	XL	120930	BW	7.5-9.0	8.0	26.1	9.1	10	798	280 AA A	28.3
235/40R19	92Y	---	001212	BW	8.0-9.5	8.5	26.4	9.5	10	788	280 AA A	25.8
245/40R19	98Y	XL	102808	BW	8.0-9.5	8.5	26.7	9.8	10	780	280 AA A	28.3
255/40R19	100Y	XL	120998	BW	8.5-10.0	9.0	27.1	10.2	10	769	280 AA A	26.5
265/40R19	98Y	---	001213	BW	9.0-10.5	9.5	27.4	10.7	10	760	280 AA A	30.9
275/40R19	101Y	---	121032	BW	9.0-11.0	9.5	27.7	10.9	10	752	280 AA A	33.6
235/35R19	91Y	XL	102995	BW	8.0-9.5	8.5	25.5	9.5	10	817	280 AA A	26.3
245/35R19	93Y	XL	103029	BW	8.0-9.5	8.5	25.8	9.8	10	807	280 AA A	27.1
255/35R19	96Y	XL	120981	BW	8.5-10.0	9.0	26.0	10.2	10	801	280 AA A	28.8
265/35R19	98Y	XL	121015	BW	9.0-10.5	9.5	26.3	10.7	10	792	280 AA A	30.6
275/35R19	100Y	XL	103148	BW	9.0-11.0	9.5	26.6	10.9	10	783	280 AA A	31.0
285/35R19	99Y	---	121066	BW	9.5-11.0	10.0	26.9	11.4	10	774	280 AA A	32.7
285/30R19	98Y	XL	121049	BW	9.5-10.5	10.0	25.8	11.4	10	807	280 AA A	30.7
295/30R19	100Y	XL	139834	BW	10.0-11.0	10.5	26.0	11.9	10	801	280 AA A	31.2
305/30R19	102Y	XL	139851	BW	10.5-11.5	11.0	26.3	12.3	10	792	280 AA A	33.3
20" RIM DIAMETER												
245/40R20	99Y	XL	102825	BW	8.0-9.5	8.5	27.7	9.8	10	752	280 AA A	31.1
245/35R20	91Y	---	001214	BW	8.0-9.5	8.5	26.8	9.8	10	778	280 AA A	27.0
255/35R20	97Y	XL	103097	BW	8.5-10.0	9.0	27.0	10.2	10	771	280 AA A	28.7
275/35R20	102Y	XL	121151	BW	9.0-11.0	9.5	27.6	10.9	10	755	280 AA A	27.2
285/30R20	99Y	XL	103318	BW	9.5-10.5	10.0	26.8	11.4	10	780	280 AA A	30.4
295/30R20	101Y	XL	001209	BW	10.0-11.0	10.5	27.0	11.9	10	772	280 AA A	32.6







BRIDGESTONE

POTENZA RE050A



TAKE A CURVE

FEATURES AND BENEFITS

-  Summer Ultra-High Performance
-  Confident wet and dry traction
-  Engineered for response, control and cornering
-  Noise reduction technology

LARGE STABILIZED SHOULDER BLOCKS

increases cornering capabilities

SOLID CIRCUMFERENTIAL CENTER RIB

enhances response and straight line stability

BLOCK AND SLICK COMBINATION

improves traction and braking

CIRCUMFERENTIAL GROOVES

help channel water out of the footprint area to improve resistance to hydroplaning



SIZE	SERVICE DESCRIPTION	LOAD RANGE	ARTICLE NUMBER	SIDEWALL STYLING	APPROVED RIM WIDTHS	MEASURING RIM WIDTH	OVERALL DIAMETER	SECTION WIDTH	TREAD DEPTH (32ND")	REVS PER MILE	UTQG	WEIGHT LBS
17" RIM DIAMETER												
205/45R17	88V	XL	009860	BW	---	0.0	0.0	0.0	10	0	140 AA	20.3
205/40R17	94V	XL	009947	BW	---	---	---	---	10	---	140 AA	19.0
205/40R17	84W	XL	001462	BW	7.0-8.0	7.5	23.5	8.4	10	880	140 AA	19.2
18" RIM DIAMETER												
225/50R18	95W	---	000545	BW	6.0-8.0	7.0	26.9	9.2	10	774	140 AA	29.3
P225/50R18	94W	---	062994	BW	6.0-8.0	7.0	26.9	9.2	10	775	140 AA	28.8
245/45R18	96W	---	000562	BW	7.5-9.0	8.0	26.7	9.6	10	780	140 AA	28.7
245/45R18	96W	---	000597	BW	7.5-9.0	8.0	26.7	9.6	10	782	140 AA	28.5
255/45R18	99Y	---	025900	BW	8.0-9.5	8.5	27.1	10.0	10	770	140 AA	29.1
235/40ZR18	91Y	---	127713	BW	8.0-9.5	8.5	25.4	9.5	10	820	140 AA	24.3
245/40R18	97Y	XL	021982	BW	8.0-9.5	8.5	25.7	9.8	10	808	140 AA	25.8
265/40ZR18	101Y	XL	127730	BW	9.0-10.5	9.5	26.3	10.7	10	795	140 AA	29.3
295/35ZR18	99Y	---	127747	BW	10.0-11.5	10.5	26.1	11.9	10	801	140 AA	31.5
19" RIM DIAMETER												
225/45R19	92W	---	112906	BW	7.0-8.5	7.5	27.0	8.9	10	772	140 AA	27.3
225/40R19	89Y	---	056500	BW	7.5-9.0	8.0	26.1	9.1	8	798	140 AA	26.4
235/40R19	96Y	XL	024838	BW	8.0-9.5	8.5	26.4	9.5	10	790	140 AA	27.6
235/40ZR19	92Y	---	038089	BW	8.0-9.5	8.5	26.4	9.5	11	789	140 AA	26.2
245/40R19	94W	---	056483	BW	8.0-9.5	8.5	26.7	9.8	8	780	140 AA	28.5
245/40R19	94W	---	133357	BW	8.0-9.5	8.5	26.7	9.8	10	777	140 AA	27.8
245/40R19	94W	---	056483	BW	8.0-9.5	8.5	26.7	9.8	8	779	140 AA	28.5
245/40R19	98Y	XL	001291	BW	8.0-9.5	8.5	26.7	9.8	10	778	140 AA	25.4
245/40R19	94Y	---	056517	BW	8.0-9.5	8.5	26.7	9.8	9	780	140 AA	29.2
245/40ZR19	94Y	---	007021	BW	8.0-9.5	8.5	26.7	9.8	9	779	140 AA	25.1
245/40ZR19	94Y	---	133952	BW	8.0-9.5	8.5	26.7	9.8	10	780	140 AA	25.4
285/40ZR19	103Y	---	133969	BW	9.5-11.0	10.0	28.0	11.4	10	746	140 AA	30.7
235/35ZR19	87Y	---	127764	BW	8.0-9.5	8.5	25.5	9.5	10	820	140 AA	24.0
245/35ZR19 +	89Y	---	000927	BW	8.0-9.5	8.5	25.8	9.8	9	811	140 AA	23.7
255/35ZR19	96Y	XL	024183	BW	8.5-10.0	9.0	26.0	10.2	11	795	140 AA	27.9
265/35R19	94W	---	071851	BW	9.0-10.5	9.5	26.3	10.7	11	792	140 AA	32.0
265/35R19	94Y	---	024855	BW	9.0-10.5	9.5	26.3	10.7	10	791	140 AA	29.3
265/35ZR19	94Y	---	140531	BW	9.0-10.5	9.5	26.3	10.7	10	795	140 AA	28.0
275/35R19	96W	---	133374	BW	9.0-11.0	9.5	26.6	10.9	10	783	140 AA	32.4
275/35R19	100Y	XL	001292	BW	9.0-11.0	9.5	26.6	10.9	10	780	140 AA	30.7
285/35ZR19	99Y	---	007023	BW	9.5-11.0	10.0	26.9	11.4	9	775	140 AA	30.4
345/35ZR19+	110Y	---	000944	BW	11.5-13.5	12.0	28.5	13.8	8	728	140 AA	34.7
285/30ZR19	98Y	XL	024200	BW	9.5-10.5	10.0	25.8	11.4	11	801	140 AA	30.2
295/30ZR19	100Y	XL	127781	BW	10.0-11.0	10.5	26.0	11.9	10	801	140 AA	31.5
305/30ZR19	102Y	XL	127798	BW	10.5-11.5	11.0	26.3	12.3	10	798	140 AA	31.3
20" RIM DIAMETER												
245/40R20	95W	---	149762	BW	8.0-9.5	8.5	27.7	9.8	10	752	140 AA	26.5
245/35R20	95Y	XL	003863	BW	8.0-9.5	8.5	26.8	9.8	10	778	140 AA	26.9
245/35ZR20	91Y	---	142452	BW	8.0-9.5	8.5	26.8	9.8	11	774	140 AA	25.6
285/35ZR20	100Y	---	142486	BW	9.5-11.0	10.0	27.9	11.4	9	747	140 AA	30.9
275/30R20	97Y	XL	003866	BW	9.0-10.0	9.5	26.5	10.9	10	785	140 AA	29.6
17" RIM DIAMETER RUNFLAT & EXTENDED MOBILITY												
205/50R17	89V	---	009866	BW	---	---	---	---	10	---	140 AA	26.3
205/45R17	84W	---	068621	BW	6.5-7.5	7.0	24.3	8.1	10	861	140 AA	22.7
225/45R17	91W	---	119415	BW	7.0-8.5	7.5	25.0	8.9	10	833	140 AA	27.0
225/45R17	91Y	---	009864	BW	---	---	---	---	10	---	140 AA	25.8
225/45R17	91V	---	067346	BW	7.0-8.5	7.5	25.0	8.9	11	830	140 AA	27.3
235/45R17*	94W	---	135635	BW	7.5-9.0	8.0	25.4	9.3	10	820	140 AA	28.2
255/40R17	94V	---	142010	BW	8.5-10.0	9.0	25.0	10.2	9	827	140 AA	31.0
255/40R17	94Y	---	141466	BW	8.5-10.0	9.0	25.0	10.2	9	827	140 AA	31.0
255/40R17	94Y	---	009865	BW	---	0.0	0.0	0.0	10	0	140 AA	28.9
255/40R17	94V	---	068825	BW	8.5-10.0	9.0	25.0	10.2	10	827	140 AA	29.6
255/40R17*	94W	---	135652	BW	8.5-10.0	9.0	25.0	10.2	10	830	140 AA	29.0
18" RIM DIAMETER RUNFLAT & EXTENDED MOBILITY												
245/45R18	96W	---	034094	BW	7.5-9.0	8.0	26.7	9.6	11	780	140 AA	30.7
215/40R18	85Y	---	118414	BW	7.0-8.5	7.5	24.8	8.6	10	840	140 AA	24.0
225/40RF18	88W	---	003827	BW	7.5-9.0	8.0	25.1	9.1	11	827	140 AA	25.9
225/40R18	88W	---	119431	BW	7.5-9.0	8.0	25.1	9.1	10	827	140 AA	24.4
225/40R18	92Y	XL	008742	BW	7.5-9.0	8.0	25.1	9.1	10	831	140 AA	24.5
225/40RF18	88W	---	023648	BW	7.5-9.0	8.0	25.1	9.1	11	831	140 AA	24.4
225/40R18	88W	---	119431	BW	7.5-9.0	8.0	25.1	9.1	10	827	140 AA	24.4
275/40R18	99W	---	034111	BW	9.0-11.0	9.5	26.7	10.9	11	777	140 AA	33.4
245/35R18	88Y	---	118431	BW	8.0-9.5	8.5	24.8	9.8	11	833	140 AA	26.0
255/35R18	94Y	XL	011825	BW	---	---	---	---	11	---	140 AA	27.0
255/35RF18	90W	---	003828	BW	8.5-10.0	9.0	25.0	10.2	11	830	140 AA	26.8
255/35R18	90W	---	119458	BW	8.5-10.0	9.0	25.0	10.2	10	830	140 AA	25.7
255/35RF18	90W	---	023665	BW	8.5-10.0	9.0	25.0	10.2	11	833	140 AA	25.7
275/35R18	95Y	---	065952	BW	9.0-11.0	9.5	25.6	10.9	11	814	140 AA	33.3
19" RIM DIAMETER RUNFLAT & EXTENDED MOBILITY												
245/40R19	94W	---	034128	BW	8.0-9.5	8.5	26.7	9.8	11	774	140 AA	30.6
225/35R19	88Y	XL	094903	BW	7.5-9.0	8.0	25.5	9.5	10	820	140 AA	24.3
275/35R19	96W	---	034145	BW	9.0-11.0	9.5	26.6	10.9	11	780	140 AA	33.0
255/30R19	91Y	XL	094920	BW	8.5-9.5	9.0	25.1	10.2	11	827	140 AA	26.2
20" RIM DIAMETER RUNFLAT & EXTENDED MOBILITY												
245/35R20	95Y	XL	000537	BW	8.0-9.5	8.5	26.8	9.8	11	782	140 AA	26.8
275/30R20	97Y	XL	000539	BW	9.0-10.0	9.5	26.5	10.9	11	785	140 AA	30.6

*MOE version
 †Scuderia version






BRIDGESTONE

POTENZA S007A



THE HIGH SPEED CONTROL DRIVERS WANT. THE RUNFLAT CAPABILITY THEY NEED

FEATURES AND BENEFITS

-  Runflat: Travel up to 50 miles at up to 50 MPH/80 KM/H after a pressure loss.
-  Wide center rib and optimized crown shape offer prolonged tread wear.
-  Smooth tread ribs and Kevlar-reinforced bead areas help deliver strong traction and quick steering response.

FITS LATE MODEL CAMAROS, CORVETTES, CADILLACS
AND OTHER PERFORMANCE CARS REQUIRING
ULTRA HIGH PERFORMANCE SUMMER TIRES



SIZE	SERVICE DESCRIPTION	LOAD RANGE	ARTICLE NUMBER	SIDEWALL STYLING	APPROVED RIM WIDTHS	MEASURING RIM WIDTH	OVERALL DIAMETER	SECTION WIDTH	TREAD DEPTH (32ND")	REVS PER MILE	UTQG	WEIGHT LBS
18" RIM DIAMETER												
245/40RF18	93Y	---	003464	BW	8.0-9.5	8.5	25.7	9.8	9	810	340 AA A	29.2
275/35RF18	95Y	---	003466	BW	9.0-11.0	9.5	25.6	10.9	9	815	340 AA A	31.0
19" RIM DIAMETER												
245/35RF19	93Y	XL	004753	BW	8.0-9.5	8.5	25.8	9.8	9	808	340 AA A	29.5
285/35RF19	99Y	---	003465	BW	9.5-11.0	10.0	26.9	11.4	9	775	340 AA A	33.6
285/30RF19	94Y	---	003468	BW	9.5-10.5	10.0	25.8	11.4	9	808	340 AA A	30.8
325/30RF19	101Y	---	003467	BW	11.0-12.0	11.5	26.7	13.0	9	779	340 AA A	37.1
20" RIM DIAMETER												
245/40RF20	99Y	XL	004806	BW	8.0-9.5	8.5	27.7	9.8	9	751	340 AA A	32.9
275/35RF20	102Y	XL	004808	BW	9.0-11.0	9.5	27.6	10.9	9	756	340 AA A	35.5
285/30RF20	99Y	XL	004754	BW	9.5-10.5	10.0	26.8	11.4	9	778	340 AA A	34.2
335/25RF20	103Y	XL	003470	BW	11.5-12.5	12.0	26.6	13.5	9	783	340 AA A	39.1
245/35ZR20	91Y	---	004692	BW	8.0-9.5	8.5	26.8	9.8	9	778	340 A A	25.4
245/35ZRF20	91Y	---	008839	BW	---	---	---	---	9	---	240 A A	25.4
255/35ZR20	93Y	---	001477	BW	8.5-10.0	9.0	27.0	10.2	10	771	240 A A	27.8
285/35ZR20	100Y	---	004693	BW	9.5-11.0	10.0	27.9	11.4	9	747	340 AA A	35.1
285/35ZRF20	100Y	---	008840	BW	---	---	---	---	9	---	240 A A	35.1
315/35ZRF20	106Y	---	001478	BW	10.5-12.5	11.0	28.7	12.6	8	729	240 A A	38.6



BRIDGESTONE

POTENZA RE980AS



CRISP HANDLING ALL YEAR ROUND

FEATURES AND BENEFITS

- Impressive grip
- Improved wet performance*
- Improved snow performance by 50%*
- Long-lasting performance

50000

Mile Limited Treadwear Warranty

80000

Kilometer Treadwear Warranty

1 SEE-THROUGH VOIDS AND OPEN SHOULDER SLOTS

20% more see-through void and open shoulder slots to help reduce the risk of hydroplaning.*

2 REDESIGNED TREAD

engineered with new 3D full depth sipes and chamfered slots to improve wet and dry braking.*

3 NEW COMPOUND AND ASYMMETRIC TREAD DESIGN

featuring snow ridge walls and 3D full depth sipes offer 50% improvement in snow performance.*

4 LONG-LASTING PERFORMANCE

designed to last 25% longer* and now backed by a 50,000 mile limited treadwear warranty.†



SIZE	SERVICE DESCRIPTION	LOAD RANGE	ARTICLE NUMBER	SIDEWALL STYLING	APPROVED RIM WIDTHS	MEASURING RIM WIDTH	OVERALL DIAMETER	SECTION WIDTH	TREAD DEPTH (32ND")	REVS PER MILE	UTQG	WEIGHT LBS
16" RIM DIAMETER												
205/55R16	91W	---	000112	BW	5.5-7.5	6.5	24.9	8.4	10	837	500 AA A	22.9
17" RIM DIAMETER												
215/55R17	94W	---	000161	BW	6.0-7.5	7.0	26.3	8.9	10	792	500 AA A	25.5
225/55R17	97W	---	000124	BW	6.0-8.0	7.0	26.8	9.2	10	778	500 AA A	23.9
235/55R17	99W	---	000116	BW	6.5-8.5	7.5	27.2	9.7	10	767	500 AA A	28.7
205/50R17	93W	XL	000119	BW	5.5-7.5	6.5	25.1	8.4	10	829	500 AA A	25.5
215/50R17	95W	XL	000121	BW	6.0-7.5	7.0	25.5	8.9	10	817	500 AA A	25.5
225/50R17	98W	XL	000114	BW	6.0-8.0	7.0	25.9	9.2	10	804	500 AA A	26.1
205/45R17	84W	---	000162	BW	6.5-7.5	7.0	24.3	8.1	10	859	500 AA A	23.0
215/45R17	91W	XL	000117	BW	7.0-8.0	7.0	24.7	8.4	10	845	500 AA A	23.8
225/45R17	94W	XL	000113	BW	7.0-8.5	7.5	25.0	8.9	10	835	500 AA A	24.1
235/45R17	97W	XL	000115	BW	7.5-9.0	8.0	25.4	9.3	10	822	500 AA A	25.5
245/45R17	99W	XL	000123	BW	7.5-9.0	8.0	25.7	9.6	10	812	500 AA A	28.0
245/40R17	91W	---	000125	BW	8.0-9.5	8.5	24.7	9.8	10	843	500 AA A	25.8
18" RIM DIAMETER												
225/50R18	95W	---	000149	BW	6.0-8.0	7.0	26.9	9.2	10	775	500 AA A	28.8
235/50R18	97W	---	000126	BW	6.5-8.5	7.5	27.3	9.7	10	764	500 AA A	30.2
215/45R18	93W	XL	000132	BW	7.0-8.0	7.0	25.6	8.4	10	813	500 AA A	25.5
225/45R18	91W	---	000127	BW	7.0-8.5	7.5	25.9	8.9	10	803	500 AA A	25.2
235/45R18	98W	XL	000139	BW	7.5-9.0	8.0	26.3	9.3	10	791	500 AA A	27.1
245/45R18	100W	XL	000120	BW	7.5-9.0	8.0	26.7	9.6	10	782	500 AA A	29.3
215/40R18	89W	XL	000155	BW	7.0-8.5	7.5	24.8	8.6	10	841	500 AA A	23.9
225/40R18	92W	XL	000118	BW	7.5-9.0	8.0	25.1	9.1	10	831	500 AA A	22.0
235/40R18	95W	XL	000129	BW	8.0-9.5	8.5	25.4	9.5	10	820	500 AA A	26.5
245/40R18	97W	XL	000122	BW	8.0-9.5	8.5	25.7	9.8	10	810	500 AA A	26.6
255/40R18	99W	XL	000131	BW	8.5-10.0	9.0	26.0	10.2	10	801	500 AA A	28.5
265/40R18	101W	XL	000153	BW	9.0-10.5	9.5	26.3	10.7	10	791	500 AA A	30.3
245/35R18	92W	XL	004345	BW	8.0-9.5	8.5	24.8	9.8	10	841	500 AA A	31.0
255/35R18	94W	XL	000130	BW	8.5-10.0	9.0	25.0	10.2	10	833	500 AA A	27.6
265/35R18	97W	XL	000144	BW	9.0-10.5	9.5	25.3	10.7	10	823	500 AA A	28.2
275/35R18	95W	---	000138	BW	9.0-11.0	9.5	25.6	10.9	10	815	500 AA A	30.2
19" RIM DIAMETER												
245/50R19	105W	XL	004332	BW	7.0-8.5	7.5	28.7	10.0	10	726	500 AA A	29.7
225/45R19	96W	XL	000158	BW	7.0-8.5	7.5	27.0	8.9	10	772	500 AA A	25.5
245/45R19	98W	---	000143	BW	7.5-9.0	8.0	27.7	9.6	10	753	500 AA A	29.9
225/40R19	93W	XL	000152	BW	7.5-9.0	8.0	26.1	9.1	10	798	500 AA A	26.2
245/40R19	98W	XL	000128	BW	8.0-9.5	8.5	26.7	9.8	10	779	500 AA A	28.0
255/40R19	100W	XL	000145	BW	8.5-10.0	9.0	7.0-8.0	10.2	10	770	500 AA A	30.4
265/40R19	102W	XL	004339	BW	9.0-10.5	9.5	27.4	10.7	10	760	500 AA A	29.7
275/40R19	101W	---	000146	BW	9.0-11.0	9.5	27.7	10.9	10	753	500 AA A	28.8
235/35R19	91W	XL	000142	BW	8.0-9.5	8.5	25.5	9.5	10	818	500 AA A	29.7
245/35R19	93W	XL	000148	BW	8.0-9.5	8.5	25.8	9.8	10	808	500 AA A	25.2
255/35R19	96W	XL	000136	BW	8.5-10.0	9.0	26.0	10.2	10	801	500 AA A	30.4
275/35R19	96W	---	000147	BW	9.0-11.0	9.5	26.6	10.9	10	784	500 AA A	30.5
285/30R19	98W	XL	004338	BW	9.5-10.5	10.0	25.8	11.4	10	808	500 AA A	32.0
20" RIM DIAMETER												
245/45R20	103W	XL	000133	BW	7.5-9.0	8.0	28.7	9.6	10	727	500 AA A	31.1
255/45R20	101W	---	004341	BW	8.0-9.5	8.5	29.1	10.0	10	717	500 AA A	35.4
245/40R20	99W	XL	000151	BW	8.0-9.5	8.5	27.7	9.8	10	751	500 AA A	31.9
275/40R20	106W	XL	004331	BW	9.0-11.0	9.5	28.7	10.9	10	727	500 AA A	29.7
245/35R20	95W	XL	004335	BW	8.0-9.5	8.5	26.8	9.8	10	778	500 AA A	29.7
255/35R20	97W	XL	000140	BW	8.5-10.0	9.0	27.0	10.2	10	771	500 AA A	31.0
265/35R20	99W	XL	004334	BW	9.0-10.5	9.5	27.3	10.7	10	762	500 AA A	33.4
275/35R20	102W	XL	000150	BW	9.0-11.0	9.5	27.6	10.9	10	756	500 AA A	29.5
285/35R20	100W	---	004333	BW	9.5-11.0	10.0	27.9	11.4	10	747	500 AA A	37.4
295/30R20	101W	XL	004337	BW	10.0-11.0	10.5	27.0	11.9	10	772	500 AA A	33.9
305/30R20	103W	XL	004343	BW	10.5-11.5	11.0	27.2	12.3	10	765	500 AA A	35.2







BRIDGESTONE

POTENZA RE97AS

ALL-SEASON ROAD GRIPPING PERFORMANCE

FEATURES AND BENEFITS

-  55,000 mile limited treadwear warranty*
-  Precise handling and steering response
-  Confident wet performance
-  All-season performance

55000

Mile Limited Treadwear Warranty

90000

Kilometer Treadwear Warranty



HIGH SILICA CONTENT

provides confident wet performance

FINELY TUNED TREAD PATTERN

improves steering response

OPTIMIZED CASING

improves rolling resistance for better gas mileage

POLYMER TECHNOLOGY

improves wear performance

*55,000 mile limited treadwear warranty for V speed rated tires; 45,000 mile limited treadwear warranty for W speed rated tires.







SIZE	SERVICE DESCRIPTION	LOAD RANGE	ARTICLE NUMBER	SIDEWALL STYLING	APPROVED RIM WIDTHS	MEASURING RIM WIDTH	OVERALL DIAMETER	SECTION WIDTH	TREAD DEPTH (32ND")	REVS PER MILE	UTQG	WEIGHT LBS
18" RIM DIAMETER												
225/50R18	95H	---	013856	BW	6.0-8.0	7.0	26.9	9.2	9	775	400 A A	24.5
225/45R18	95W	XL	011323	BW	7.0-8.5	7.5	25.9	8.9	11	803	480 A A	25.6
225/45R18	95V	XL	008863	BW	7.0-8.5	7.5	25.9	8.9	11	803	400 A A	23.6
235/45R18	94H	---	024889	BW	7.5-9.0	8.0	26.3	9.3	10	791	480 A A	23.5
235/45R18	94V	---	000894	BW	7.5-9.0	8.0	26.3	9.3	10	792	400 A A	25.1
225/40R18	92H	XL	003195	BW	7.5-9.0	8.0	25.1	9.1	11	831	480 A A	25.1
20" RIM DIAMETER												
245/40R20	95V	---	000425	BW	8.0-9.5	8.5	27.7	9.8	10	751	400 A A	29.1
P245/40R20	95V	---	004640	BW	8.0-9.5	8.5	27.7	9.8	10	751	400 A A	29.4
P245/40R20	95V	---	005839	BW	8.0-9.5	8.5	27.7	9.8	10	751	400 A A	27.4
P245/40R20	95V	---	003829	BW	8.0-9.5	8.5	27.7	9.8	10	752	400 A A	30.5
P255/35R20	97V	XL	008999	BW	8.5-10.0	9.0	27.0	10.2	9	771	400 A A	27.8
17" RIM DIAMETER RUNFLAT & EXTENDED MOBILITY												
P225/55RF17	95V	---	000236	BW	6.0-8.0	7.0	26.8	9.2	10	778	400 A A	29.8
P245/45RF17	95V	---	013924	BW	7.5-9.0	8.0	25.7	9.6	10	812	400 A A	30.6
18" RIM DIAMETER RUNFLAT & EXTENDED MOBILITY												
P225/50RF18	94V	---	008833	BW	6.0-8.0	7.0	26.9	9.2	10	775	400 A A	30.4
P225/50RF18	94V	---	011882	BW	---	---	25.0	---	10	---	400 A A	29.8
20" RIM DIAMETER RUNFLAT & EXTENDED MOBILITY												
P255/35R20	97V	XL	009990	BW	8.5-10.0	9.0	27.0	10.2	9	772	400 A A	27.8



BRIDGESTONE DRIVEGUARD™

DRIVE UP TO 50 MILES TO SAFETY AFTER A FLAT*

FEATURES AND BENEFITS

-  Go up to 50 miles after a puncture*
-  Up to 60,000 mile limited mileage warranty†
-  Quiet ride and confident handling
-  Touring tire with all-season performance

Up to

60000

Limited Mileage Warranty†

100000

Kilometer Treadwear Warranty

*Up to 50 miles at up to 50 mph. Repairability of DriveGuard tires depends on the tire damage, amount of pressure loss, and vehicle operating conditions. See technical bulletin P-14-02 for details or call our Technical Hotline at 1-800-847-3272.

†60,000 mile limited mileage warranty for H, T & V speed rated tires; 50,000 mile limited mileage warranty for W speed rated tires. Certain conditions and limitations apply. See a Bridgestone representative or BridgestoneTire.com for details.



1 PROPRIETARY COOLING FIN™ TECHNOLOGY

creates airflow around the tire, reducing damaging heat build-up at low air pressure

2 SILICA-ENRICHED TREAD COMPOUND

helps provide confident traction and handling in wet conditions

3 OPTIMIZED CONTACT FOOTPRINT

distributes weight evenly across the tire surface, allowing for even wear and longevity

4 NANOPRO-TECH™ RUBBER INSERT

reinforces the tire, making it capable of supporting the entire weight of the vehicle, even at zero pressure



SIZE	SERVICE DESCRIPTION	LOAD RANGE	ARTICLE NUMBER	SIDEWALL STYLING	APPROVED RIM WIDTHS	MEASURING RIM WIDTH	OVERALL DIAMETER	SECTION WIDTH	TREAD DEPTH (32ND")	REVS PER MILE	UTQG	WEIGHT LBS
15" RIM DIAMETER RUNFLAT												
195/65RF15	91H	---	011442	BW	5.5-7.0	6.0	25.0	7.9	12	833	500 A A	28.4
195/60RF15	88H	---	003230	BW	5.5-7.0	6.0	24.2	7.9	12	860	500 A A	26.1
16" RIM DIAMETER RUNFLAT												
205/65RF16	95H	---	003232	BW	5.5-7.5	6.0	26.5	8.2	12	860	500 A A	32.3
225/65RF16	100H	---	001223	BW	6.0-8.0	6.5	27.5	9.0	11	758	500 A A	39.4
235/65RF16	103T	---	001220	BW	6.5-8.5	7.0	28.0	9.5	11	743	500 A A	43.3
205/60RF16	92V	---	011527	BW	5.5-7.5	6.0	25.7	8.2	12	811	500 A A	29.8
215/60RF16	95V	---	011561	BW	6.0-7.5	6.5	26.1	8.7	11	801	500 A A	30.3
225/60RF16	98V	---	011578	BW	6.0-8.0	6.5	26.6	9.0	11	783	500 A A	33.5
195/55RF16	87V	---	011476	BW	5.5-7.0	6.0	24.4	7.9	12	854	500 A A	24.2
205/55RF16	91V	---	011510	BW	5.5-7.5	6.5	24.9	8.4	11	837	500 A A	26.8
215/55RF16	93V	---	001372	BW	6.0-7.5	7.0	25.3	8.9	11	827	500 A A	27.6
17" RIM DIAMETER RUNFLAT												
225/65RF17	102H	---	001221	BW	6.0-8.0	6.5	28.5	9.0	11	731	500 A A	40.6
235/65RF17	104H	---	001219	BW	6.5-8.5	7.0	29.1	9.5	11	717	500 A A	44.2
225/60RF17	99H	---	001224	BW	6.0-8.0	6.5	27.6	9.0	11	754	500 A A	36.1
235/60RF17	102H	---	001218	BW	6.5-8.5	7.0	28.1	9.5	11	741	500 A A	39.6
215/55RF17	94V	---	011680	BW	6.0-7.5	7.0	26.3	8.9	11	795	500 A A	28.8
225/55RF17	97V	---	003233	BW	6.0-8.0	7.0	26.8	9.2	12	778	500 A A	31.7
235/55RF17	99W	---	003642	BW	6.5-8.5	7.5	27.2	9.7	11	767	460 A A	35.5
205/50RF17	93W	XL	011629	BW	5.5-7.5	6.5	25.1	8.4	11	830	460 A A	26.2
215/50RF17	95V	XL	011663	BW	6.0-7.5	7.0	25.5	8.9	11	817	500 A A	28.0
225/50RF17	94W	---	001374	BW	6.0-8.0	7.0	25.9	9.2	11	804	460 A A	28.2
235/50RF17	96W	---	019789	BW	6.5-8.5	7.5	26.3	9.7	11	795	460 A A	30.9
205/45RF17	88W	XL	011612	BW	6.5-7.5	7.0	24.3	8.1	11	857	460 A A	22.9
215/45RF17	91W	XL	011646	BW	7.0-8.0	7.0	24.7	8.4	11	847	460 A A	25.0
225/45RF17	91W	---	001373	BW	7.0-8.5	7.5	25.0	8.9	11	837	460 A A	24.7
235/45RF17	94W	---	001375	BW	7.5-9.0	8.0	25.4	9.3	11	820	460 A A	27.2
245/45RF17	99W	XL	011748	BW	7.5-8.5	8.0	25.7	9.6	11	811	460 A A	30.0
245/40RF17	91W	---	019721	BW	8.0-9.5	8.5	24.7	9.8	11	843	460 A A	25.9
255/40RF17	94W	---	011765	BW	8.5-10.0	9.0	25.0	10.2	11	833	460 A A	27.6
18" RIM DIAMETER RUNFLAT												
225/60RF18	100H	---	003641	BW	6.0-8.0	6.5	28.6	9.0	11	728	500 A A	39.4
215/55RF18	95H	---	011459	BW	6.0-7.5	7.0	27.3	8.9	11	766	500 A A	30.7
225/55RF18	98H	---	003219	BW	6.0-8.0	7.0	27.8	9.2	11	749	500 A A	33.2
235/55RF18	100V	---	001222	BW	6.5-8.5	7.5	28.2	9.7	11	740	500 A A	38.8
225/50RF18	95W	---	011816	BW	6.0-8.0	7.0	26.9	9.2	11	774	460 A A	30.0
235/50RF18	97W	---	011850	BW	6.5-8.5	7.5	27.3	9.7	11	766	460 A A	32.7
215/45RF18	93W	XL	019687	BW	7.0-8.0	7.0	25.6	8.4	11	814	460 A A	26.4
225/45RF18	95W	XL	011799	BW	7.0-8.5	7.5	25.9	8.9	11	804	460 A A	28.4
235/45RF18	98W	XL	017800	BW	7.5-9.0	8.0	26.3	9.3	11	792	460 A A	30.5
245/45RF18	96W	---	001376	BW	7.5-9.0	8.0	26.7	9.6	11	780	460 A A	30.2
255/45RF18	99W	---	019738	BW	8.0-9.5	8.5	27.1	10.0	11	772	460 A A	32.5
225/40RF18	92W	XL	011782	BW	7.5-9.0	8.0	25.1	9.1	11	830	460 A A	26.1
235/40RF18	95W	XL	011833	BW	8.0-9.5	8.5	25.4	9.5	11	820	460 A A	27.6
245/40RF18	97W	XL	011867	BW	8.0-9.5	8.5	25.7	9.8	11	811	460 A A	29.2
255/40RF18	99W	XL	019772	BW	8.5-10.0	9.0	26.0	10.2	11	801	460 A A	30.9
255/35RF18	94W	XL	011901	BW	8.5-10.0	9.0	25.0	10.2	11	833	460 A A	28.6
19" RIM DIAMETER RUNFLAT												
235/55RF19	105H	XL	003224	BW	6.5-8.5	7.5	29.2	9.7	11	714	500 A A	41.0
245/45RF19	102W	XL	003643	BW	7.5-9.0	8.0	27.7	9.6	11	753	460 A A	37.1
255/45RF19	100V	---	003645	BW	8.0-9.5	8.5	28.1	10.0	10	742	500 A A	38.1
245/40RF19	98W	XL	011918	BW	8.0-9.5	8.5	26.7	9.8	11	780	460 A A	30.5
20" RIM DIAMETER RUNFLAT												
245/50RF20	102V	---	003225	BW	7.0-8.5	7.5	29.7	10.0	11	702	500 A A	42.3
245/45RF20	103W	XL	003644	BW	7.5-9.0	8.0	28.7	9.6	11	727	460 A A	38.7



BRIDGESTONE




TURANZA™

QUIETTRACK™



ENGINEERED TO QUIETLY IMPRESS

FEATURES AND BENEFITS

-  Control in wet and snowy conditions
-  Long-lasting performance for 80,000 miles†
-  Comfortable and quiet ride

80000

Limited Mileage Warranty†

130000

Kilometer Treadwear Warranty

†Certain conditions and limitations apply. See a Bridgestone representative or BridgestoneTire.com for details.

FEATURING ALL-NEW TECHNOLOGY PACKAGES: HYDRO-TRACK™, EDGE PERFORMANCE™, COMFORTCRUISE™, AND QUIETTRACK™ TECHNOLOGY*

1 3D FULL-DEPTH SIPES

on ALL ribs for enhanced snow traction and improved wear throughout the tire's limited mileage warranty period

2 IN-GROOVE QUIETTRACKS

to help prevent high-frequency noise and provide snow traction

3 QUIETTRACK™ TECHNOLOGY PACKAGE

combines precisely tuned and tested enhancements in the tread to help dampen road noise

4 OPEN SHOULDER SLOTS

for enhanced water evacuation from contact patch under wet conditions



SIZE	SERVICE DESCRIPTION	LOAD RANGE	ARTICLE NUMBER	SIDEWALL STYLING	APPROVED RIM WIDTHS	MEASURING RIM WIDTH	OVERALL DIAMETER	SECTION WIDTH	TREAD DEPTH (32ND")	REVS PER MILE	UTQG	WEIGHT LBS
15" RIM DIAMETER												
195/65R15	91H	---	000064	BW	5.5-7.0	6.0	25.0	7.9	10	833	800 A A	26.3
205/65R15	94H	---	000074	BW	5.5-7.5	6.0	25.5	8.2	10	818	800 A A	26.3
16" RIM DIAMETER												
205/65R16	95H	---	004321	BW	5.5-7.5	6.0	26.5	8.2	10	787	800 A A	22.9
205/60R16	92V	---	000071	BW	5.5-7.5	6.0	25.7	8.2	10	812	800 A A	20.0
215/60R16	95V	---	000062	BW	6.0-7.5	6.5	26.1	8.7	9	797	800 A A	21.3
225/60R16	98H	---	000066	BW	6.0-8.0	6.5	26.6	9.0	9	783	800 A A	26.9
205/55R16	91V	---	000063	BW	5.5-7.5	6.5	24.9	8.4	10	837	800 A A	19.1
215/55R16	93H	---	000083	BW	6.0-7.5	7.0	25.3	8.9	9	824	800 A A	22.6
17" RIM DIAMETER												
225/65R17	102H	---	004322	BW	6.0-8.0	6.5	28.5	9.0	9	731	800 A A	25.3
235/60R17	102H	---	007927	BW	6.5-8.5	7.0	28.1	9.5	9	741	800 A A	25.0
215/55R17	94V	---	000067	BW	6.0-7.5	7.0	26.3	8.9	9	792	800 A A	21.3
225/55R17	97V	---	000081	BW	6.0-8.0	7.0	26.8	9.2	9	778	800 A A	21.1
235/55R17	99V	---	000080	BW	6.5-8.5	7.5	27.2	9.7	9	767	800 A A	27.9
205/50R17	93V	XL	000076	BW	5.5-7.5	6.5	25.1	8.4	10	829	800 A A	21.1
215/50R17	95V	XL	000077	BW	6.0-7.5	7.0	25.5	8.9	9	817	800 A A	21.1
225/50R17	94V	---	000065	BW	6.0-8.0	7.0	25.9	9.2	9	804	800 A A	22.3
235/50R17	96H	---	007929	BW	6.5-8.5	7.5	26.3	9.7	9	792	800 A A	26.3
245/50R17	99V	---	000090	BW	7.0-8.5	7.5	26.7	10.0	10	780	800 A A	28.9
215/45R17	87V	---	000072	BW	7.0-8.0	7.0	24.7	8.4	9	845	800 A A	26.2
225/45R17	91V	---	000069	BW	7.0-8.5	7.5	25.0	8.9	9	835	800 A A	24.2
235/45R17	94V	---	000073	BW	7.5-9.0	8.0	25.4	9.3	9	822	800 A A	25.7
245/45R17	99V	XL	003239	BW	7.5-9.0	8.0	25.7	9.6	10	812	800 A A	27.3
18" RIM DIAMETER												
225/50R18	99V	XL	004323	BW	6.0-8.0	7.0	26.9	9.2	9	775	800 A A	28.1
235/50R18	97V	---	000082	BW	6.5-8.5	7.5	27.3	9.7	9	764	800 A A	21.1
245/50R18	100V	---	000091	BW	7.0-8.5	7.5	27.7	10.0	10	753	800 A A	30.2
225/45R18	91V	---	003782	BW	7.0-8.5	7.5	25.9	8.9	9	803	800 A A	25.0
235/45R18	94V	---	003238	BW	7.5-9.0	8.0	26.3	9.3	9	791	800 A A	26.3
245/45R18	96V	---	000084	BW	7.5-9.0	8.0	26.7	9.6	10	782	800 A A	28.9
225/40R18	92V	XL	000078	BW	7.5-9.0	8.0	25.1	9.1	9	831	800 A A	24.5
235/40R18	95V	XL	000085	BW	8.0-9.5	8.5	25.4	9.5	9	820	800 A A	25.7
245/40R18	93V	---	000075	BW	8.0-9.5	8.5	25.7	9.8	10	810	800 A A	26.8
19" RIM DIAMETER												
245/45R19	98V	---	000086	BW	7.5-9.0	8.0	27.7	9.6	10	753	800 A A	26.2
255/45R19	104V	XL	003237	BW	8.0-9.5	8.5	28.1	10.0	10	742	800 A A	31.7
235/40R19	96V	XL	004325	BW	8.0-9.5	8.5	26.4	9.5	9	788	800 A A	27.4
245/40R19	94V	---	000079	BW	8.0-9.5	8.5	26.7	9.8	10	779	800 A A	29.1
255/40R19	100V	XL	000087	BW	8.5-10.0	9.0	27.1	10.2	10	770	800 A A	27.4
20" RIM DIAMETER												
245/45R20	103V	XL	003236	BW	7.5-9.0	8.0	28.7	9.6	10	727	800 A A	32.0






BRIDGESTONE

TURANZA™ EL400-02



THE EL400-02 STATE OF THE ART TECHNOLOGIES

FEATURES AND BENEFITS

-  Available in runflat sizes
-  Quiet, comfortable ride
-  All-season performance

TREAD COMPOUND

increases wear resistance

INNOVATIVE ROUNDNESS

helps provide confident traction and handling in wet conditions

SILENCER GROOVES

help reduce noise by trapping sound in tread pattern elements



SIZE	SERVICE DESCRIPTION	LOAD RANGE	ARTICLE NUMBER	SIDEWALL STYLING	APPROVED RIM WIDTHS	MEASURING RIM WIDTH	OVERALL DIAMETER	SECTION WIDTH	TREAD DEPTH (32ND")	REVS PER MILE	UTQG	WEIGHT LBS
15" RIM DIAMETER												
P175/65R15	84H	---	023478	BW	5.0-6.0	5.0	24.0	7.0	10	870	300 A A	16.3
P205/60R15	90H	---	000477*	BW	5.5-7.5	6.0	24.7	8.2	10	845	300 A A	19.3
16" RIM DIAMETER												
P225/65R16	99T	---	005152	BW	6.0-8.0	6.5	27.5	9.0	10	759	400 B B	26.2
P205/60R16	91V	---	023512	BW	5.5-7.5	6.0	25.7	8.2	10	809	260 A A	21.4
P205/55R16	89H	---	005186	BW	5.5-7.5	6.5	24.9	8.4	10	833	300 A A	21.3
P205/55R16	89H	---	023342	BW	5.5-7.5	6.5	24.9	8.4	10	819	300 B A	18.8
P205/55R16	89H	---	057911	BW	5.5-7.5	6.5	24.9	8.4	10	843	300 A A	21.1
P205/55R16	89H	---	133255	BW	5.5-7.5	6.5	24.9	8.4	10	833	300 A A	21.2
P195/50R16	83V	---	023495	BW	5.5-7.0	6.0	23.7	7.9	10	879	260 A A	19.2
17" RIM DIAMETER												
235/60R17	102T	---	124823	BW	6.5-8.5	7.0	28.1	9.5	10	744	400 B B	29.8
P215/55R17	93V	---	131674	BW	6.0-7.5	7.0	26.3	8.9	10	789	260 A A	23.4
P225/50R17	93V	---	108622	BW	6.0-8.0	7.0	25.9	9.2	10	804	260 A A	25.9
P245/50R17	98V	---	090160	BW	7.0-8.5	7.5	26.7	10.0	10	780	260 A A	25.6
P215/45R17	87V	---	000533	BW	7.0-8.0	7.0	24.7	8.4	10	844	260 A A	22.3
18" RIM DIAMETER												
P225/45R18	91V	---	131691	BW	7.0-8.5	7.5	25.9	8.9	10	802	260 A A	25.1
225/40R18	88W	---	132677	BW	7.5-9.0	8.0	25.1	9.1	9	830	260 A A	23.6
255/40R18	95W	---	132694	BW	8.5-10.0	9.0	26.0	10.2	9	798	260 A A	26.9
255/35R18	90W	---	001453	BW	8.5-10.0	9.0	25.0	10.2	9	832	260 A A	26.0
19" RIM DIAMETER												
235/40R19	96V	XL	024804	BW	8.0-9.5	8.5	26.4	9.5	11	789	260 A A	28.2
17" RIM DIAMETER RUNFLAT & EXTENDED MOBILITY												
205/50R17	89H	---	135601	BW	5.5-7.5	6.5	25.1	8.4	11	823	300 A A	26.9
205/50R17	89V	---	000237	BW	5.5-7.5	6.5	25.1	8.4	11	829	260 A A	27.0
225/50R17	94V	---	017834	BW	6.0-8.0	7.0	25.9	9.2	11	804	260 A A	33.4
245/45R17	95H	---	002738	BW	7.5-9.0	8.0	25.7	9.6	10	812	260 A A	27.8
18" RIM DIAMETER RUNFLAT & EXTENDED MOBILITY												
235/55RF18	100T	---	004434	BW	6.5-8.5	7.5	28.2	9.7	10	740	400 B B	35.1
245/50R18	100H	---	001729	BW	7.0-8.5	7.5	27.7	10.0	10	753	300 A A	33.5

* Ecopia version






BRIDGESTONE

TURANZA™ T005



ORIGINAL EQUIPMENT ON AUDI AND LEXUS CARS

FEATURES AND BENEFITS

-  Available in runflat sizes
-  Quiet, comfortable ride
-  Summer Category

SIZE	SERVICE DESCRIPTION	LOAD RANGE	ARTICLE NUMBER	SIDEWALL STYLING	APPROVED RIM WIDTHS	MEASURING RIM WIDTH	OVERALL DIAMETER	SECTION WIDTH	TREAD DEPTH (32ND")	REVS PER MILE	UTQG	WEIGHT LBS
16" RIM DIAMETER												
205/65R16	95W	---	011999	BW	---	---	---	---	8	---	320 A A	19.2
205/60R16	92H	---	009624	BW	5.5-7.5	6.0	25.7	8.2	9	812	320 A A	19.0
205/55R16	91W	---	012001	BW	---	0.0	0.0	0.0	8	0	320 A A	16.9
17" RIM DIAMETER												
205/55R17	91W	---	007539	BW	---	0.0	0.0	0.0	9	0	320 A A	20.3
205/55R17	95W	XL	011965	BW	---	0.0	0.0	0.0	9	0	320 A A	20.5
215/55R17	94V	---	004435*	BW	6.0-7.5	7.0	26.3	8.9	9	792	260 A A	23.2
225/55R17	97W	---	012002	BW	---	---	---	---	8	---	320 A A	21.7
225/50R17	94Y	---	004840	BW	---	---	---	---	10	---	320 A A	22.5
225/45R17	91Y	---	006379	BW	7.0-8.5	7.5	25.0	8.9	9	835	320 A A	19.2
18" RIM DIAMETER												
225/50R18	99W	XL	012101	BW	---	---	---	---	8	---	320 A A	21.1
225/45R18	91W	---	008752	BW	7.0-8.5	7.5	25.9	8.9	8	803	320 A A	19.6
235/45R18	94W	---	003663*	BW	7.5-9.0	8.0	26.3	9.3	10	791	260 A A	26.5
225/40R18	92Y	XL	012000	BW	---	---	---	---	8	---	320 A A	19.6
255/40R18	99Y	XL	011575	BW	---	---	---	---	8	---	320 A A	23.4
19" RIM DIAMETER												
225/40R19	93W	XL	008744	BW	---	---	---	---	9	---	320 A A	20.3
235/40R19	92V	---	004436*	BW	8.0-9.5	8.5	26.4	9.5	9	788	260 A A	24.0
235/35R19	91Y	XL	004794	BW	---	---	---	---	10	---	320 A A	22.8
21" RIM DIAMETER												
245/40R21	100Y	---	008944	BW	---	---	---	---	9	---	320 A A	25.8
255/35R21	98Y	XL	007535	BW	---	---	---	---	10	---	320 A A	28.9
16" RIM DIAMETER RUNFLAT & EXTENDED MOBILITY												
205/55R16	91W	---	012103	BW	---	---	---	---	8	---	320 A A	21.8
17" RIM DIAMETER RUNFLAT & EXTENDED MOBILITY												
205/55R17	91W	---	011979+	BW	---	---	---	---	10	---	320 A A	23.2
225/50R17	98Y	XL	008736	BW	---	---	---	---	8	---	320 A A	25.6
225/45R17	94Y	XL	009849	BW	---	---	660.0	---	8	---	320 A A	22.2
18" RIM DIAMETER RUNFLAT & EXTENDED MOBILITY												
225/45R18	91W	---	007544	BW	7.0-8.5	7.5	25.9	8.9	8	803	320 A A	21.6
225/45R18	95Y	XL	008733	BW	---	---	---	---	8	---	320 A A	22.5
225/40R18	92Y	XL	009029	BW	---	---	---	---	8	---	320 A A	21.4
255/40R18	99Y	XL	008934	BW	---	---	---	---	8	---	320 A A	26.5
19" RIM DIAMETER RUNFLAT & EXTENDED MOBILITY												
245/50R19	101W	---	007186*	BW	7.0-8.5	7.5	28.7	10.0	10	726	260 A A	35.7
225/40R19	93Y	XL	008734	BW	---	---	---	---	8	---	320 A A	21.2
245/40R19	98Y	XL	008737	BW	---	8.5	26.7	9.8	9	779	320 A A	24.6
255/35R19	96Y	XL	008738	BW	---	---	---	---	8	---	320 A A	24.9
275/35R19	100Y	XL	008741	BW	9.0-11.0	9.5	26.6	10.9	9	784	320 A A	28.7
20" RIM DIAMETER RUNFLAT & EXTENDED MOBILITY												
245/45R20	99Y	---	005966	BW	7.5-9.0	8.0	28.7	9.6	10	727	320 A A	37.0
275/40R20	102Y	---	005969	BW	9.0-11.0	9.5	28.7	10.9	10	726	320 A A	33.6
225/35R20	90Y	XL	008932	BW	---	---	---	---	8	---	320 A A	21.8
255/30R20	92Y	XL	008933	BW	---	---	---	---	8	---	320 A A	23.8

* T005A version
+ MOE version





BRIDGESTONE

ECOPIA™ EP422 Plus

GO 20 EXTRA MILES PER TANK*

FEATURES AND BENEFITS

- Optimized for fuel efficiency
- 70,000 mile limited treadwear warranty**
- All-season performance
- Confident handling and a comfortable ride

70000

Mile Limited Treadwear Warranty

110000

Kilometer Treadwear Warranty



FUEL SAVER SIDEWALL & TREAD COMPOUND

helps improve rolling efficiency for fuel economy

INNOVATIVE TREAD PATTERN

delivers a quiet, comfortable ride

CIRCUMFERENTIAL GROOVES

help channel water out of the footprint area to improve resistance to hydroplaning

OPTIMIZED CONTACT FOOTPRINT

distributes weight evenly across the tire surface, allowing for even wear and longevity



*Based on rolling resistance in lab testing comparing Ecopia EP422 Plus (215/60R16) to Firestone FR710 (215/60R16) from new. Extra 20 miles based on 400 miles per tank. Actual results may vary based on proper tire maintenance, vehicle, driving style and road conditions.
**Conditions and exclusions apply. See warranty manual for details.

SIZE	SERVICE DESCRIPTION	LOAD RANGE	ARTICLE NUMBER	SIDEWALL STYLING	APPROVED RIM WIDTHS	MEASURING RIM WIDTH	OVERALL DIAMETER	SECTION WIDTH	TREAD DEPTH (32ND")	REVS PER MILE	UTQG	WEIGHT LBS
15" RIM DIAMETER												
205/70R15	96T	---	002005	BW	5.0-7.0	6.0	26.3	8.2	10	791	640 A B	19.8
215/70R15	98T	---	006053	BW	5.5-7.0	6.5	26.9	8.7	10	775	640 A B	21.9
175/65R15	84H	---	006614	BW	5.0-6.0	5.0	24.0	7.0	11	868	640 A A	16.6
185/65R15	88H	---	006138	BW	5.0-6.5	5.5	24.5	7.4	11	852	640 A A	18.3
195/65R15	91H	---	001667	BW	5.5-7.0	6.0	25.0	7.9	11	833	540 A A	19.2
195/65R15	91H	---	006036	BW	5.5-7.0	6.0	25.0	7.9	11	833	640 A A	18.2
P195/65R15	89S	---	005332	BW	5.5-7.0	6.0	25.0	7.9	10	833	600 A A	17.4
195/65R15	91S	---	011603	BW	---	---	---	---	10	---	600 A A	17.2
205/65R15	99H	XL	006019	BW	5.5-7.5	6.0	25.5	8.2	10	817	640 A A	21.5
185/60R15	84T	---	006291	BW	5.0-6.5	5.5	23.7	7.4	11	878	640 A B	16.2
195/60R15	88H	---	006104	BW	5.5-7.0	6.0	24.2	7.9	11	861	640 A A	17.2
205/60R15	91H	---	002008	BW	5.5-7.5	6.0	24.7	8.2	10	844	640 A A	18.6
215/60R15	94T	---	002009	BW	6.0-7.5	6.5	25.2	8.7	10	828	640 A B	19.5
185/55R15	82V	---	006631	BW	5.0-6.5	6.0	23.0	7.6	11	906	640 A A	16.1
16" RIM DIAMETER												
205/65R16	95H	---	023206	BW	5.5-7.5	6.0	26.5	8.2	10	787	640 A A	21.1
215/65R16	98T	---	006087	BW	6.0-7.5	6.5	27.0	8.7	10	772	640 A B	22.4
225/65R16	100H	---	006393	BW	6.0-8.0	6.5	27.5	9.0	10	758	640 A A	25.4
235/65R16	103T	---	006155	BW	6.5-8.5	7.0	28.0	9.5	10	744	640 A B	26.3
P205/60R16	91H	---	001863	BW	5.5-7.5	6.0	25.7	8.2	10	812	600 A A	21.2
205/60R16	92H	---	006121	BW	5.5-7.5	6.0	25.7	8.2	10	811	640 A A	19.4
205/60R16	92H	---	007223	BW	5.5-7.5	6.0	25.7	8.2	10	812	540 A A	19.0
205/60R16	92H	---	008834	BW	5.5-7.5	6.0	25.7	8.2	10	812	600 A A	19.6
215/60R16	95T	---	005985	BW	6.0-7.5	6.5	26.1	8.7	10	795	640 A B	20.7
215/60R16	95V	---	006002	BW	6.0-7.5	6.5	26.1	8.7	10	795	640 A A	20.7
225/60R16	98H	---	005968	BW	6.0-8.0	6.5	26.6	9.0	10	783	640 A A	23.0
235/60R16	100H	---	001448	BW	6.5-8.5	7.0	27.1	9.5	10	769	640 A A	25.7
185/55R16	83H	---	004328	BW	5.0-6.5	6.0	24.0	7.6	10	867	640 A A	16.7
195/55R16	87V	---	006563	BW	5.5-7.0	6.0	24.4	7.9	11	854	640 A A	17.8
205/55R16	91H	---	003193	BW	5.5-7.5	6.5	24.9	8.4	10	837	540 A A	19.1
205/55R16	91H	---	006070	BW	5.5-7.5	6.5	24.9	8.4	10	837	640 A A	19.3
215/55R16	93H	---	006274	BW	6.0-7.5	7.0	25.3	8.9	10	824	640 A A	20.3
205/50R16	87H	---	006512	BW	5.5-7.5	6.5	24.1	8.4	10	864	640 A A	19.3
17" RIM DIAMETER												
215/65R17	99T	---	006308	BW	6.0-7.5	6.5	28.0	8.7	10	744	640 A B	23.4
215/60R17	96T	---	006257	BW	6.0-7.5	6.5	27.2	8.7	10	767	640 A B	21.9
235/60R17	102T	---	006444	BW	6.5-8.5	7.0	28.1	9.5	10	741	640 A B	26.5
205/55R17	91H	---	007237	BW	5.5-7.5	6.5	25.9	8.4	10	804	540 A A	19.3
215/55R17	94V	---	000219	BW	6.0-7.5	7.0	26.3	8.9	10	792	640 A A	22.4
215/55R17	94V	---	006189	BW	6.0-7.5	7.0	26.3	8.9	10	792	640 A A	20.6
215/55R17	94V	---	009110	BW	6.0-7.5	7.0	26.3	8.9	10	792	640 A A	22.7
225/55R17	97V	---	006206	BW	6.0-8.0	7.0	26.8	9.2	10	777	640 A A	21.8
205/50R17	93H	XL	008835	BW	5.5-7.5	6.5	25.1	8.4	10	829	600 A A	20.1
205/50R17	93V	XL	006495	BW	5.5-7.5	6.5	25.1	8.4	10	830	640 A A	21.8
215/50R17	95V	XL	006325	BW	6.0-7.5	7.0	25.5	8.9	10	817	640 A A	21.4
225/50R17	94V	---	006223	BW	6.0-8.0	7.0	25.9	9.2	10	804	640 A A	26.6
P215/45R17	87V	---	005333	BW	7.0-8.0	7.0	24.7	8.4	10	845	600 A A	20.5
215/45R17	87V	---	006597	BW	7.0-8.0	7.0	24.7	8.4	10	843	640 A A	22.9
P225/45R17	90V	---	004866	BW	7.0-8.5	7.5	25.0	8.9	10	835	600 A A	21.4
235/45R17	94V	---	006427	BW	7.5-9.0	8.0	25.4	9.3	10	822	640 A A	25.5
18" RIM DIAMETER												
215/55R18	95T	---	006546	BW	6.0-7.5	7.0	27.3	8.9	10	763	640 A B	23.2
225/55R18	98H	---	006478	BW	6.0-8.0	7.0	27.8	9.2	10	749	640 A A	24.3
225/50R18	95T	---	006529	BW	6.0-8.0	7.0	26.9	9.2	10	775	640 A B	22.5
225/45R18	91H	---	007224	BW	7.0-8.5	7.5	25.9	8.9	10	803	540 A A	22.9
225/45R18	91V	---	006648	BW	7.0-8.5	7.5	25.9	8.9	10	801	640 A A	25.3
235/45R18	94V	---	003767	BW	7.5-9.0	8.0	26.3	9.3	10	791	640 A A	23.8







BRIDGESTONE

ECOPIA H/L422 Plus



COMFORTABLE RIDE THAT'S ENGINEERED FOR FUEL EFFICIENCY

FEATURES AND BENEFITS

-  Engineered to be fuel-efficient
-  Up to 70,000 mile limited treadwear warranty†
-  Quiet, comfortable ride
-  All-season performance

70000

Mile Limited Treadwear Warranty

110000

Kilometer Treadwear Warranty

1 FULL DEPTH GROOVES

help water evacuation throughout the life of the tire

2 OPTIMIZED TREAD PATTERN DESIGN

fight irregular wear and improves traction while keeping your comfort in mind*

3 LONG-LASTING TREAD LIFE

backed by a newly increased 70,000 mile limited treadwear warranty†

4 OPTIMIZED BLOCK DESIGN

improves braking on wet roads*



SIZE	SERVICE DESCRIPTION	LOAD RANGE	ARTICLE NUMBER	SIDEWALL STYLING	APPROVED RIM WIDTHS	MEASURING RIM WIDTH	OVERALL DIAMETER	SECTION WIDTH	TREAD DEPTH (32ND")	REVS PER MILE	UTQG	WEIGHT LBS
15" RIM DIAMETER												
175/55R15	77V	---	012199	BW	---	---	---	---	9	---	600 A A	14.1
16" RIM DIAMETER												
215/70R16	100H	---	006682	BW	5.5-7.0	6.5	27.9	8.7	10	747	700 A A	23.5
225/70R16	103H	---	006716	BW	6.0-7.5	6.5	28.4	9.0	10	733	700 A A	25.0
P235/70R16	104T	---	004918	BW	6.0-8.0	7.0	29.0	9.5	10	719	700 A A	27.3
215/65R16	102V	XL	006665	BW	6.0-7.5	6.5	27.0	8.7	10	771	700 A A	23.3
P235/65R16	101T	---	004916	BW	6.5-8.5	7.0	28.0	9.5	10	743	700 A A	25.8
235/60R16	100T	---	004265	BW	6.5-8.5	7.0	27.1	9.5	10	769	700 A A	24.9
17" RIM DIAMETER												
215/65R17	99H	---	007236	BW	6.0-7.5	6.5	28.0	8.7	11	743	600 A A	23.3
225/65R17	102H	---	000985	BW	6.0-8.0	6.5	28.5	9.0	10	731	600 A A	25.0
225/65R17	102H	---	003259	BW	6.0-8.0	6.5	28.5	9.0	10	731	600 A A	25.6
225/65R17	102H	---	006699	BW	6.0-8.0	6.5	28.5	9.0	10	731	700 A A	25.2
235/65R17	104H	---	000888	BW	6.5-8.5	7.0	29.1	9.5	10	717	700 A A	28.3
P235/65R17	103H	---	004917	BW	6.5-8.5	7.0	29.1	9.5	10	717	700 A A	25.4
P245/65R17	105T	---	004921	BW	7.0-8.5	7.0	29.5	9.8	10	705	700 A A	29.7
215/60R17	96H	---	011883	BW	---	---	---	---	10	---	600 A A	24.5
225/60R17	99H	---	004906	BW	6.0-8.0	6.5	27.6	9.0	10	754	700 A A	23.9
225/60R17	99H	---	009534	BW	6.0-8.0	6.5	27.6	9.0	10	754	600 A A	25.1
P235/60R17	100H	---	004913	BW	6.5-8.5	7.0	28.1	9.5	10	741	700 A A	24.7
225/55R17	97H	---	004910	BW	6.0-8.0	7.0	26.8	9.2	10	778	700 A A	22.2
235/55R17	99H	---	004908	BW	6.5-8.5	7.5	27.2	9.7	10	767	700 A A	23.8
18" RIM DIAMETER												
235/65R18	106H	---	006869	BW	6.5-8.5	7.0	30.0	9.5	10	693	700 A A	27.4
235/65R18	106V	---	004620	BW	6.5-8.5	7.0	30.0	9.5	10	693	600 A A	30.6
P255/65R18	109T	---	007124	BW	7.0-9.0	7.5	31.1	10.2	10	671	700 A A	34.2
225/60R18	100H	---	004909	BW	6.0-8.0	6.5	28.6	9.0	10	728	700 A A	25.3
235/60R18	103H	---	000889	BW	6.5-8.5	7.0	29.1	9.5	10	716	700 A A	29.3
235/60R18	103H	---	004915	BW	6.5-8.5	7.0	29.1	9.5	10	716	700 A A	26.3
P245/60R18	104H	---	004920	BW	7.0-8.5	7.0	29.6	9.8	10	704	700 A A	28.6
P215/55R18	94H	---	004256	BW	6.0-7.5	7.0	27.3	8.9	10	764	700 A A	22.1
225/55R18	98H	---	004262	BW	6.0-8.0	7.0	27.8	9.2	10	749	700 A A	23.4
P225/55R18	97H	---	009139	BW	6.0-8.0	7.0	27.8	9.2	10	750	600 A A	27.1
235/55R18	100H	---	001208	BW	6.5-8.5	7.5	28.2	9.7	10	740	600 A A	27.0
235/55R18	100H	---	005591	BW	6.5-8.5	7.5	28.2	9.7	10	740	600 A A	26.9
235/55R18	100H	---	006784	BW	6.5-8.5	7.5	28.2	9.7	10	740	700 A A	25.5
235/55R18	100H	---	007235	BW	6.5-8.5	7.5	28.2	9.7	10	740	600 A A	25.7
235/50R18	97V	---	004493	BW	6.5-8.5	7.5	27.3	9.7	10	764	700 A A	25.1
19" RIM DIAMETER												
P255/60R19	108H	---	007107	BW	7.0-9.0	7.5	31.1	10.2	10	671	700 A A	34.4
225/55R19	99H	---	004492	BW	6.0-8.0	7.0	28.8	9.2	10	724	600 A A	25.6
225/55R19	99H	---	007151	BW	6.0-8.0	7.0	28.8	9.2	10	724	700 A A	25.4
225/55R19	99V	---	004263	BW	6.0-8.0	7.0	28.8	9.2	10	724	700 A A	25.5
235/55R19	101H	---	004911	BW	6.5-8.5	7.5	29.2	9.7	10	714	700 A A	27.0
225/45R19	92W	---	008633	BW	7.0-8.5	7.5	27.0	8.9	10	772	600 A A	25.8
20" RIM DIAMETER												
235/55R20	102V	---	000227	BW	6.5-8.5	7.5	30.2	9.7	10	691	600 A A	30.7
P255/50R20	104V	---	008789	BW	7.0-9.0	8.0	30.1	10.4	10	693	600 A A	34.6
265/50R20	107T	---	000864	BW	7.5-9.5	8.5	30.5	10.9	11	684	600 A A	34.8
P245/50R20	102H	---	004919	BW	7.0-8.5	7.5	29.7	10.0	10	702	700 A A	29.0
17" RIM DIAMETER RUNFLAT & EXTENDED MOBILITY												
P225/65RF17	100H	---	021489	BW	6.0-8.0	6.5	28.5	9.0	10	731	600 A A	34.5
19" RIM DIAMETER RUNFLAT & EXTENDED MOBILITY												
P235/55RF19	101V	---	007216	BW	6.5-8.5	7.5	29.2	9.7	10	714	600 A A	34.5
P235/55RF19	101V	---	008814	BW	6.5-8.5	7.5	29.2	9.7	10	714	600 A A	34.2
20" RIM DIAMETER RUNFLAT & EXTENDED MOBILITY												
P255/45RF20	101V	---	008815	BW	8.0-9.5	8.5	29.1	10.0	10	717	600 A A	34.7





BRIDGESTONE

DUELER™ H/P SPORT™

GET THE MOST OUT OF YOUR VEHICLE

FEATURES AND BENEFITS

- Summer Performance
- Powerful traction in wet and dry conditions
- Handling ease with smooth ride
- Quick steering response



OPTIMIZED CONTACT PATCH

allows more surface of the tire to touch the ground to help give you control in dry conditions

SILICA

improves traction in wet conditions by increasing the flexibility of the tread compound

WIDE STRAIGHT GROOVES

help channel water to improve wet traction

WIDE SHOULDER BLOCKS

provide enhanced grip in cornering



SIZE	SERVICE DESCRIPTION	LOAD RANGE	ARTICLE NUMBER	SIDEWALL STYLING	APPROVED RIM WIDTHS	MEASURING RIM WIDTH	OVERALL DIAMETER	SECTION WIDTH	TREAD DEPTH (32ND")	REVS PER MILE	UTQG	WEIGHT LBS
16" RIM DIAMETER												
215/65R16	98H	---	006783	BW	6.0-7.5	6.5	27.0	8.7	10	771	300 A A	23.4
17" RIM DIAMETER												
235/55R17	99V	---	003234	BW	6.5-8.5	7.5	27.2	9.7	10	767	300 A A	27.7
18" RIM DIAMETER												
225/60R18	100V	---	007213	BW	6.0-8.0	6.5	28.6	9.0	10	728	300 A A	27.1
265/60R18	110H	---	000867	BW	7.5-9.5	8.0	30.5	10.7	11	683	300 A A	36.8
285/60R18	116V	---	003837	BW	8.0-10.0	8.5	31.5	11.5	11	662	300 A A	42.3
225/55R18	98H	---	006786	BW	6.0-8.0	7.0	27.8	9.2	10	749	300 A A	24.6
235/50R18	97V	---	003235	BW	6.5-8.5	7.5	27.3	9.7	10	764	300 A A	27.9
19" RIM DIAMETER												
235/55R19	101V	---	004856	BW	6.5-8.5	7.5	29.2	9.7	9	714	300 A A	34.4
235/55R19	101W	---	141568	BW	6.5-8.5	7.5	29.2	9.7	9	711	300 A A	31.2
255/55ZR19	111Y	---	009081	BW	7.0-9.0	8.0	30.0	10.4	10	693	300 A A	31.8
255/50R19	103V	---	049020	BW	7.0-9.0	8.0	29.1	10.4	11	716	300 A A	35.3
275/50ZR19	112Y	XL	009082	BW	7.5-9.5	8.5	29.9	11.2	9	697	300 A A	34.0
235/45R19	95H	---	006942	BW	7.5-9.0	8.0	27.4	9.3	10	761	300 A A	25.6
275/45R19	108Y	XL	098864	BW	8.5-10.5	9.0	28.8	10.8	11	723	300 A A	37.0
285/45R19	107V	---	067924	BW	9.0-10.5	9.5	29.1	11.2	11	716	300 A A	36.7
20" RIM DIAMETER												
235/45R20	100W	XL	133595	BW	7.5-9.0	8.0	28.4	9.3	11	739	300 A A	29.6
255/45R20	101W	---	133306	BW	8.0-9.5	8.5	29.1	10.0	11	716	300 A A	33.1
275/45R20	110Y	XL	089038	BW	8.5-10.5	9.0	29.8	10.8	9	699	300 A A	39.0
275/45ZR20	110Y	XL	009084	BW	8.5-10.5	9.0	29.8	10.8	9	700	300 A A	33.1
275/40R20	102W	---	095107	BW	9.0-11.0	9.5	28.7	10.9	11	728	300 A A	37.3
305/40ZR20	112Y	XL	009085	BW	10.0-12.0	11.0	29.6	12.3	9	704	300 A A	33.7
315/35R20	106W	---	095124	BW	10.5-12.5	11.0	28.7	12.6	11	728	300 A A	42.1
21" RIM DIAMETER												
285/40ZR21	109Y	XL	009177	BW	---	---	---	---	9	---	300 A A	35.3
315/35ZR21	111Y	XL	009178	BW	---	---	---	---	9	---	300 A A	33.3





SUV



CUV

ALL-SEASON PERFORMANCE

BRIDGESTONE

DUELER H/P SPORT AS™

DRIVE WITH CONFIDENCE IN CHANGING ROAD CONDITIONS

FEATURES AND BENEFITS

- 40,000 mile limited treadwear warranty*
- All-season performance
- Impressive handling on wet and dry surfaces
- Quiet, comfortable ride



40000

Mile Limited Treadwear Warranty

65000

Kilometer Treadwear Warranty

OPTIMIZED CONTACT FOOTPRINT

distributes weight evenly across the tire surface, allowing for longevity

CLOSED SHOULDER & HIGH ANGLE SLOTS

help deliver confident wet performance

CIRCUMFERENTIAL GROOVES

help deliver confident wet performance

LOW ROLLING RESISTANCE SIDEWALL COMPOUND

helps improve fuel economy



SIZE	SERVICE DESCRIPTION	LOAD RANGE	ARTICLE NUMBER	SIDEWALL STYLING	APPROVED RIM WIDTHS	MEASURING RIM WIDTH	OVERALL DIAMETER	SECTION WIDTH	TREAD DEPTH (32ND")	REVS PER MILE	UTQG	WEIGHT LBS	
16" RIM DIAMETER													
205/60R16	92H	---	005220	BW	5.5-7.5	6.0	25.7	8.2	10	804	300 A A	23.8	Ecopia version
17" RIM DIAMETER													
225/65R17	102H	---	000234	BW	6.0-8.0	6.5	28.5	9.0	11	731	500 A A	25.4	
225/65R17	102T	---	142367	BW	6.0-8.0	6.5	28.5	9.0	10	731	400 A B	26.4	
18" RIM DIAMETER													
225/60R18	100H	---	000235	BW	6.0-8.0	6.5	28.6	9.0	11	728	500 A A	26.2	
245/60R18	105H	---	000200	BW	7.0-8.5	7.0	29.6	9.8	10	704	500 A A	29.6	
245/60R18	105H	---	011788	BW	---	---	---	---	10	---	400 A B	28.9	
245/60R18	105V	---	001461	BW	7.0-8.5	7.0	29.6	9.8	10	704	500 A A	30.8	
19" RIM DIAMETER													
245/50R19	105H	XL	004747	BW	7.0-8.5	7.5	28.7	10.0	10	726	500 A A	28.2	
20" RIM DIAMETER													
235/55R20	102H	---	004440	BW	6.5-8.5	7.5	30.2	9.7	10	691	440 A B	30.7	
245/50R20	102V	---	011789	BW	---	---	---	---	10	---	400 A B	29.3	
17" RIM DIAMETER RUNFLAT & EXTENDED MOBILITY													
205/55R17	91V	---	007957	BW	5.5-7.5	6.5	25.9	8.4	10	805	300 A A	34.6	
18" RIM DIAMETER RUNFLAT & EXTENDED MOBILITY													
225/60R18	104H	XL	004743	BW	6.0-8.0	6.5	28.6	9.0	10	728	500 A A	36.5	
235/60R18	103V	---	006651	BW	6.5-8.5	7.0	29.1	9.5	10	716	440 A B	32.8	
225/45R18	91V	---	007974	BW	7.0-8.5	7.5	25.9	8.9	9	799	300 A A	26.7	
19" RIM DIAMETER RUNFLAT & EXTENDED MOBILITY													
245/50R19	105H	XL	004748	BW	7.0-8.5	7.5	28.7	10.0	10	726	500 A A	35.2	
255/50R19	107V	XL	090075	BW	7.0-9.0	8.0	29.1	10.4	10	713	300 A A	44.0	
255/50R19	107W	XL	058285	BW	7.0-9.0	8.0	29.1	10.4	10	713	300 A A	43.9	
235/45R19	95V	---	003776	BW	7.5-9.0	8.0	27.4	9.3	9	761	300 A A	28.2	
285/45R19	111V	XL	090092	BW	9.0-10.5	9.5	29.1	11.2	10	716	300 A A	42.3	
285/45R19	111W	XL	058302	BW	9.0-10.5	9.5	29.1	11.2	10	716	300 A A	45.3	
20" RIM DIAMETER RUNFLAT & EXTENDED MOBILITY													
255/45R20	101W	---	005180	BW	8.0-9.5	8.5	29.1	10.0	10	717	300 A A	34.0	
265/45R20	104Y	---	135686	BW	8.5-10.0	9.0	29.4	10.5	11	709	300 A A	33.1	
275/40R20	106W	XL	112243	BW	9.0-11.0	9.5	28.7	10.9	11	726	300 A A	39.8	
275/40R20	106Y	XL	112991	BW	9.0-11.0	9.5	28.7	10.9	11	726	300 A A	39.8	
315/35R20	110W	XL	112260	BW	10.5-12.5	11.0	28.7	12.6	11	726	300 A A	48.6	
315/35R20	110Y	XL	113008	BW	10.5-12.5	11.0	28.7	12.6	12	726	300 A A	48.6	





TRUCK



SUV



CUV

BRIDGESTONE

DUELER™ H/L ALENZA™ Plus

KEEP YOUR LIFE ON A ROLL WITH AN 80,000 MILE WARRANTY*

FEATURES AND BENEFITS

- Up to 80,000 mile limited treadwear warranty*
- All-season performance
- Improved fuel efficiency**
- Quiet, comfortable ride



80000

Mile Limited Treadwear Warranty

1300000

Kilometer Treadwear Warranty

OPTIMIZED CONTACT FOOTPRINT

helps deliver a quiet, comfortable ride year-round

ADVANCED TREAD POLYMER TECHNOLOGY

provides impressive wear performance backed by an 80,000 mile limited treadwear warranty*

FUEL EFFICIENT TREAD COMPOUND

increases rolling efficiency

ATTRACTIVE DESIGN

complements the look of luxury vehicles

*Subject to restrictions. 80,000 mile limited treadwear warranty for H, T & V speed rated tires; 55,000 mile limited treadwear warranty for W speed rated tires.

**As compared to Bridgestone Dueler H/L Alenza.



SIZE	SERVICE DESCRIPTION	LOAD RANGE	ARTICLE NUMBER	SIDEWALL STYLING	APPROVED RIM WIDTHS	MEASURING RIM WIDTH	OVERALL DIAMETER	SECTION WIDTH	TREAD DEPTH (32ND")	REVS PER MILE	UTQG	WEIGHT LBS
15" RIM DIAMETER												
P235/75R15	105T	---	000428	OWL	6.0-8.0	6.5	28.9	9.3	12	722	800 A B	32.3
P265/70R15	110T	---	001464	BW	7.0-9.0	8.0	29.7	10.7	12	703	800 A B	35.8
16" RIM DIAMETER												
P225/75R16	104T	---	000430	OWL	6.0-7.5	6.0	29.3	8.8	12	711	800 A B	31.2
P245/75R16	109T	---	000431	OWL	6.5-8.0	7.0	30.5	9.8	12	684	800 A B	36.8
P265/75R16	114T	---	001332	BW	7.0-9.0	7.5	31.7	10.5	12	658	800 A B	42.8
235/70R16	106H	---	000433	BW	6.0-8.0	7.0	29.0	9.5	12	719	800 A A	35.7
P245/70R16	106H	---	000434	BW	6.5-8.0	7.0	29.5	9.8	13	705	800 A A	38.9
P255/70R16	109T	---	000435	OWL	6.5-8.5	7.5	30.1	10.2	13	693	800 A B	38.1
265/70R16	112T	---	000436	OWL	7.0-9.0	8.0	30.6	10.7	12	680	800 A B	40.9
255/65R16	109H	---	000437	BW	7.0-9.0	7.5	29.1	10.2	12	717	800 A A	37.8
17" RIM DIAMETER												
P245/70R17	108T	---	000438	OWL	6.5-8.0	7.0	30.6	9.8	13	682	800 A B	38.6
P265/70R17	113T	---	000439	OWL	7.0-9.0	8.0	31.7	10.7	13	658	800 A B	41.1
235/65R17	104H	---	000441	BW	6.5-8.5	7.0	29.1	9.5	13	717	800 A A	32.8
P245/65R17	105H	---	000442	BW	7.0-8.5	7.0	29.5	9.8	13	705	800 A A	36.3
P265/65R17	110T	---	000445	OWL	7.5-9.5	8.0	30.6	10.7	13	682	800 A B	39.9
255/60R17	106H	---	000446	BW	7.0-9.0	7.5	29.1	10.4	12	717	800 A A	36.0
18" RIM DIAMETER												
P265/70R18	114T	---	000447	OWL	7.0-9.0	8.0	32.6	10.7	12	638	800 A B	43.7
P255/65R18	109T	---	000448	BW	7.0-9.0	7.5	31.1	10.2	12	671	800 A B	39.6
P265/65R18	112T	---	000449	OWL	7.5-9.5	8.0	31.5	10.7	12	660	800 A B	42.1
P275/65R18	114H	---	000451	BW	7.5-9.5	8.0	32.1	11.0	13	649	800 A A	43.8
P245/60R18	104H	---	000452	BW	7.0-8.5	7.0	29.6	9.8	11	704	800 A A	34.8
265/60R18	110V	---	000453	BW	7.5-9.5	8.0	30.5	10.7	12	683	800 A A	39.6
275/60R18	113H	---	000454	BW	7.5-9.5	8.0	31.0	11.0	12	672	800 A A	40.5
235/55R18	100V	---	000455	BW	6.5-8.5	7.5	28.2	9.7	12	740	800 A A	33.1
255/55R18	109W	XL	003859	BW	7.0-9.0	8.0	29.0	10.4	11	718	540 A A	38.0
19" RIM DIAMETER												
P245/55R19	103T	---	000456	BW	7.0-9.0	8.0	29.7	10.0	12	703	800 A B	35.0
255/55R19	111V	XL	000457	BW	7.0-9.0	8.0	30.0	10.4	11	693	800 A A	38.8
P235/50R19	99H	---	004083	BW	6.5-8.5	7.5	28.3	9.7	12	736	800 A A	30.8
255/50R19	107W	XL	000459	BW	7.0-9.0	8.0	29.1	10.4	11	716	540 A A	37.0
20" RIM DIAMETER												
P245/60R20	107H	---	001331	BW	7.0-8.5	7.0	31.6	10.2	11	660	800 A A	40.9
P275/60R20	114H	---	000462	BW	7.5-9.5	8.0	33.0	11.0	12	631	800 A A	47.2
P255/55R20	107H	---	001732	BW	7.0-9.0	8.0	31.0	10.4	12	672	800 A A	38.7
P275/55R20	111H	---	001733	BW	7.5-9.5	8.5	31.9	11.2	12	653	800 A A	43.1
255/50R20	109V	XL	000463	BW	7.0-9.0	8.0	30.1	10.4	11	693	800 A A	38.0
P265/50R20	106V	---	000465	BW	7.5-9.5	8.5	30.5	10.9	13	684	800 A A	41.6
P285/50R20	111V	---	000464	BW	8.0-10.0	9.0	31.3	11.7	12	666	800 A A	40.7
21" RIM DIAMETER												
275/45R21	110W	XL	005402	BW	8.5-10.5	9.0	30.8	10.8	11	677	540 A A	26.0
22" RIM DIAMETER												
P285/45R22	110H	---	001734	BW	9.0-11.0	9.5	32.1	11.2	12	649	800 A A	45.8





SUV



CUV

ALL SEASON

BRIDGESTONE

DUELER™ H/L 400

**ORIGINAL EQUIPMENT
ON ACURA, AUDI, BMW,
HONDA, INFINITI, KIA,
LEXUS, MAZADA, MERCEDES,
MITSUBISHI & TOYOTA CUVs**



All-season performance



Confident traction on wet or dry pavement

DESIGNED TO

provide the quiet, comfortable ride owners of premium CUVs demand

ARMED WITH

technologies to deliver good tread life

AVAILABLE IN

S,T, H&V performance ratings



SIZE	SERVICE DESCRIPTION	LOAD RANGE	ARTICLE NUMBER	SIDEWALL STYLING	APPROVED RIM WIDTHS	MEASURING RIM WIDTH	OVERALL DIAMETER	SECTION WIDTH	TREAD DEPTH (32ND")	REVS PER MILE	UTQG	WEIGHT LBS
17" RIM DIAMETER												
P215/70R17	100H	---	142469	BW	6.5-7.5	7.0	28.9	8.7	10	721	300 A A	26.2
P245/65R17	105S	---	112056	BW	7.0-8.5	7.0	29.5	9.8	10	706	300 B B	31.0
255/55R17	104V	---	131300	BW	7.0-9.0	8.0	28.0	10.4	11	739	260 A A	30.9
18" RIM DIAMETER												
P235/60R18	102V	---	087372	BW	6.5-8.5	7.0	29.1	9.5	10	716	300 B B	31.6
P245/60R18	104H	---	133272	BW	7.0-8.5	7.0	29.6	9.8	10	706	300 B B	35.1
P225/55R18	97H	---	000632	BW	6.0-8.0	7.0	27.8	9.2	10	749	400 A A	25.6
255/55R18	105H	---	003197	BW	7.0-9.0	8.0	29.0	10.4	10	716	300 B B	35.3
255/55R18	109H	XL	092982	BW	7.0-9.0	8.0	29.0	10.4	10	716	300 A A	36.4
19" RIM DIAMETER												
P235/55R19	101H	---	135618	BW	6.5-8.5	7.5	29.2	9.7	10	716	260 A A	31.5
P235/55R19	101V	---	133289	BW	6.5-8.5	7.5	29.2	9.7	10	713	400 A A	30.9
P245/55R19	103S	---	086131	BW	7.0-9.0	8.0	29.7	10.0	10	704	300 B B	33.3
265/50R19	110H	XL	013958	BW	7.5-9.5	8.5	29.5	10.9	10	707	600 A A	37.0
20" RIM DIAMETER												
265/50R20	107T	---	009161	BW	7.5-9.5	8.5	30.5	10.9	11	684	300 A A	34.9
275/45R20	110H	XL	002687	BW	8.5-10.5	9.0	29.8	10.8	11	700	260 A A	37.5
21" RIM DIAMETER												
P265/45R21	104V	---	118312	BW	8.5-10.0	9.0	30.4	10.5	10	681	300 A A	40.4
17" RIM DIAMETER RUNFLAT & EXTENDED MOBILITY												
245/55R17	102H	---	126404	BW	7.0-8.5	7.5	27.6	10.0	11	752	300 A A	35.4
18" RIM DIAMETER RUNFLAT & EXTENDED MOBILITY												
P235/55R18	99H	---	131249	BW	6.5-8.5	7.5	28.2	9.7	10	736	300 A A	34.0
255/55R18	109H	XL	058234	BW	7.0-9.0	8.0	29.0	10.4	11	716	300 A A	43.6
235/50R18	97H	---	003774	BW	6.5-8.5	7.5	27.3	9.7	10	764	300 A A	30.2
19" RIM DIAMETER RUNFLAT & EXTENDED MOBILITY												
255/50R19	107H	XL	058268	BW	7.0-9.0	8.0	29.1	10.4	11	713		44.0
20" RIM DIAMETER RUNFLAT & EXTENDED MOBILITY												
275/50R20	109H	---	126319	BW	7.5-9.5	8.5	30.9	11.2	11	674	300 A A	46.3







BRIDGESTONE

DUELER™ H/T 684 II

COMFORT WITH A TOUCH OF ADVENTURE

FEATURES AND BENEFITS

-  60,000 mile limited treadwear warranty*
-  All-season performance
-  Quiet, comfortable ride
-  Dry and wet traction

60000

Mile Limited Treadwear Warranty

100000

Kilometer Treadwear Warranty



SPIRAL WRAP

improves high speed capability

WIDE STRAIGHT GROOVES

help channel water for confident wet traction

SOLID SHOULDER RIBS

help promote long-lasting wear

GROOVE NOTCHES

help aid in snow traction



SIZE	SERVICE DESCRIPTION	LOAD RANGE	ARTICLE NUMBER	SIDEWALL STYLING	APPROVED RIM WIDTHS	MEASURING RIM WIDTH	OVERALL DIAMETER	SECTION WIDTH	TREAD DEPTH (32ND")	REVS PER MILE	UTQG	WEIGHT LBS
17" RIM DIAMETER												
P245/70R17	108S	---	142741	BW	6.5-8.0	7.0	30.6	9.8	10	683	360 B B	33.7
P255/70R17	110S	---	002959	BW	6.5-8.5	7.5	31.1	10.2	10	670	360 B B	36.4
P265/70R17	113S	---	116816	BW	7.0-9.0	8.0	31.7	10.7	11	657	360 B B	39.0
P265/65R17	110S	---	030456	BW	7.5-9.5	8.0	30.6	10.7	11	681	360 B B	37.6
18" RIM DIAMETER												
P255/70R18	112T	---	004945	BW	6.5-8.5	7.5	32.1	10.2	11	649	360 B B	38.5
P275/65R18	114T	---	055089	BW	7.5-9.5	8.0	32.1	11.0	11	651	360 B B	40.5
P285/60R18	114V	---	112889	BW	8.0-10.0	8.5	31.5	11.5	10	659	360 B A	41.9
20" RIM DIAMETER												
P245/60R20	107H	---	142758	BW	7.0-8.5	7.0	31.6	10.2	10	659	360 B A	35.7
P275/60R20	114H	---	149779	BW	7.5-9.5	8.0	33.0	11.0	11	635	360 B B	43.9
22" RIM DIAMETER												
P275/50R22	111H	---	149796	BW	7.5-9.5	8.5	32.9	11.6	11	631	360 B A	44.1



BRIDGESTONE

DUELER H/T 685

HEAVY-DUTY PERFORMANCE SEASON AFTER SEASON, YEAR AFTER YEAR

FEATURES AND BENEFITS

-  Heavy-duty performance
-  Impressive wet weather performance
-  Confident winter performance
-  Long-lasting performance

50000

Mile Limited Treadwear Warranty

80000

Kilometer Treadwear Warranty



HEAVY-DUTY STEEL BELTS AND 2-PLY POLYESTER CONSTRUCTION

engineered for towing and carrying heavy loads

WIDE GROOVES

push water away from the tire, which helps reduce the risk of hydroplaning

SPECIALLY ENGINEERED TREAD DESIGN

helps retain traction in snowy conditions to help you power through winter

NEW AND INNOVATIVE TREAD-TO-ROAD CONTACT FOOTPRINT

allows the tire to adapt to the load and promote even wear



SIZE	SERVICE DESCRIPTION SGL/DUAL	LOAD RANGE	ARTICLE NUMBER	SIDEWALL STYLING	APPROVED RIM WIDTHS	MEASURING RIM WIDTH	OVERALL DIAMETER	SECTION WIDTH	TREAD DEPTH (32ND")	REVS PER MILE	UTQG	WEIGHT LBS
16" RIM DIAMETER												
LT215/85R16	115/112R	E	001333	BW	5.5-7.0	6.0	30.4	8.5	15	685	N/A	36.9
LT235/85R16	120/116R	E	001334	BW	6.0-7.5	6.5	31.7	9.3	16	656	N/A	40.5
LT225/75R16	115/112R	E	001335	BW	6.0-7.0	6.0	29.3	8.8	15	711	N/A	35.0
LT245/75R16	120/116R	E	001336	BW	6.5-8.0	7.0	30.5	9.8	16	684	N/A	39.8
LT265/75R16	123/120R	E	001337	OWL	7.0-8.0	7.5	31.7	10.5	17	658	N/A	45.5
LT285/75R16	126/123R	E	001338	OWL	7.5-9.0	8.0	32.8	11.3	16	634	N/A	50.6
255/70R16	111T	---	007168	BW	7.5-9.5	8.0	30.5	10.7	10	683	520 A B	32.5
17" RIM DIAMETER												
LT235/80R17	120/117R	E	001339	BW	6.0-7.5	6.5	31.8	9.3	16	655	N/A	40.5
LT245/75R17	121/118R	E	001341	OWL	6.0-7.5	7.0	31.5	9.8	16	661	N/A	42.5
245/75R17	112T	---	003348	BW	6.5-8.0	7.0	31.5	9.8	10	661	520 B B	31.8
LT245/70R17	119/116R	E	001342	OWL	6.5-8.0	7.0	30.6	9.8	14	682	N/A	40.9
LT265/70R17	121/118R	E	001343	OWL	7.0-8.5	8.0	31.7	10.7	15	658	N/A	45.2
LT285/70R17	121/118S	E	001345	OWL	7.5-9.0	8.5	32.8	11.5	16	636	N/A	50.4
255/65R17	110T	---	007160	BW	7.0-9.0	8.0	30.1	10.2	10	693	520 B B	33.2
18" RIM DIAMETER												
255/70R18	113T	---	003492	BW	6.5-8.5	7.5	32.1	10.2	10	649	520 A B	36.5
LT265/70R18	124/121R	E	001346	OWL	7.0-9.0	8.0	32.6	10.7	15	638	N/A	47.0
LT275/70R18	125/122R	E	001347	OWL	7.0-8.5	8.0	33.2	11.0	16	628	N/A	49.2
LT275/65R18	123/120S	E	001348	OWL	7.5-9.0	8.0	32.1	11.0	16	649	N/A	49.6
275/65R18	116T	---	003794	BW	7.5-9.5	8.0	32.1	11.4	11	649	520 A A	37.3
265/60R18	110T	---	007167	BW	7.5-9.5	8.0	30.5	10.7	10	683	520 A B	35.3
20" RIM DIAMETER												
LT275/65R20	126/123R	E	001349	OWL	7.5-9.5	8.0	34.1	11.0	16	611	N/A	52.8
LT265/60R20	121/118R	E	001350	BW	7.5-9.5	8.0	32.5	10.7	15	641	N/A	47.1







BRIDGESTONE

DUELER A/T REVO 3



ENGINEERED TO PERFORM FOR YOUR ACTIVE LIFESTYLE

FEATURES AND BENEFITS

-  Better off-road handling*
-  Long-lasting performance*
-  Improved wet and snow performance*
-  Quiet, comfortable ride

Up to

60000

Limited Mileage Warranty†

Up to

1000000

Kilometer Treadwear Warranty

*Vs. the Bridgestone Dueler A/T Revo 2.
 †60,000 mile limited mileage warranty for non-LT sizes, 50,000 mile limited mileage warranty for LT sizes. Certain conditions and limitations apply. See a Bridgestone representative or BridgestoneTire.com for details.

1 STAGGERED SHOULDER LUGS

for extra biting edges in soft, irregular surfaces

2 GROOVE STEPPING

stiffens tread blocks for enhanced wear life and traction performance

3 AGGRESSIVE NEW PATTERN WITH TRACTION CLAWS

provide additional grip in off-road and snow conditions

4 OPEN SHOULDER SLOTS AND 3D STEPS

help water evacuation and add traction to shoulder edges



SIZE	SERVICE DESCRIPTION SGI/DUAL	LOAD RANGE	ARTICLE NUMBER	SIDEWALL STYLING	APPROVED RIM WIDTHS	MEASURING RIM WIDTH	OVERALL DIAMETER	SECTION WIDTH	TREAD DEPTH (32ND")	REVS PER MILE	UTQG	WEIGHT LBS
16" RIM DIAMETER												
P225/75R16	104T	---	000056	OWL	6.0-7.5	6.0	29.3	8.8	12	711	540 A B	30.0
LT245/75R16	120/116S	E	000016	OWL	6.5-8.0	7.0	30.5	9.8	14	684	N/A	40.1
P245/75R16	109T	---	000037	OWL	6.5-8.0	7.0	30.5	9.8	12	684	540 A B	36.6
LT265/75R16	123/120R	E	000020	OWL	7.0-8.0	7.5	31.7	10.5	15	658	N/A	44.7
P265/75R16	114T	---	000036	OWL	7.0-9.0	7.5	31.7	10.5	13	658	540 A B	39.3
LT285/75R16	126/123R	E	000025	OWL	7.5-9.0	8.0	32.8	11.3	16	634	N/A	50.7
P265/70R16	111T	---	000041	OWL	7.0-9.0	8.0	30.6	10.7	13	680	540 A B	38.1
17" RIM DIAMETER												
LT245/75R17	121/118R	E	000017	OWL	6.5-7.5	7.0	31.5	9.8	14	661	N/A	42.0
LT255/75R17	111/108R	C	000018	OWL	6.5-8.5	7.0	32.1	10.0	15	650	N/A	40.9
P245/70R17	108T	---	000044	OWL	6.5-8.0	7.0	30.6	9.8	12	682	540 A B	35.9
LT265/70R17	121/118S	E	000019	OWL	7.0-8.5	8.0	31.7	10.7	15	658	N/A	45.7
P265/70R17	113T	---	000033	OWL	7.0-9.0	8.0	31.7	10.7	13	658	540 A B	39.6
LT285/70R17	121/118R	E	000024	OWL	7.5-9.0	8.5	32.8	11.5	16	636	N/A	50.2
P285/70R17	117T	---	000038	OWL	7.5-9.5	8.5	32.8	11.5	13	636	540 A B	43.8
LT315/70R17	121/118S	E	000026	OWL	8.5-10.0	9.5	34.4	12.7	17	605	N/A	59.2
P245/65R17	105T	---	000032	OWL	7.0-8.5	7.0	29.5	9.8	12	705	540 A B	34.9
P265/65R17	110T	---	000042	OWL	7.5-9.5	8.0	30.6	10.7	12	682	540 A B	39.1
18" RIM DIAMETER												
P255/70R18	112T	---	000049	OWL	6.5-8.5	7.5	32.1	10.2	13	649	540 A B	39.5
LT265/70R18	124/121R	E	000029	OWL	7.0-9.0	8.0	32.6	10.7	15	638	N/A	48.1
P265/70R18	114T	---	000040	OWL	7.0-9.0	8.0	32.6	10.7	13	638	540 A B	41.9
LT275/70R18	125/122S	E	000027	OWL	7.0-8.5	8.0	33.2	11.0	16	628	N/A	50.2
LT295/70R18	129/126S	E	007116	BW	7.5-10.0	8.5	34.3	11.8	16	607	N/A	55.0
P265/65R18	112T	---	000050	OWL	7.5-9.5	8.0	31.5	10.7	13	660	540 A B	40.8
LT275/65R18	123/120S	E	000021	BW	7.5-9.0	8.0	32.1	11.0	16	649	N/A	47.9
P275/65R18	114T	---	000043	OWL	7.5-9.5	8.0	32.1	11.0	13	649	540 A B	41.9
LT285/65R18	125/122S	E	007115	BW	8.0-10.0	8.5	32.6	11.5	16	640	N/A	49.8
265/60R18	110T	---	000051	OWL	7.5-9.5	8.0	30.5	10.7	12	683	540 A B	40.0
20" RIM DIAMETER												
LT275/65R20	126/123S	E	000022	BW	7.5-9.5	8.0	34.1	11.0	16	611	N/A	51.9
LT265/60R20	121/118R	E	000028	BW	7.5-9.5	8.0	32.5	10.7	15	641	N/A	47.1
P275/60R20	114T	---	000052	OWL	7.5-9.5	8.0	33.0	11.0	12	631	540 A B	41.7
LT285/60R20	125/122R	E	004284	BW	8.0-10.0	8.5	33.5	11.5	16	623	N/A	53.2
LT275/55R20	120/117S	E	007112	BW	7.5-9.5	8.5	31.9	11.2	16	653	N/A	48.7
P275/55R20	111T	---	000053	BW	7.5-9.5	8.5	31.9	11.2	12	653	540 A B	39.9
LT285/55R20	122/119S	E	007113	BW	8.0-10.0	9.0	32.4	11.7	15	644	N/A	52.0
LT305/55R20	121/118S	E	007114	BW	8.5-11.0	9.5	33.2	12.4	15	627	N/A	54.2
265/50R20	107T	---	004282	BW	7.5-9.5	8.5	30.5	10.9	12	684	540 A B	37.6





BRIDGESTONE


DUELER™ A/T RH-S



ORIGINAL EQUIPMENT ON CHEVROLET, GMC AND JEEP LIGHT TRUCKS

.....

FEATURES AND BENEFITS

-  Impressive wet traction and handling

ARMED WITH TECHNOLOGIES

to deliver good on road ride
and tread life

AGGRESSIVE SHOULDER


design for all-terrain
traction and rugged good looks



SIZE	SERVICE DESCRIPTION	LOAD RANGE	ARTICLE NUMBER	SIDEWALL STYLING	APPROVED RIM WIDTHS	MEASURING RIM WIDTH	OVERALL DIAMETER	SECTION WIDTH	TREAD DEPTH (32ND")	REVS PER MILE	UTQG	WEIGHT LBS
17" RIM DIAMETER												
245/75R17	112T	---	003349	BW	6.5-8.0	7.0	31.5	9.8	14	661	400 B B	38.2
245/75R17	112T	---	009426	BW	6.5-8.0	7.0	31.5	9.8	10	661	400 B B	33.7
LT265/70R17	112/109Q	C	005494	BW	7.0-8.5	8.0	31.7	10.7	11	658	N/A	42.2
LT265/70R17	112/109Q	C	246505	BW	7.0-8.5	8.0	31.7	10.7	15	657	N/A	42.3
P265/70R17	113S	---	002993	BW	7.0-9.0	8.0	31.7	10.7	12	658	400 B B	40.7
265/70R17	115S	---	005491	BW	7.0-9.0	8.0	31.7	10.7	13	658	400 B B	39.2
255/65R17	110T	---	007159	BW	7.0-9.0	8.0	30.1	10.2	12	693	400 B B	35.0
18" RIM DIAMETER												
P255/70R18	112S	---	057945	OWL	6.5-8.5	7.5	32.1	10.2	14	649	400 B B	41.9
255/70R18	113T	---	000865	BW	6.5-8.5	7.5	32.1	10.2	14	649	400 B B	39.3
P265/65R18	112S	---	054018	BW	7.5-9.5	8.0	31.5	10.7	13	661	400 B B	41.6
20" RIM DIAMETER												
275/60R20	115S	---	005493	BW	7.5-9.5	8.0	33.0	11.0	12	631	400 B B	39.7
P275/55R20	111T	---	107925	BW	7.5-9.5	8.5	31.9	11.2	14	653	400 B B	45.6
P285/45R22	110H	---	107942	BW	9.0-11.0	9.5	32.1	11.2	13	647	400 B B	44.9






BRIDGESTONE DURAVIS™ R238



DESIGNED FOR PICKUP AND DELIVERY, REGIONAL AND LONG HAUL SERVICE

FEATURES AND BENEFITS

-  Up to 17% treadwear improvement*
-  Retreadable for long life
-  Resists cuts and scrapes

THICK GAUGE SIDEWALL & DUAL SIDEWALL PROTECTORS

help make the tire more cut, chip and tear resistant

ALL-STEEL BODY PLY

provides heavy duty construction for rigorous driving conditions

NEWLY ENHANCED TREAD COMPOUND

Delivers up to 17% improved treadlife

REINFORCED STEEL CASING

contributes to being retreadable for long life



SIZE	SERVICE DESCRIPTION SGL/DUAL	LOAD RANGE	ARTICLE NUMBER	SIDEWALL STYLING	APPROVED RIM WIDTHS	MEASURING RIM WIDTH	OVERALL DIAMETER	SECTION WIDTH	TREAD DEPTH (32ND")	REVS PER MILE	WEIGHT LBS
16" RIM DIAMETER											
LT215/85R16	115/112Q	E	002043	BW	5.5-7.0	6.0	30.4	8.5	14	685	51.7
LT235/85R16	120/116Q	E	002044	BW	6.0-7.5	6.5	31.7	9.3	15	656	56.5
LT225/75R16	115/112Q	E	002038	BW	6.0-7.0	6.0	29.3	8.8	14	711	50.5
LT245/75R16	120/116Q	E	002036	BW	6.5-8.0	7.0	30.5	9.8	15	684	54.3
17" RIM DIAMETER											
LT245/75R17	121/118Q	E	002039	BW	6.5-7.5	7.0	31.5	9.8	15	661	56.4







BRIDGESTONE

DURAVIS™ R500HD

DESIGNED FOR COMMERCIAL HIGHWAY DRIVING

FEATURES AND BENEFITS

-  Provides smooth commercial highway driving
-  Wet and dry traction
-  Strong casing protects against stone drilling for belts
-  Long wear life



LONG LASTING TREAD COMPOUND

engineered to deliver long wear life

STONE REJECTOR

helps protect against stone retention and ejection to protect belts and enhance casing durability

OPTIMIZED TREAD DESIGN

improve dry traction while maintaining snow, ice and wet traction

THICK GAUGE SIDEWALL WITH DUAL SIDEWALL PROTECTORS

helps make the tire more cut, chip and tear resistant



SIZE	SERVICE DESCRIPTION SGL/DUAL	LOAD RANGE	ARTICLE NUMBER	SIDEWALL STYLING	APPROVED RIM WIDTHS	MEASURING RIM WIDTH	OVERALL DIAMETER	SECTION WIDTH	TREAD DEPTH (32ND")	REVS PER MILE	WEIGHT LBS
16" RIM DIAMETER											
LT215/85R16	115/112R	E	191826	BW	5.5-7.0	6.0	30.4	8.5	14	687	41.4
LT235/85R16	120/116R	E	191843	BW	6.0-7.5	6.5	31.7	9.3	14	657	47.4
LT225/75R16	115/112R	E	192659	BW	6.0-7.0	6.0	29.3	8.8	14	713	41.0
LT245/75R16	120/116R	E	191860	BW	6.5-8.0	7.0	30.5	9.8	14	685	47.0
LT265/75R16	123/120R	E	191877	BW	7.0-8.0	7.5	31.7	10.5	15	659	53.4
17" RIM DIAMETER											
LT235/80R17	120/117R	E	191928	BW	6.0-7.5	6.5	31.8	9.3	14	657	47.4
LT245/70R17	119/116R	E	191894	BW	6.5-8.0	7.0	30.6	9.8	14	683	47.0
LT265/70R17	121/118R	E	191911	BW	7.0-8.5	8.0	31.7	10.7	15	659	53.4







BRIDGESTONE

DURAVIS™ M700HD

DESIGNED FOR COMMERCIAL ALL-TERRAIN DRIVING

FEATURES AND BENEFITS

-  All-terrain performance
-  Reliable snow traction
-  Strong casing protects against stone drilling for belts
-  Long wear life



ALL-TERRAIN TREAD PATTERN

enhances off-road
performance

SAWTOOTH SIPES

help with snow traction

CLOSED SHOULDER SLOTS

contribute to wear life

THICK GAUGE SIDEWALL WITH DUAL SIDEWALL PROTECTORS

helps make the tire more cut,
chip and tear resistant



SIZE	SERVICE DESCRIPTION SGL/DUAL	LOAD RANGE	ARTICLE NUMBER	SIDEWALL STYLING	APPROVED RIM WIDTHS	MEASURING RIM WIDTH	OVERALL DIAMETER	SECTION WIDTH	TREAD DEPTH (32ND")	REVS PER MILE	WEIGHT LBS
16" RIM DIAMETER											
LT215/85R16	115/112R	E	214606	BW	5.5-7.0	6.0	30.4	8.5	15	685	42.1
LT235/85R16	120/116R	E	214589	BW	6.0-7.5	6.5	31.7	9.3	16	657	48.3
LT225/75R16	115/112R	E	213518	BW	6.0-7.0	6.0	29.3	8.8	15	711	41.7
LT245/75R16	120/116R	E	206310	BW	6.5-8.0	7.0	30.5	9.8	16	683	47.8
LT265/75R16	123/120R	E	206293	BW	7.0-8.0	7.5	31.7	10.5	17	657	53.8
17" RIM DIAMETER											
LT235/80R17	120/117R	E	206242	BW	6.0-7.5	6.5	31.8	9.3	16	653	49.6
LT265/70R17	121/118R	E	206276	BW	7.0-8.5	8.0	31.7	10.7	17	657	53.8





BRIDGESTONE

BLIZZAK™ WS90



A LEADER IN CONTROL ON ICE[±]

FEATURES AND BENEFITS

- Confident stopping power on snow and ice
- Reliable handling in winter conditions
- Bite particles for impressive traction on ice

FEATURING THE ALL-NEW EDGE PERFORMANCE™ TECHNOLOGY PACKAGE[^]

1 15% MORE BLOCK EDGES

than the WS80 tire help stop shorter on ice*

2 NEW TREAD COMPOUND WITH LARGER CONTACT AREA

helps improve performance on ice*

3 30% MORE BLOCK STIFFNESS IN TREAD PATTERN FOR AN EXTRA SEASON OF WEAR**

helps improve responsiveness and wear life***

4 PATENTED MULTICELL™ TECHNOLOGY

enhances road grip using bite particles that help combat slippage on ice

[±] Based on internal testing on a closed course using a Toyota Camry and the Michelin X-Ice Xi3 tire in size 215/55R17, the Toyo GS15 tire in size 215/55R17, the Continental WinterContact SI tire in size 215/55R17, Nokian Hakkapeliitta R2 tire in size 215/55R17, and the Bridgestone Blizzak™ WS90 tire in size 215/55R17. Actual results on road may vary.

[^] Find all details and information about our new technology packages on MyBridgestoneEducation.com

* Based on stopping distance in ice rink testing of the Bridgestone Blizzak™ WS90 tire (215/55R17) vs. Michelin X-Ice Xi3 tire, Toyo GS15 tire, Continental WinterContact SI tire, and Nokian Hakkapeliitta R2 tire. Actual results may vary based on proper tire maintenance, vehicle, driving style and road conditions.

** Assuming tires are only used in the winter season which is defined as approximately from mid-October to mid-April (6 months for very cold regions) and that an average user would go about 1,200 miles per month, the Bridgestone Blizzak™ WS90 would last an extra winter season vs. the Bridgestone Blizzak™ WS80 tire.

*** Vs. the Bridgestone Blizzak™ WS80.



SIZE	SERVICE DESCRIPTION	LOAD RANGE	ARTICLE NUMBER	SIDEWALL STYLING	APPROVED RIM WIDTHS	MEASURING RIM WIDTH	OVERALL DIAMETER	SECTION WIDTH	TREAD DEPTH (32ND")	REVS PER MILE	WEIGHT LBS
14" RIM DIAMETER											
185/65R14	86T	---	001169	BW	5.0-6.5	5.5	23.5	7.4	11	888	17.0
15" RIM DIAMETER											
215/70R15	98T	---	001183	BW	5.5-7.0	6.5	26.9	8.7	12	775	24.6
175/65R15	84H	---	001151	BW	5.0-6.0	5.0	24.0	7.0	11	869	16.5
185/65R15	88T	---	001166	BW	5.0-6.5	5.5	24.5	7.4	11	852	17.5
195/65R15	91H	---	001122	BW	5.5-7.0	6.0	25.0	7.9	12	833	19.4
205/65R15	94T	---	001171	BW	5.5-7.5	6.0	25.5	8.2	12	818	20.4
185/60R15	84T	---	001167	BW	5.0-6.5	5.5	23.7	7.4	11	878	17.2
195/60R15	88T	---	001168	BW	5.5-7.0	6.0	24.2	7.9	11	860	18.4
185/55R15	82H	---	001149	BW	5.0-6.5	6.0	23.0	7.6	11	905	16.8
16" RIM DIAMETER											
205/65R16	95T	---	001163	BW	5.5-7.5	6.0	26.5	8.2	12	787	23.0
215/65R16	98H	---	001142	BW	6.0-7.5	6.5	27.0	8.7	12	771	24.2
225/65R16	100T	---	001175	BW	6.0-8.0	6.5	27.5	9.0	12	758	25.8
235/65R16	103T	---	001181	BW	6.5-8.5	7.0	28.0	9.5	12	743	28.0
195/60R16	89H	---	001121	BW	5.5-7.0	6.0	25.2	7.9	11	827	19.6
205/60R16	92H	---	001138	BW	5.5-7.5	6.0	25.7	8.2	12	812	22.0
215/60R16	95H	---	001137	BW	6.0-7.5	6.5	26.1	8.7	12	797	23.5
225/60R16	98H	---	001150	BW	6.0-8.0	6.5	26.6	9.0	12	783	24.7
235/60R16	100T	---	001161	BW	6.5-8.5	7.0	27.1	9.5	12	769	26.4
185/55R16	87T	XL	001170	BW	5.0-6.5	6.0	24.0	7.6	11	867	19.0
195/55R16	87H	---	001124	BW	5.5-7.0	6.0	24.4	7.9	11	853	20.0
205/55R16	91H	---	001131	BW	5.5-7.5	6.5	24.9	8.4	11	837	21.8
215/55R16	97H	XL	001118	BW	6.0-7.5	7.0	25.3	8.9	11	824	25.0
17" RIM DIAMETER											
215/65R17	99T	---	001179	BW	6.0-7.5	6.5	28.0	8.7	12	743	25.8
225/65R17	102H	---	001127	BW	6.0-8.0	6.5	28.5	9.0	12	731	27.6
215/60R17	96T	---	001180	BW	6.0-7.5	6.5	27.2	8.7	12	767	24.6
235/60R17	102T	---	001172	BW	6.5-8.5	7.0	28.1	9.5	12	741	28.2
215/55R17	94H	---	001135	BW	6.0-7.5	7.0	26.3	8.9	11	792	25.2
225/55R17	97H	---	001132	BW	6.0-8.0	7.0	26.8	9.2	12	778	26.7
235/55R17	99H	---	001133	BW	6.5-8.5	7.5	27.2	9.7	12	767	28.3
205/50R17	93H	XL	001126	BW	5.5-7.5	6.5	25.1	8.4	11	829	23.7
215/50R17	95H	XL	001128	BW	6.0-7.5	7.0	25.5	8.9	11	817	25.4
225/50R17	94H	---	001136	BW	6.0-8.0	7.0	25.9	9.2	12	804	25.7
P245/50R17	98H	---	001154	BW	7.0-8.5	7.5	26.7	10.0	12	780	28.0
215/45R17	91H	XL	001164	BW	7.0-8.0	7.0	24.7	8.4	11	845	23.3
225/45R17	91H	---	001134	BW	7.0-8.5	7.5	25.0	8.9	12	835	23.6
235/45R17	97H	XL	001129	BW	7.5-9.0	8.0	25.4	9.3	12	822	25.6
245/45R17	99H	XL	001158	BW	7.5-9.0	8.0	25.7	9.6	12	812	27.1
205/40R17	84H	XL	001120	BW	7.0-8.0	7.5	23.5	8.4	11	888	20.2
18" RIM DIAMETER											
215/55R18	95T	---	001162	BW	6.0-7.5	7.0	27.3	8.9	11	764	26.4
225/55R18	98H	---	001155	BW	6.0-8.0	7.0	27.8	9.2	12	749	28.1
225/50R18	95T	---	001173	BW	6.0-8.0	7.0	26.9	9.2	12	775	26.5
235/50R18	101H	XL	001117	BW	6.5-8.5	7.5	27.3	9.7	12	764	30.2
245/50R18	104H	XL	001141	BW	7.0-8.5	7.5	27.7	10.0	12	753	31.4
225/45R18	95H	XL	001156	BW	7.0-8.5	7.5	25.9	8.9	12	803	26.1
235/45R18	94H	---	001152	BW	7.5-9.0	8.0	26.3	9.3	12	791	25.4
245/45R18	100H	XL	001160	BW	7.5-9.0	8.0	26.7	9.6	12	782	28.4
225/40R18	92H	XL	001125	BW	7.5-9.0	8.0	25.1	9.1	12	831	23.1
235/40R18	95H	XL	001153	BW	8.0-9.5	8.5	25.4	9.5	12	820	23.9
245/40R18	97H	XL	001116	BW	8.0-9.5	8.5	25.7	9.8	12	810	26.0
255/35R18	90H	---	001119	BW	8.5-10.0	9.0	25.0	10.2	12	833	23.8
19" RIM DIAMETER											
235/50R19	99H	---	001145	BW	6.5-8.5	7.5	28.3	9.7	12	736	28.9
245/45R19	98H	---	011539	BW	7.5-9.0	8.0	27.8	9.6	11	753	27.7
20" RIM DIAMETER											
245/45R20	103H	XL	011559	BW	7.5-9.0	8.0	28.7	9.6	11	727	30.8





CAR







SPORTS CAR

BRIDGESTONE

BLIZZAK™ LM-32

DRIVE WITH CONFIDENCE IN ALL WINTER CONDITIONS

FEATURES AND BENEFITS

-  Impressive grip and control in winter driving conditions
-  Provides dependable cornering and handling
-  Maintains performance on wet, dry, icy, slushy and snowy roads
-  Winter Tire Limited Warranty*



DIRECTIONAL TREAD PATTERN

provides confident grip and snow shearing force

LARGE SHOULDER BLOCK

helps provide precision cornering and handling

ADVANCED TREAD COMPOUND

provides confident grip and braking

NEXT GENERATION HIGH SIPE DENSITY PATTERN

improves snow and ice traction by increasing the number of biting edges



SIZE	SERVICE DESCRIPTION	LOAD RANGE	ARTICLE NUMBER	SIDEWALL STYLING	APPROVED RIM WIDTHS	MEASURING RIM WIDTH	OVERALL DIAMETER	SECTION WIDTH	TREAD DEPTH (32ND")	REVS PER MILE	WEIGHT LBS
17" RIM DIAMETER											
225/50R17	94H	---	003773	BW	6.0-8.0	7.0	25.9	9.2	11	804	24.5
18" RIM DIAMETER											
245/55R18	103V	---	002891	BW	7.0-8.5	7.5	28.6	10.0	11	728	31.1
225/50R18	95V	---	139086	BW	6.0-8.0	7.0	26.9	9.2	11	774	27.1
215/45R18	93V	XL	139511	BW	7.0-8.0	7.0	25.6	8.4	11	811	28.7
225/45R18	95H	XL	011796	BW	---	---	---	---	11	---	24.0
275/35R18	95V	---	139426	BW	9.0-11.0	9.5	25.6	10.9	11	815	26.4
19" RIM DIAMETER											
225/45R19	96V	XL	139494	BW	7.0-8.5	7.5	27.0	8.9	11	772	26.1
245/45R19	102V	XL	139137	BW	7.5-9.0	8.0	27.7	9.6	12	749	27.5
225/40R19	93V	XL	139035	BW	7.5-9.0	8.0	26.1	9.1	11	798	26.2
235/40R19	96V	XL	005289	BW	8.0-9.5	8.5	26.4	9.5	11	788	24.4
275/40R19	101V	---	019670	BW	9.0-11.0	9.5	27.7	10.9	12	753	32.0
265/35R19	98V	XL	139579	BW	9.0-10.5	9.5	26.3	10.7	11	791	29.8
275/35R19	96V	---	139409	BW	9.0-11.0	9.5	26.6	10.9	11	783	29.8
20" RIM DIAMETER											
215/45R20	95V	---	003772	BW	7.0-8.0	7.0	27.6	8.4	9	754	22.2
245/45R20	99V	---	139341	BW	7.5-9.0	8.0	28.7	9.6	11	727	35.8
245/40R20	95W	---	023155	BW	8.0-9.5	8.5	27.7	9.8	10	752	28.9
255/35R20	97H	XL	139290	BW	8.5-10.0	9.0	27.0	10.2	11	771	35.8
295/35R20	105W	XL	023172	BW	10.0-11.5	10.5	28.1	11.9	11	744	35.5
17" RIM DIAMETER RUNFLAT & EXTENDED MOBILITY											
225/50R17	94H	---	003777	BW	6.0-8.0	7.0	25.9	9.2	11	804	26.9
18" RIM DIAMETER RUNFLAT & EXTENDED MOBILITY											
255/40R18	99V	XL	000450	BW	8.5-10.0	9.0	26.0	10.2	11	800	29.6







WINTER TIRE LIMITED WARRANTY

BRIDGESTONE

BLIZZAK LM001

DRIVE WITH CONFIDENT HANDLING IN ALL WINTER CONDITIONS

FEATURES AND BENEFITS

-  Impressive grip and control in winter
-  Provides dependable cornering and handling
-  Maintains performance on wet, dry, icy, slushy and snowy roads
-  Winter Tire Limited Warranty*



ROUND CORNER JUNCTIONS

improve water evacuation

3D SIPES

help provide precision cornering and handling in wet/dry conditions

ADVANCED TREAD COMPOUND

provides confident grip and braking

VARI-WIDTH GROOVES

removes water and slush efficiently



SIZE	SERVICE DESCRIPTION	LOAD RANGE	ARTICLE NUMBER	SIDEWALL STYLING	APPROVED RIM WIDTHS	MEASURING RIM WIDTH	OVERALL DIAMETER	SECTION WIDTH	TREAD DEPTH (32ND")	REVS PER MILE	WEIGHT LBS
16" RIM DIAMETER											
205/65R16	95H	---	011790	BW	---	---	---	---	10	---	21.8
17" RIM DIAMETER											
215/65R17	99H	XL	011961	BW	---	---	---	---	10	---	23.6
205/60R17	93H	---	011998	BW	---	---	---	---	10	---	22.3
225/60R17	99H	XL	011980	BW	---	---	---	---	10	---	25.8
18" RIM DIAMETER											
225/60R18	104H	XL	003518	BW	6.0-8.0	6.5	28.6	9.0	10	728	28.2
225/55R18	102V	XL	011962	BW	---	---	---	---	10	---	26.2
235/55R18	100H	XL	011963	BW	---	---	---	---	10	---	27.3
255/55R18	109H	XL	004051	BW	7.0-9.0	8.0	29.0	10.4	10	718	31.9
255/40R18	99V	XL	002886	BW	8.5-10.0	9.0	26.0	10.2	11	801	25.3
19" RIM DIAMETER											
245/40R19	98V	XL	002869	BW	8.0-9.5	8.5	26.7	9.8	11	779	25.5
255/35R19	96V	XL	002900	BW	8.5-10.0	9.0	26.0	10.2	11	801	26.7
20" RIM DIAMETER											
255/55R20	109H	XL	011960	BW	---	---	---	---	10	---	34.2
245/45R20	103W	XL	011964	BW	---	---	---	---	10	---	27.3
16" RIM DIAMETER RUNFLAT & EXTENDED MOBILITY											
205/55R16	91H	---	011839	BW	---	---	---	---	10	---	23.6
17" RIM DIAMETER RUNFLAT & EXTENDED MOBILITY											
225/55R17	97H	---	005297	BW	6.0-8.0	7.0	26.8	9.2	11	778	28.9
225/50R17	94H	---	007048	BW	6.0-8.0	7.0	25.9	9.2	11	804	29.4
18" RIM DIAMETER RUNFLAT & EXTENDED MOBILITY											
225/60R18	104H	XL	003522	BW	6.0-8.0	6.5	28.6	9.0	10	728	33.5
225/50R18	95H	---	005298	BW	6.0-8.0	7.0	26.9	9.2	11	775	29.8
19" RIM DIAMETER RUNFLAT & EXTENDED MOBILITY											
245/50R19	105V	XL	003523	BW	7.0-8.5	7.5	28.7	10.0	10	726	33.3
265/50R19	110H	---	004057	BW	7.5-9.5	8.5	29.5	10.9	10	707	40.5
20" RIM DIAMETER RUNFLAT & EXTENDED MOBILITY											
255/55R20	111H	XL	004061	BW	7.0-9.0	8.0	31.0	10.4	10	672	43.1
275/45R20	110V	---	004059	BW	8.5-10.5	9.0	29.8	10.8	10	700	40.7
21" RIM DIAMETER RUNFLAT & EXTENDED MOBILITY											
285/45R21	113V	XL	004063	BW	9.0-10.5	9.5	31.1	11.2	10	671	43.6



WINTER TIRE LIMITED WARRANTY



TRUCK



SUV



CUV


BRIDGESTONE

BLIZZAK™ DM-V2™

POWER THROUGH WINTER WITH CONFIDENT CONTROL

FEATURES AND BENEFITS

- Confident stopping power on snow and ice
- Reliable handling in winter conditions
- Bite particles for impressive traction on ice
- Winter Tire Limited Warranty*



OPTIMIZED CONTACT PATCH

allows more surface of the tire to touch the ground to help give you control in winter conditions

LATEST PROPRIETARY MULTICELL COMPOUND

removes water from the surface of the tire for solid braking on ice

AGGRESSIVE BLOCK EDGES

helps the tire bite into the snow

ADVANCED HYDROPHILIC COATING

provides confident stopping power on snow and ice



SIZE	SERVICE DESCRIPTION	LOAD RANGE	ARTICLE NUMBER	SIDEWALL STYLING	APPROVED RIM WIDTHS	MEASURING RIM WIDTH	OVERALL DIAMETER	SECTION WIDTH	TREAD DEPTH (32ND")	REVS PER MILE	WEIGHT LBS
15" RIM DIAMETER											
235/75R15	109 R	XL	015675	BW	6.0-8.0	7.0	28.9	9.3	14	722	32.3
16" RIM DIAMETER											
225/75R16	104 R	---	016253	BW	6.0-7.5	6.0	29.3	8.8	13	711	30.6
245/75R16	111 R	---	016525	BW	6.5-8.0	7.0	30.5	9.8	14	684	37.1
P265/75R16	114 R	---	004312	BW	7.0-9.0	7.5	31.7	10.5	14	658	40.2
215/70R16	100 S	---	015828	BW	5.5-7.0	6.5	27.9	8.7	13	747	27.4
225/70R16	103 S	---	015760	BW	6.0-7.5	6.5	28.4	9.0	13	733	29.7
235/70R16	106 S	---	015794	BW	6.0-8.0	7.0	29.0	9.5	14	719	31.5
245/70R16	107 S	---	016100	BW	6.5-8.0	7.0	29.5	9.8	14	705	33.8
255/70R16	111 S	---	016542	BW	6.5-8.5	8.0	30.1	10.2	14	693	37.0
265/70R16	112 R	---	016576	BW	7.0-9.0	8.0	30.6	10.7	14	680	39.2
215/65R16	98 S	---	004306	BW	6.0-7.5	6.5	27.0	8.7	13	771	27.4
17" RIM DIAMETER											
215/70R17	101 S	---	016338	BW	5.5-7.0	6.5	28.9	8.7	13	721	28.5
P235/70R17	108 S	XL	016134	BW	6.0-8.0	7.0	30.0	9.5	14	694	34.4
245/70R17	110 S	---	016372	BW	6.5-8.0	7.0	30.6	9.8	14	682	35.0
255/70R17	112 S	---	016406	BW	6.5-8.5	8.0	31.1	10.2	14	670	38.3
265/70R17	115 R	---	016457	BW	7.0-9.0	8.0	31.7	10.7	14	658	40.9
P215/65R17	98 S	---	004305	BW	6.0-7.5	6.5	28.0	8.7	13	743	27.3
225/65R17	102 S	---	015692	BW	6.0-8.0	6.5	28.5	9.0	13	731	29.1
235/65R17	108 S	XL	015743	BW	6.5-8.5	7.0	29.1	9.5	13	717	32.5
245/65R17	107 S	---	016168	BW	7.0-8.5	7.0	29.5	9.8	13	705	33.3
265/65R17	112 R	---	016559	BW	7.5-9.5	8.0	30.6	10.7	13	682	39.6
225/60R17	99 S	---	004300	BW	6.0-8.0	6.5	27.6	9.0	13	754	28.0
225/55R17	97 T	---	004309	BW	6.0-8.0	7.0	26.8	9.2	13	778	27.3
235/55R17	99 T	---	004299	BW	6.5-8.5	7.5	27.2	9.7	13	767	28.0
18" RIM DIAMETER											
P255/70R18	112 S	---	016423	BW	6.5-8.5	7.5	32.1	10.2	14	649	40.3
265/70R18	116 R	---	016474	BW	7.0-9.0	8.0	32.6	10.7	14	638	42.9
235/65R18	106 S	---	015811	BW	6.5-8.5	7.0	30.0	9.5	13	693	33.0
P255/65R18	109 S	---	016610	BW	7.0-9.0	7.5	31.1	10.2	13	671	37.7
P265/65R18	112 R	---	016236	BW	7.5-9.5	8.0	31.5	10.7	14	660	40.7
P275/65R18	114 R	---	000406	BW	7.5-9.5	8.0	32.1	11.0	14	649	42.0
225/60R18	100 S	---	004301	BW	6.0-8.0	6.5	28.6	9.0	13	728	30.5
235/60R18	107 S	XL	015862	BW	6.5-8.5	7.0	29.1	9.5	13	716	32.7
245/60R18	105 S	---	016083	BW	7.0-8.5	7.0	29.6	9.8	13	704	33.5
255/60R18	112 S	XL	016219	BW	7.0-9.0	7.5	30.0	10.2	13	693	37.1
265/60R18	110 R	---	016049	BW	7.5-9.5	8.0	30.5	10.7	13	683	39.0
275/60R18	113 R	---	016304	BW	7.5-9.5	8.0	31.0	11.0	13	672	40.6
285/60R18	116 R	---	016185	BW	8.0-10.0	8.5	31.5	11.5	14	662	44.4
225/55R18	98 T	---	004311	BW	6.0-8.0	7.0	27.8	9.2	13	749	28.3
235/55R18	100 T	---	015726	BW	6.5-8.5	7.5	28.2	9.7	13	740	29.3
255/55R18	109 T	XL	015879	BW	7.0-9.0	8.0	29.0	10.4	13	718	35.2
235/50R18	101 T	XL	015777	BW	6.5-8.5	7.5	27.3	9.7	13	764	29.3
245/50R18	100 T	---	004304	BW	7.0-8.5	7.5	27.7	10.0	13	753	29.8
19" RIM DIAMETER											
235/65R19	109 S	XL	004315	BW	6.5-8.5	7.0	31.1	9.5	13	671	36.4
P255/60R19	108 S	---	015896	BW	7.0-9.0	7.5	31.1	10.2	13	671	38.1
225/55R19	99 T	---	004308	BW	6.0-8.0	7.0	28.8	9.2	13	724	29.9
235/55R19	105 T	XL	015913	BW	6.5-8.5	7.5	29.2	9.7	13	714	31.6
P245/55R19	103 T	---	016355	BW	7.0-9.0	8.0	29.7	10.0	13	703	32.2
255/55R19	111 T	XL	016151	BW	7.0-9.0	8.0	30.0	10.4	13	693	35.6
275/55R19	111 T	---	005848	BW	7.5-9.5	8.5	30.9	11.2	13	674	40.6
255/50R19	107 T	XL	016066	BW	7.0-9.0	8.0	29.1	10.4	13	716	33.9
265/50R19	110 T	XL	003636	BW	7.5-9.5	8.5	29.5	10.9	13	707	36.3
235/45R19	95 S	---	005851	BW	7.5-9.0	8.0	27.4	9.3	13	761	28.4
20" RIM DIAMETER											
245/60R20	107 S	---	005852	BW	7.0-8.5	7.0	31.6	9.8	13	660	36.1
275/60R20	115 R	---	016287	BW	7.5-9.5	8.0	33.0	11.0	14	631	45.0
235/55R20	102 T	---	016117	BW	6.5-8.5	7.5	30.2	9.7	13	691	32.1
P255/55R20	107 T	---	016389	BW	7.0-9.0	8.0	31.0	10.4	13	672	36.4
275/55R20	117 T	XL	015845	BW	7.5-9.5	8.5	31.9	11.2	13	653	40.7
P245/50R20	102 T	---	002459	BW	7.0-8.5	7.5	29.7	10.0	13	702	32.6
255/50R20	109 T	XL	015947	BW	7.0-9.0	8.0	30.1	10.4	13	693	35.5
265/50R20	107 T	---	016032	BW	7.5-9.5	8.5	30.5	10.9	13	684	35.2
275/50R20	113 S	XL	005845	BW	7.5-9.5	8.5	30.9	11.2	13	675	40.6
285/50R20	116 T	XL	016593	BW	8.0-10.0	9.0	31.3	11.7	14	667	43.7
235/45R20	100S	XL	005853	BW	7.5-9.0	8.0	28.4	9.3	13	735	30.8
265/45R20	108T	XL	005854	BW	8.5-10.5	9.0	29.4	10.5	13	709	35.3
275/45R20	110T	XL	015964	BW	8.5-10.5	9.0	29.8	10.8	13	700	36.4
275/40R20	106T	XL	016015	BW	9.0-11.0	9.5	28.7	10.9	13	727	36.2
22" RIM DIAMETER											
P285/45R22	110T	---	016321	BW	9.0-11.0	9.5	32.1	11.2	14	649	40.1



WINTER TIRE LIMITED WARRANTY




BRIDGESTONE

BLIZZAK™ LT



ENGINEERED FOR HEAVY DUTY WINTER PERFORMANCE

FEATURES AND BENEFITS

-  Improved heavy-duty winter performance*
-  Lasts up to an extra winter season**
-  Impressive handling and control in wet, snowy and icy conditions

*Vs. the Bridgestone Blizzak W965.
 ** Assuming that snow season is approximately from mid-October to mid-April (6 months for very cold regions) and that an average user would go about 1,200 miles per month, the Bridgestone Blizzak LT would last through an extra winter season vs. the Bridgestone Blizzak W965.

1 RUGGED LT COMPOUND

for excellent snow and ice performance and wear

2 ZIG ZAG CENTER GROOVE

helps reduce the risk of hydroplaning and improves snow traction*

3 STRAIGHT OUTER GROOVES

help evacuation of deep water and slush

4 TIED SHOULDER LUGS

assist with confident handling and stability



SIZE	SERVICE DESCRIPTION	LOAD RANGE	ARTICLE NUMBER	SIDEWALL STYLING	APPROVED RIM WIDTHS	MEASURING RIM WIDTH	OVERALL DIAMETER	SECTION WIDTH	TREAD DEPTH (32ND")	REVS PER MILE	WEIGHT LBS
16" RIM DIAMETER											
LT225/75R16	115/112R	E	000647	BW	6.0-7.0	6.0	29.3	8.8	17	711	36.9
LT245/75R16	120/116R	E	000649	BW	6.5-8.0	7.0	30.5	9.8	17	684	42.1
17" RIM DIAMETER											
LT245/75R17	121/118R	E	000659	BW	6.5-7.5	7.0	31.5	9.8	17	661	43.7
LT255/75R17	111/108R	C	000657	BW	6.5-8.5	7.0	32.1	10.0	17	650	42.1
LT245/70R17	119/116R	E	000652	BW	6.5-8.0	7.0	30.6	9.8	17	682	42.2
LT265/70R17	121/118R	E	000656	BW	7.0-8.5	8.0	31.7	10.7	17	658	46.2
18" RIM DIAMETER											
LT265/70R18	124/121R	E	000658	BW	7.0-9.0	8.0	32.6	10.7	17	638	48.6
LT275/70R18	125/122R	E	000655	BW	7.0-8.5	8.0	33.2	11.0	17	628	50.2
LT275/65R18	123/120R	E	000650	BW	7.5-9.0	8.0	32.1	11.0	17	649	48.8
20" RIM DIAMETER											
LT275/65R20	126/123R	E	000653	BW	7.5-9.5	8.0	34.1	11.0	17	611	52.3
LT265/60R20	121/118R	E	000654	BW	7.5-9.5	8.0	32.5	10.7	17	641	49.3



Platinum
Pact



WINTER TIRE
LIMITED WARRANTY