



NEXEN TIRE

we got you



2022

PRODUCT SHOWCASE

NEXEN

"As a company that has the ability to impress customers with the best quality, we will become something that you can have utmost pride in. We will emerge as the NEXEN TIRE that makes you elated with new products and breakthroughs in technology development. We will move forward to becoming a global leader, looking ahead to the next century. And beyond history, and beyond passion, in the name of trust, we will stand by you as you advance into the future."

Travis Kang - CEO, Nexen Tire

NO RECALLS EVER

Best quality assurance in the business. Since 2000, Nexen Tire has produced over

550,000,000
(OVER 1/2 BILLION)

tires with absolutely ZERO recalls.

ALL PERFORMANCE IN ALL WEATHER

THE ALL NEW


ROADIAN HTX2
HIGHWAY TERRAIN

LONG MILEAGE PERFORMANCE
DESIGNED INTO EVERY FEATURE.



3PMSF
Certified

3PMSF Certified is a severe winter certification to withstand heavy snow, ice, and tough terrain.




HIGH-SPEED CONTROL

Cooling pins applied to shoulder of the tire to efficiently dissipate heat for increased durability under high speeds.

INCREDIBLE DURABILITY

Nexen's proven bead design and construction consists of an optimized Profile Bead Filler and Stiffer Rim Flange for increased overall rigidity and tire durability.



New Roadian HTX2



Conventional



REINFORCED SNOW TRACTION

Emerging 3D Sipes improve traction in snowy conditions. Changing Sipe technology as tire wears provides increased tread contact and overall handling characteristics.

THEY LOOK AS GOOD AS THEY PERFORM.

The Roadian HTX2 is available in 2 Sidewall Design options to complement your vehicle and White Lettering in limited sizes.




THE ALL NEW

ROADIAN ATX

ALL TERRAIN

PUSHING ALL-TERRAIN PERFORMANCE TO A NEW LEVEL



REINFORCED 3-PLY CONSTRUCTION

Nexen's 3-ply sidewall produces an industry-best AT tire with longer life and increased durability that performs under heavier loads and higher pressures. The increased sidewall rigidity enhances stability while cornering under loads and heavy towing.

ENHANCED DURABILITY AND PERFORMANCE

The sidewall design increases puncture resistance both on road and off. Durability is also improved thanks to an aggressive angled pattern.



3PMSF CERTIFIED*

as a severe winter certification to withstand heavy snow, ice, and tough terrain.

*Except flotation sizes.



REINFORCED SNOW TRACTION

Emerging 3D sipes improve traction in snow, mud, and wet conditions. Nexen's changing sipe technology increases tread-to-road contact and overall handling characteristics as the tire wears.

PICK THE SIDEWALL THAT FITS YOU BEST.

The Roadian ATX is available in two dynamic sidewall design options to compliment your vehicle and attitude. The dual sidewall design is more aggressive than the AT Pro predecessor without sacrificing a quiet ride.




THE ALL NEW

N'FERA Sport R

EXTREME ULTRA HIGH PERFORMANCE

**THE NEXT EVOLUTION IN
EXTREME PERFORMANCE**

**THIS IS WHAT IT TAKES TO
PERFORM AT A HIGHER LEVEL.**




**FASTER ALL-AROUND
PERFORMANCE**

Formulated for faster warmup with Fine Grade and High-Carbon Black composition and Higher Filler Loading.

**IMPROVED GRIP,
GREATER CONTROL**

Larger contact area for increased surface grip. Up by 4%.



THE LAPS DON'T LIE

We took the N'Fera Sport R to where it matters most — the track — and tested it against the SUR4G. The results speak for themselves.

TEST SIZE 245/40R18

TEST CAR BMW 328i

TEST DRIVER BRYAN HEITKOTTER (US)

TEST LOCATION SCCA COURSE AT
LINCOLN AIRPARK, NEBRASKA

LAP TIME:
0.86 SEC FASTER
THAN N'FERA SUR4G



ON AND OFF THE TRAIL... WE GOT YOU.

THE ROADIAN MTX FEATURES AN AGGRESSIVE DESIGN THAT IS VERSATILE FOR ON- AND EXTREME OFF-ROAD DRIVING. THE TIRE'S CONSTRUCTION IS DESIGNED TO MAXIMIZE LOAD AND TOWING CAPABILITIES WITHOUT SACRIFICING ANY OF THE RUGGED TRAITS OR ON-HIGHWAY DRIVING COMFORT ONE WOULD EXPECT FROM OUR ROADIAN LINE OF TIRES.

OFF-ROAD. TOWING CAPACITY. DURABILITY.

WE GOT YOU.

ROADIAN MTX

MUD TERRAIN TIRE



3-PLY SIDEWALL PROTECTION ON ALL SIZES FOR INCREASED DURABILITY



DUAL SIDEWALL DESIGN FOR A CUSTOM LOOK
◀ BEAST | MACHINE ▶



F-LOAD RATED FOR HEAVIER LOADS
SUPPORTING 80 PSI IN BOTH LT-METRIC AND FLOTATION APPLICATIONS



45-DAY TRIAL OFFER

35 SIZES AVAILABLE

36 MONTHS ROADSIDE ASSISTANCE

15"-22" RIM SIZE RANGE

RESOURCES FOR OUR DEALERS!



ASSOCIATE DEALER PROGRAM

NEXEN NEXT LEVEL DEALER PROGRAM

Easy to understand | Fast payouts
Dealer Dashboards | Distributor Dashboards
What if? Calculator | Annual True-up
Combine Locations | And much more!

STREAMING
TV AND ENTERTAINMENT
STRAIGHT TO YOUR SHOP

NEXEN
NETWORK

UP SHOW

NEXEN NETWORK CUSTOMIZED IN-STORE TV ENTERTAINMENT

Showcase store promotions, Nexen products, and engaging viral content. Plus live TV and sports!

NEXENACE

ACCELERATED CERTIFICATION & EDUCATION

EARN POINTS.

ENTER
SWEEPSTAKES.

ORDER
MERCHANDISE.

REQUEST POP
MATERIALS, TOO.



NEXENACE.COM

NEXENTIREGARAGE.COM

ALL YOU
NEED IN
ONE PLACE



Next Level
NexenACE
Nexen Network
N'Social
Nexen App
Dealer Portal
Tire Finder
Brand Resources

N'SOCIAL

N'Social is a FREE online platform for Nexen Tire to provide dealers with unique, diverse, engaging, and customizable social media content.



ULTRA HIGH PERFORMANCE

THE ALL NEW NFERA Sport R

EXTREME ULTRA HIGH PERFORMANCE

The all new Nexen N'Fera Sport R has that same level of intensity designed deep into its DNA. Grip. Control. Cornering. Speed and Feedback... Amazing.

SIZES AVAILABLE: 13
SIZE RANGE: 15" - 19"

MILEAGE WARRANTY: N/A
ROAD HAZARD: N/A
ROADSIDE ASSISTANCE: 36 months

UTQG: 200 A A
SPEED RATING: W



18

NFERA SU1

ULTRA HIGH PERFORMANCE SUMMER

Perfect fit for sports car applications or for the driver who wants a little more performance out of their standard vehicle. Excels at braking and cornering performance.

SIZES AVAILABLE: 56
SIZE RANGE: 16" - 24"

MILEAGE WARRANTY: 25,000 miles
ROAD HAZARD: First 3/32" or 2 years
ROADSIDE ASSISTANCE: 36 months
FREE TRIAL: 45 days or 500 miles

UTQG: 300 AA A
SPEED RATING: W & Y



19

NFERA AU7

ULTRA HIGH PERFORMANCE ALL SEASON

Designed for the discretionary driver of sports cars, luxury coupes, and performance sedans looking for superior traction in dry and wet conditions.

OE FITMENT



SIZES AVAILABLE: 47
SIZE RANGE: 16" - 20"

MILEAGE WARRANTY: 50,000 miles
ROAD HAZARD: First 3/32" or 2 years
ROADSIDE ASSISTANCE: 36 months
FREE TRIAL: 45 days or 500 miles

UTQG: 500 AA A/560 A A
SPEED RATING: H, W & Y



21

PASSENGER TOURING

NPriz AH8

GRAND TOURING ALL SEASON

Designed for family sedans that depend on safety year-round. Ride confidently with excellent traction in dry, wet, and light snow conditions.

OE FITMENT



SIZES AVAILABLE: 59
SIZE RANGE: 14" - 19"

MILEAGE WARRANTY: 70,000 miles
ROAD HAZARD: First 3/32" or 2 years
ROADSIDE ASSISTANCE: 36 months
FREE TRIAL: 45 days or 500 miles

UTQG: 440/500/560/600 A A
SPEED RATING: T, H, V & W



25

N5000 Platinum

GRAND TOURING ALL SEASON

The upgraded Nexen N5000 Platinum combines the look of a performance tire with the comfortable, quiet ride of a passenger tire. Branded with the M+S symbol, this tire provides year-round traction, even in light snow.

Exclusive For



SIZES AVAILABLE: 74
SIZE RANGE: 16" - 20"

MILEAGE WARRANTY: 70K(H,V)/55K(W) miles
ROAD HAZARD: First 3/32" or 2 years
ROADSIDE ASSISTANCE: 36 months
FREE TRIAL: 45 days or 500 miles

UTQG: 580 A A (W), 700 A A (H,V)
SPEED RATING: H, V, & W



23

Aria AH7

PREMIUM STANDARD TOURING ALL SEASON

A long-lasting, premium all-season tire, which offers one of the longest mileage warranties in its class.

SIZES AVAILABLE: 25
SIZE RANGE: 15" - 18"

MILEAGE WARRANTY: 80,000 miles
ROAD HAZARD: First 3/32" or 2 years
ROADSIDE ASSISTANCE: 36 months
FREE TRIAL: 45 days or 500 miles

UTQG: 760 A A
SPEED RATING: T & H



27

NPriz AH5


STANDARD TOURING ALL SEASON

The perfect tire for entry-level sedans and coupes. This tire offers a great balance of performance, handling, comfort, and wear life at a value price.

SIZES AVAILABLE: 45
SIZE RANGE: 14" - 17"

MILEAGE WARRANTY: 50,000 miles
ROAD HAZARD: First 3/32" or 2 years
ROADSIDE ASSISTANCE: 36 months

UTQG: 460 A A
SPEED RATING: S, T, H, & V



29

CUV / SUV / LIGHT TRUCK

THE ALL NEW ROADIAN HTX2 HIGHWAY TERRAIN


This is the new Nexen Roadian HTX2, the result of a long-inspired journey to create a high-mileage SUV and Light Truck tire that also delivers outstanding all-weather driving performance.

MILEAGE WARRANTY (P): 70,000 miles
MILEAGE WARRANTY (LT): 50,000 miles
ROAD HAZARD: First 3/32" or 2 years
ROADSIDE ASSISTANCE: 36 months
FREE TRIAL: 45 days or 500 miles

SIZES AVAILABLE: 51
SIZE RANGE: 16" - 22"

UTQG: 700 A A (P) Metric
SPEED RATING: R, S, T, & H

3 Peak Mountain Snowflake Certified



34

THE ALL NEW ROADIAN ATX ALL TERRAIN


The new Roadian ATX features excellent construction and material advancements that grip wet or dry.

MILEAGE WARRANTY (P): 65,000 miles
MILEAGE WARRANTY (LT): 60,000 miles
ROAD HAZARD: First 3/32" or 2 years
ROADSIDE ASSISTANCE: 36 months
FREE TRIAL: 45 days or 500 miles

SIZES AVAILABLE: 63
SIZE RANGE: 15" - 22"

UTQG: 600 A B (P) Metric
SPEED RATING: S, T, & H

3 Peak Mountain Snowflake Certified



38

ROADIAN HP

STREET SPORT TRUCK ALL SEASON

A low-profile truck and SUV tire that delivers sporty performance on any road surface.

SIZES AVAILABLE: 22
SIZE RANGE: 17" - 24"

MILEAGE WARRANTY: 40,000 miles
ROAD HAZARD: First 3/32" or 2 years
ROADSIDE ASSISTANCE: 36 months

UTQG: 460 A A
SPEED RATING: H & V



31

ROADIAN GTX

CUV/SUV TOURING

Drivers can count on versatility and dependability of the New Roadian GTX, from cross-country road trips to trips to the store.

OE FITMENT



SIZES AVAILABLE: 39
SIZE RANGE: 17" - 22"

MILEAGE WARRANTY: 70,000 miles
ROAD HAZARD: First 3/32" or 2 years
ROADSIDE ASSISTANCE: 36 months
FREE TRIAL: 45 days or 500 miles

UTQG: 600/680 A A
SPEED RATING: T, H, V & W



32

ROADIAN HTX RH5

HIGHWAY TERRAIN

This highway-inspired truck tire offers exceptional wear and load-carrying features. Trusted Original Equipment on the Ram 1500 and 3500.

OE FITMENT



SIZES AVAILABLE: 48
SIZE RANGE: 15" - 22"

MILEAGE WARRANTY (P): 65,000 miles
MILEAGE WARRANTY (LT): 40,000 miles
ROAD HAZARD: First 3/32" or 2 years
ROADSIDE ASSISTANCE: 36 months
FREE TRIAL: 45 days or 500 miles

UTQG: 640 A A (P) Metric
SPEED RATING: Q, R, S, T, H & V



36

ROADIAN AT PRO RAS

ALL TERRAIN

An aggressive tread pattern that conquers any terrain thrown its way.

OE FITMENT



SIZES AVAILABLE: 57
SIZE RANGE: 15" - 22"

MILEAGE WARRANTY (P): 50,000 miles
MILEAGE WARRANTY (LT): 40,000 miles
ROAD HAZARD: First 3/32" or 2 years
ROADSIDE ASSISTANCE: 36 months
FREE TRIAL: 45 days or 500 miles

UTQG: 560 A B (P) Metric
SPEED RATING: R, S, T & H

3 Peak Mountain Snowflake Certified



40

ROADIAN MTX


MUD TERRAIN

The Roadian MTX features an aggressive design that is extremely versatile for on- and off-road driving. Each tire boasts a dual sidewall design that allows you to customize the look of the tire on your vehicle.

SIZES AVAILABLE: 35
SIZE RANGE: 15" - 22"

MILEAGE WARRANTY: N/A
ROAD HAZARD: N/A
ROADSIDE ASSISTANCE: 36 months
FREE TRIAL: 45 days or 500 miles

SPEED RATING: Q



42

ROADIAN CT8 HL

COMMERCIAL VAN/LT

A tire constructed to deliver heavy-duty performance for commercial vehicles.

OE FITMENT



SIZES AVAILABLE: 14
SIZE RANGE: 15" - 18"

MILEAGE WARRANTY: N/A
ROAD HAZARD: N/A
ROADSIDE ASSISTANCE: 36 months
FREE TRIAL: 45 days or 500 miles

SPEED RATING: R, S & T



45

A TIRE FOR EVERY ADVENTURE



HIGH PERFORMANCE

NEW N'FERA SPORT R	18
N'FERA SU1	19
N'FERA AU7	21

PASSENGER

N5000 PLATINUM	23
N'PRIZ AH8	25
ARIA AH7	27
N'PRIZ AH5	29
SB-802	30

CUV/SUV/LIGHT TRUCK

ROADIAN HP	31
ROADIAN GTX.....	32
NEW ROADIAN HTX 2	34
ROADIAN HTX RH5	36
NEW ROADIAN ATX	38
ROADIAN AT PRO RA8	40
ROADIAN MTX	42
ROADIAN MT	44
ROADIAN CT8 HL	45
ROADIAN CT8	46

WINTER

WINGUARD SPORT 2	47
WINGUARD ICE PLUS	49
WINGUARD ICE SUV	51
WINGUARD WINSPIKE 3	52
WINGUARD WINSPIKE	55
EUROWIN	56

OEM

ORIGINAL EQUIPMENT 2022	57
-------------------------------	----

WARRANTY

NEXEN TOTAL COVERAGE WARRANTY	60
-------------------------------------	----

MINIMUM ADVERTISED PRICING POLICY	64
--	----

THE ALL NEW

N'FERA Sport R

**TOTAL
COVERAGE
WARRANTY**
NEXEN TIRE

EXTREME ULTRA HIGH PERFORMANCE

The all new Nexen N'Fera Sport R has that same level of intensity designed deep into its DNA. Grip. Control. Cornering. Speed and Feedback... Amazing. The N'Fera Sport R lets you ring out every last cubic inch of your cars capability with the confidence to enter that corner just a little bit later... and exit a lot more happy.



TREAD WEAR WARRANTY
N/A



ROAD HAZARD WARRANTY
N/A



ROADSIDE ASSISTANCE
36 MONTHS

Product	P/ LT	Size	XL	LI	SR	PLY	Max Air (psi)	Max Load (lbs)		Rim		Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MSRP
								S	D	Measuring	Approved				Tread-wear	Trac.	Temp.		
10224		205/50R15	XL	89	W	4	50	1,279	-	6.5	5.5-7.5	8.2	23.1	7.5	200	A	A	Black	TBA
10251		225/45R15		87	W	4	51	1,201	-	7.5	7.0-8.5	8.9	23.0	7.5	200	A	A	Black	TBA
* 10223		245/40R15		88	W	4	51	1,235	-	8.5	8.0-9.5	9.8	22.7	7.5	200	A	A	Black	TBA
10211		225/45R17	XL	94	W	4	50	1,477	-	7.5	7.0-8.5	8.9	25.0	7.5	200	A	A	Black	TBA
10227		245/40R17	XL	95	W	4	50	1,521	-	8.5	8.0-9.5	9.8	24.7	7.5	200	A	A	Black	TBA
10210		255/40R17	XL	98	W	4	50	1,653	-	9.0	8.5-10.0	10.2	25.0	7.5	200	A	A	Black	TBA
18120		245/40R18		93	W	4	51	1,433	-	8.5	8.0-9.5	9.8	25.7	7.5	200	A	A	Black	TBA
* 10244		255/35R18	XL	94	W	4	50	1,477	-	9.0	8.5-10.0	10.2	25.0	7.5	200	A	A	Black	TBA
* 10213		265/35R18	XL	97	W	4	50	1,609	-	9.5	9.0-10.5	10.7	25.3	7.5	200	A	A	Black	TBA
* 10203		275/35R18		95	W	4	51	1,521	-	9.5	9.0-11.0	10.9	25.6	7.5	200	A	A	Black	TBA
10212		295/40R18		103	W	4	51	1,929	-	10.5	10.0-11.5	11.9	27.3	7.5	200	A	A	Black	TBA
* 10199		315/30R18		98	W	4	51	1,653	-	11.0	10.5-11.5	12.6	25.5	7.5	200	A	A	Black	TBA
10225		305/30R19	XL	102	W	4	50	1,874	-	11.0	10.5-11.5	12.3	26.3	7.5	200	A	A	Black	TBA

Technical data can be changed without further notice.
* Available at 2022.2Q

PERFORMANCE RATINGS



BRAKING
10



COMFORT
5



FUEL EFFICIENCY
5



HANDLING
10



WEAR LIFE
4

N'FERA SU1

**TOTAL
COVERAGE
WARRANTY**
NEXEN TIRE

EXTREME ULTRA HIGH PERFORMANCE

The N'Fera SU1 has three main grooves and a semi-groove to maximize wet driving performance and enhance handling. The dry grip technology boosts handling and braking performance, while an optimum surface split siping design improves wet/dry traction performance. An equally balanced design and enhanced block rigidity disperse stress evenly during high-speed cornering, boosting cornering and steering stability.



TREAD WEAR WARRANTY
25,000 MILES



ROAD HAZARD WARRANTY
FIRST 3/32" OR 2 YEARS



ROADSIDE ASSISTANCE
36 MONTHS



FREE TRIAL
45 DAYS OR 500 MILES

Product Code	P/ LT	Size	XL	LI	SR	PLY	Max Air (psi)	Max Load (lbs)		Rim		Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MSRP
								S	D	Measuring	Approved				Tread-wear	Trac.	Temp.		
13416		195/45R16	XL	84	W	4	50	1,102	-	6.5	6.0-7.5	7.7	22.9	9.5	300	AA	A	Black	\$118.78
12729		205/40R16		79	W	4	51	963	-	7.5	7.0-8.0	8.3	22.5	9.5	300	AA	A	Black	\$118.78
12346		205/40R17	XL	84	W	4	50	1,102	-	7.5	7.0-8.0	8.3	23.5	9.5	300	AA	A	Black	\$103.38
12349		215/40R17	XL	87	W	4	50	1,201	-	7.5	7.0-8.5	8.6	23.8	9.5	300	AA	A	Black	\$133.08
12351		215/45R17	XL	91	W	4	50	1,356	-	7.0	7.0-8.0	8.4	24.6	9.5	300	AA	A	Black	\$131.98
12300		225/45R17	XL	94	Y	4	50	1,477	-	7.5	7.0-8.5	8.9	25.0	9.5	300	AA	A	Black	\$145.18
12311		235/45R17	XL	97	W	4	50	1,609	-	8.0	7.5-9.0	9.3	25.4	9.5	300	AA	A	Black	\$151.78
12722		245/40R17	XL	95	W	4	50	1,521	-	8.5	8.0-9.5	9.8	24.7	9.5	300	AA	A	Black	\$155.08
12731		255/40R17		94	W	4	51	1,477	-	9.0	8.5-10.0	10.2	25.0	9.5	300	AA	A	Black	\$163.88
14112		275/40R17		98	W	4	51	1,653	-	9.5	9.0-11.0	10.9	25.7	9.5	300	AA	A	Black	\$177.08
12348		215/35R18	XL	84	Y	4	50	1,102	-	7.5	7.0-8.5	8.6	23.9	9.5	300	AA	A	Black	\$166.08
12350		215/40R18	XL	89	Y	4	50	1,279	-	7.5	7.0-8.5	8.6	24.8	9.5	300	AA	A	Black	\$166.08
11782		225/40R18	XL	92	Y	4	50	1,389	-	8.0	7.5-9.0	9.1	25.1	9.5	300	AA	A	Black	\$163.88
12332		225/45R18	XL	95	Y	4	50	1,521	-	7.5	7.0-8.5	8.9	25.9	9.5	300	AA	A	Black	\$173.78
12302		235/40R18	XL	95	Y	4	50	1,521	-	8.5	8.0-9.5	9.5	25.4	9.5	300	AA	A	Black	\$190.28
12345		245/35R18	XL	92	Y	4	50	1,389	-	8.5	8.0-9.5	9.8	24.8	9.5	300	AA	A	Black	\$195.78
12312		245/40R18	XL	97	Y	4	50	1,609	-	8.5	8.0-9.5	9.8	25.7	9.5	300	AA	A	Black	\$190.28
12726		245/45R18	XL	100	Y	4	50	1,764	-	8.0	7.5-9.0	9.6	26.7	9.5	300	AA	A	Black	\$190.28

CONTINUED ON NEXT PAGE...

PERFORMANCE RATINGS



BRAKING
10



COMFORT
9



FUEL EFFICIENCY
7



HANDLING
10



WEAR LIFE
7

N5000 Platinum

CONTINUED FROM PREVIOUS PAGE

Table with 19 columns: Product Code, P/LT, Size, XL, LI, SR, PLY, Max Air (psi), Max Load (lbs) (S, D), Rim (Measuring, Approved), Section Width (inch), Overall Diameter (inch), Tread Depth (/32"), UTQG (Tread-wear, Trac., Temp.), Sidewall, MSRP.

NPriz AH8

TOTAL COVERAGE WARRANTY



GRAND TOURING ALL SEASON

The N'Priz AH8 is designed for family sedans that require all-year traction in dry, wet, and light snow conditions. Performance in light snow conditions is superior to its predecessor, the CP672.

Icons for Tread Wear Warranty (70,000 Miles), Road Hazard Warranty (First 3/32" or 2 Years), Roadside Assistance (36 Months), and Free Trial (45 Days or 500 Miles).

OE FITMENT ON



Table with 19 columns: Product Code, P/LT, Size, XL, LI, SR, PLY, Max Air (psi), Max Load (lbs) (S, D), Rim (Measuring, Approved), Section Width (inch), Overall Diameter (inch), Tread Depth (/32"), UTQG (Tread-wear, Trac., Temp.), Sidewall, MSRP, OE.

CONTINUED ON NEXT PAGE...

PERFORMANCE RATINGS

Performance ratings for Braking (9), Comfort (9), Fuel Efficiency (8), Handling (9), and Wear Life (9) with corresponding icons and progress bars.

Technical data can be changed without further notice. TBA - To Be Announced to ATD.

Aria AH7

CONTINUED FROM PREVIOUS PAGE

Product Code	P/ LT	Size	XL	LI	SR	PLY	Max Air (psi)	Max Load (lbs)		Rim		Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			MSRP
								S	D	Measuring	Approved				Tread-wear	Trac.	Temp.	
15196		215/55R18	95	T	4	51	1,521	-	7.0	6.0-7.5	8.9	27.3	10.5	760	A	A	Black	\$170.48
15199		225/50R18	95	T	4	51	1,521	-	7.0	6.0-8.0	9.2	26.9	10.5	760	A	A	Black	\$171.58
15197		225/55R18	98	T	4	51	1,653	-	7.0	6.0-8.0	9.2	27.8	10.5	760	A	A	Black	\$186.98
13312		235/55R18	100	H	4	51	1,764	-	7.5	6.5-8.5	9.6	28.1	10.5	760	A	A	Black	\$194.68
13313		235/60R18	103	H	4	44	1,929	-	7.0	6.5-8.5	9.4	29.1	10.5	760	A	A	Black	\$190.28
13048		235/65R18	106	H	4	44	2,094	-	7.0	6.5-8.5	9.4	30.0	10.5	760	A	A	Black	\$184.78

Technical data can be changed without further notice.

N'Priz AH5

TOTAL
COVERAGE
WARRANTY
NEXEN TIRE



STANDARD TOURING ALL SEASON

The N'Priz AH5 has four wide, longitudinal grooves that improve drainage performance; a rigid shoulder block design to enhance cornering, handling, and a quiet, comfortable ride; and a dual kerf design to enhance block stiffness and mileage.



TREAD WEAR WARRANTY
50,000 MILES



ROAD HAZARD WARRANTY
FIRST 3/32" OR 2 YEARS



ROADSIDE ASSISTANCE
36 MONTHS

Product Code	P/ LT	Size	XL	LI	SR	PLY	Max Air (psi)	Max Load (lbs)		Rim		Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			MSRP		
								S	D	Measuring	Approved				Tread-wear	Trac.	Temp.			
16406		165/65R14			79	S	4	51	963	-	5.0	4.5-6.0	6.7	22.4	9.0	460	A	A	Black	\$89.08
15011		175/65R14	XL		86	T	4	50	1,168	-	5.0	5.0-6.0	7.0	23.0	9.0	460	A	A	Black	\$75.88
15129		175/70R14			84	T	4	44	1,102	-	5.0	4.5-6.0	7.0	23.7	9.0	460	A	A	Black	\$78.08
12561	P	185/60R14			82	H	4	44	1,047	-	5.5	5.0-6.5	7.4	22.8	9.0	460	A	A	Black	\$82.48
15139	P	185/65R14			85	T	4	44	1,124	-	5.5	5.0-6.5	7.4	23.5	9.0	460	A	A	Black	\$76.98
15399		185/70R14			88	T	4	44	1,235	-	5.5	4.5-6.0	7.4	24.3	9.0	460	A	A	Black	\$82.48
12562	P	195/60R14			85	H	4	44	1,135	-	6.0	5.5-7.0	7.9	23.2	9.0	460	A	A	Black	\$83.58
15400		195/70R14			91	T	4	44	1,356	-	6.0	5.0-6.5	7.9	24.8	9.0	460	A	A	Black	\$84.68
15403		195/75R14			92	S	4	44	1,389	-	5.5	5.0-6.5	7.7	25.5	9.0	460	A	A	White	\$81.38
15404		205/75R14			95	S	4	44	1,521	-	5.5	5.0-7.0	8.0	26.1	9.0	460	A	A	White	\$89.08
15401		215/70R14			96	T	4	44	1,565	-	6.5	5.5-7.0	8.7	25.9	9.0	460	A	A	White	\$96.78
15130		175/65R15			84	H	4	44	1,102	-	5.0	5.0-6.0	7.0	24.0	9.0	460	A	A	Black	\$82.48
15138		185/55R15			82	H	4	51	1,047	-	6.0	5.0-6.5	7.6	23.0	9.0	460	A	A	Black	\$84.68
15134		185/60R15			84	T	4	44	1,102	-	5.5	5.0-6.5	7.4	23.7	9.0	460	A	A	Black	\$89.08
14658		185/65R15			88	H	4	44	1,235	-	5.5	5.0-6.5	7.4	24.4	9.0	460	A	A	Black	\$86.88
12558	P	195/55R15	XL		87	V	4	50	1,201	-	6.0	5.5-7.0	7.9	23.4	9.0	460	A	A	Black	\$94.58
15145	P	195/60R15			87	T	4	44	1,190	-	6.0	5.5-7.0	7.9	24.2	9.0	460	A	A	Black	\$87.98
15140	P	195/65R15			89	T	4	44	1,279	-	6.0	5.5-7.0	7.9	25.0	10.0	460	A	A	Black	\$90.18
12564	P	205/60R15			90	H	4	44	1,301	-	6.0	5.5-7.5	8.2	24.7	9.0	460	A	A	Black	\$97.88
15141	P	205/65R15			92	T	4	44	1,400	-	6.0	5.5-7.5	8.2	25.5	9.0	460	A	A	Black	\$101.18
14661		205/70R15			96	T	4	44	1,565	-	6.0	5.0-7.0	8.2	26.3	9.0	460	A	A	Black	\$96.78

CONTINUED ON NEXT PAGE...



OFFICIAL TIRE OF THE ANAHEIM DUCKS SINCE 2021

"Nexen Tire is extremely excited to be a part of a championship NHL franchise like the Anaheim Ducks and their premier arena, the Honda Center... This partnership will help to elevate the Nexen Tire brand among more than a million NHL fans across Southern California, and when these fans enter the Honda Center arena during a Ducks game or other premier events, they'll know Nexen Tire has their back."

- Brian YoonSeok Han, CEO of Nexen Tire America, Inc.

PERFORMANCE RATINGS



BRAKING
7



COMFORT
8



FUEL EFFICIENCY
6



HANDLING
7



WEAR LIFE
7

ROADIAN MTX

**TOTAL
COVERAGE
WARRANTY**
NEVER TIRE

MUD TERRAIN

The Roadian MTX features an aggressive design that is extremely versatile for on- and off-road driving. Each tire boasts a dual sidewall design that allows you to customize the look of the tire on your vehicle. The Roadian MTX also features a standard 3-ply design and F-Load weight rating that makes it extremely capable for heavy hauling. With such rugged traits, you wouldn't expect the Roadian MTX to be as quiet as it is on the highway, but thanks to its patented tread block design, the road noise has been minimized.



**TREAD WEAR
WARRANTY**
N/A



**ROAD HAZARD
WARRANTY**
N/A



**ROADSIDE
ASSISTANCE**
36 MONTHS



FREE TRIAL
45 DAYS OR
500 MILES

Product Code	P/ LT	Size	XL	LI	SR	PLY	Max Air (psi)	Max Load (lbs)		Rim		Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MSRP	FET
								S	D	Measuring	Approved				Tread-wear	Trac.	Temp.			
15873	LT	265/75R16		123/120	Q	10	80	3,415	3,085	7.5	7.0-8.0	10.5	31.9	19.0	-	-	-	Black	\$241.98	
15879	LT	285/75R16		126/123	Q	10	80	3,750	3,415	8.0	7.5-9.0	11.3	33.1	19.0	-	-	-	Black	\$249.68	2.36
15883	LT	235/80R17		120/117	Q	10	80	3,085	2,835	6.5	6.0-7.5	9.3	32.0	18.0	-	-	-	Black	\$248.58	
15884	LT	245/75R17		121/118	Q	10	80	3,195	2,910	7.0	6.5-7.5	9.8	31.7	18.0	-	-	-	Black	\$254.08	
15886	LT	255/75R17		111/108	Q	6	50	2,405	2,205	7.0	6.5-8.5	10.0	32.3	18.0	-	-	-	Black	\$261.78	
15887	LT	265/70R17		121/118	Q	10	80	3,195	2,910	8.0	7.0-8.5	10.7	31.9	19.0	-	-	-	Black	\$261.78	
15713	LT	285/70R17		121/118	Q	10	80	3,195	2,910	8.5	7.5-9.0	11.5	33.0	19.0	-	-	-	Black	\$311.28	
15888	LT	295/70R17		121/118	Q	10	80	3,195	2,910	8.5	7.5-10.0	11.8	33.5	20.0	-	-	-	Black	\$299.18	
16398	LT	305/65R17		121/118	Q	12	80	3,195	2,910	9.0	8.5-11.0	12.2	32.8	20.0	-	-	-	Black	\$309.08	
16399	LT	315/70R17		121/118	Q	12	80	3,195	2,910	9.5	8.0-11.0	12.7	34.6	20.0	-	-	-	Black	\$317.88	
15925	LT	275/65R18		123/120	Q	10	80	3,415	3,085	8.0	7.5-9.0	11.0	32.3	19.0	-	-	-	Black	\$279.38	
15897	LT	275/70R18		125/122	Q	10	80	3,640	3,305	8.0	7.0-8.5	11.0	33.4	19.0	-	-	-	Black	\$299.18	1.32
15926	LT	285/65R18		125/122	Q	10	80	3,640	3,305	8.5	8.0-10.0	11.5	32.8	19.0	-	-	-	Black	\$334.38	1.32
15898	LT	295/70R18		129/126	Q	10	80	4,080	3,750	8.5	7.5-10.0	11.8	34.5	20.0	-	-	-	Black	\$323.38	5.48
16400	LT	305/70R18		128/125	Q	12	80	3,970	3,640	9.0	8.5-10.0	12.2	35.1	20.0	-	-	-	Black	\$339.88	4.44

CONTINUED ON NEXT PAGE ...

ROADIAN MTX

CONTINUED FROM PREVIOUS PAGE

Product Code	P/ LT	Size	XL	LI	SR	PLY	Max Air (psi)	Max Load (lbs)		Rim		Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MSRP	FET
								S	D	Measuring	Approved				Tread-wear	Trac.	Temp.			
15929	LT	275/65R20		126/123	Q	10	80	3,750	3,415	8.0	7.5-9.5	11.0	34.3	19.0	-	-	-	Black	\$345.38	2.36
15932	LT	285/55R20		122/119	Q	10	80	3,305	3,000	9.0	8.0-10.0	11.7	32.6	19.0	-	-	-	Black	\$369.58	
15933	LT	295/55R20		123/120	Q	10	80	3,415	3,085	9.5	8.0-10.0	12.2	33.0	20.0	-	-	-	Black	\$366.28	
15931	LT	295/60R20		126/123	Q	10	80	3,750	3,415	8.5	8.0-10.0	11.8	34.2	20.0	-	-	-	Black	\$405.88	2.36
15930	LT	295/65R20		129/126	Q	10	80	4,080	3,750	8.5	8.0-10.0	11.8	35.4	20.0	-	-	-	Black	\$387.18	5.48
16271	LT	305/55R20		125/122	Q	12	80	3,640	3,305	9.5	8.5-11.0	12.4	33.5	20.0	-	-	-	Black	\$388.28	1.32
15867	LT	33X12.50R15		108	Q	6	35	2,205	-	10.0	8.5-11.0	12.5	32.8	21.0	-	-	-	Black	\$240.88	
15871	LT	35X12.50R15		113	Q	6	35	2,535	-	10.0	8.5-11.0	12.5	34.8	21.0	-	-	-	Black	\$244.18	
16348	LT	37X12.50R17		121	Q	12	80	3,195	-	10.0	8.5-11.0	12.5	36.8	21.0	-	-	-	Black	\$339.88	
16261	LT	33X12.50R17		121	Q	12	80	3,195	-	10.0	8.5-11.0	12.5	32.8	21.0	-	-	-	Black	\$312.38	
16262	LT	35X12.50R17		121	Q	12	80	3,195	-	10.0	8.5-11.0	12.5	34.8	21.0	-	-	-	Black	\$314.58	
16263	LT	33X12.50R18		122	Q	12	80	3,305	-	10.0	8.5-11.0	12.5	32.8	21.0	-	-	-	Black	\$320.08	
16264	LT	35X12.50R18		128	Q	12	80	3,970	-	10.0	8.5-11.0	12.5	34.8	21.0	-	-	-	Black	\$336.58	4.44
16265	LT	33X12.50R20		119	Q	12	80	3,000	-	10.0	8.5-11.0	12.5	32.8	21.0	-	-	-	Black	\$337.68	
16266	LT	35X12.50R20		125	Q	12	80	3,640	-	10.0	8.5-11.0	12.5	34.8	21.0	-	-	-	Black	\$373.98	1.32
16267	LT	37X12.50R20		128	Q	12	80	3,970	-	10.0	8.5-11.0	12.5	36.8	21.0	-	-	-	Black	\$390.48	4.44
16401	LT	37X13.50R20		128	Q	12	80	3,970	-	11.0	8.5-11.0	13.6	36.8	21.0	-	-	-	Black	\$454.28	4.44
16268	LT	33X12.50R22		114	Q	12	80	2,600	-	10.0	8.5-11.0	12.5	32.8	19.0	-	-	-	Black	\$387.18	
16269	LT	35X12.50R22		121	Q	12	80	3,195	-	10.0	8.5-11.0	12.5	34.8	21.0	-	-	-	Black	\$448.78	
16270	LT	37X13.50R22		128	Q	12	80	3,970	-	11.0	8.5-11.0	13.6	36.8	21.0	-	-	-	Black	\$477.38	4.44

Technical data can be changed without further notice.

PERFORMANCE RATINGS



BRAKING
8



COMFORT
7



FUEL EFFICIENCY
6



OFF ROAD
10



WEAR LIFE
7



◀ **DUAL
SIDEWALL
OPTIONS**

ROADIAN MT

TOTAL
COVERAGE
WARRANTY
NEKEN TIRE

MUD TERRAIN

The Roadian MT incorporates a zig-zag shoulder block design to provide outstanding traction for off-road and wet conditions, and a deep-groove design, which offers enhanced traction in deep mud and gravel. The shoulder-protector design maximizes load and durability, while optimized wide grooves provide excellent water drainage and anti-hydroplaning performance.





TREAD WEAR
WARRANTY
N/A



ROAD HAZARD
WARRANTY
N/A



ROADSIDE
ASSISTANCE
36 MONTHS

Product Code	P/ LT	Size	XL	LI	SR	PLY	Max Air (psi)	Max Load (lbs)		Rim		Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MSRP
								S	D	Measuring	Approved				Tread-wear	Trac.	Temp.		
10667	LT	235/75R15		104/101	Q	6	50	1,985	1,820	6.5	6.0-7.0	9.3	28.9	17.0	-	-	-	White	\$156.18
10658	LT	235/85R16		120/116	Q	10	80	3,042	2,778	6.5	6.0-7.5	9.3	31.7	17.0	-	-	-	White	\$199.08
10674	LT	31X10.50R15		109	Q	6	50	2,270	-	8.5	7.0-9.0	10.6	30.5	18.0	-	-	-	White	\$192.48

Technical data can be changed without further notice.

PERFORMANCE RATINGS



ROADIAN CT8 HL

TOTAL
COVERAGE
WARRANTY
NEKEN TIRE

COMMERCIAL VAN/LT

The Roadian CT8 HL delivers heavy-duty performance for commercial vehicles, and it is the original equipment tire of Ram ProMaster.





TREAD WEAR
WARRANTY
N/A



ROAD HAZARD
WARRANTY
N/A



ROADSIDE
ASSISTANCE
36 MONTHS



FREE TRIAL
45 DAYS OR
500 MILES

OE FITMENT ON



Product Code	P/ LT	Size	XL	LI	SR	PLY	Max Air (psi)	Max Load (lbs)		Rim		Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MSRP	FET	OE	
								S	D	Measuring	Approved				Tread-wear	Trac.	Temp.					
15237	LT	185/60R15C		94/92	T	6	54	1,477	1,389	5.5	5.5-6.0	7.4	23.7	13.0	-	-	-	Black	\$128.68			
15419	LT	195/75R16C		107/105	R	8	69	2,149	2,039	5.5	5.0-6.0	7.7	27.5	13.0	-	-	-	Black	\$128.68			
15386	LT	225/75R16C		121/120	R	10	83	3,195	3,085	6.0	6.0-7.0	8.8	29.3	15.0	-	-	-	Black	\$171.58			Ram
15241	LT	235/65R16C		121/119	R	10	83	3,197	2,998	7.0	6.5-7.5	9.4	28.0	13.0	-	-	-	Black	\$169.38			
15409	LT	215/85R16		115/112	R	10	80	2,680	2,470	6.0	5.5-7.0	8.5	30.4	15.0	-	-	-	Black	\$163.88			
13427	LT	225/75R16		115/112	R	10	80	2,680	2,470	6.0	6.0-7.0	8.8	29.3	15.0	-	-	-	Black	\$164.98			Ram
15410	LT	235/85R16		120/116	R	10	80	3,042	2,778	6.5	6.0-7.5	9.3	31.7	15.0	-	-	-	Black	\$179.28			
15411	LT	245/75R16		120/116	S	10	80	3,042	2,778	7.0	6.5-7.5	9.8	30.5	15.0	-	-	-	Black	\$164.98			
15412	LT	265/75R16		123/120	R	10	80	3,415	3,085	7.5	7.0-8.0	10.5	31.7	15.0	-	-	-	Black	\$177.08			
15413	LT	235/80R17		120/117	R	10	80	3,085	2,835	6.5	6.0-7.5	9.3	31.8	15.0	-	-	-	Black	\$183.68			
15414	LT	245/70R17		119/116	R	10	80	3,000	2,755	7.0	6.5-8.0	9.8	30.6	15.0	-	-	-	Black	\$181.48			
15415	LT	245/75R17		121/118	S	10	80	3,195	2,910	7.0	6.5-7.5	9.8	31.5	15.0	-	-	-	Black	\$195.78			
15416	LT	265/70R17		121/118	R	10	80	3,195	2,910	8.0	7.0-8.5	10.7	31.7	15.0	-	-	-	Black	\$210.08			
15417	LT	275/65R18		123/120	S	10	80	3,415	3,085	8.0	7.5-9.0	11.0	32.1	15.0	-	-	-	Black	\$225.48			

Technical data can be changed without further notice.
For more detailed OE application information, please refer to "Original Equipment 2022" page.

PERFORMANCE RATINGS



ROADIAN CT8



COMMERCIAL VAN/LT

The Roadian CT8 maintains optimal rigidity balance by including a half-depth transverse groove in the center block. Also, square-shaped dimples in the tread prevent stress, resulting in improved durability and tread life.



TREAD WEAR WARRANTY
N/A



ROAD HAZARD WARRANTY
N/A



ROADSIDE ASSISTANCE
36 MONTHS



Product Code	P/ LT	Size	XL	LI	SR	PLY	Max Air (psi)	Max Load (lbs)		Rim		Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MSRP
								S	D	Measuring	Approved				Tread-wear	Trac.	Temp.		
14502		185R14C		102/100	T	8	65	1,874	1,764	5.0	5.0-6.0	7.4	25.6	10.5	-	-	-	Black	\$119.88

Technical data can be changed without further notice.

PERFORMANCE RATINGS



BRAKING
7



COMFORT
7



FUEL EFFICIENCY
6



OFF ROAD
7



WEAR LIFE
8

WINGUARD Sport 2



PERFORMANCE STUDLESS WINTER

The Winguard Sport 2 raises winter driving and long-mileage performance to the next level. Its high-density multi-sipe elevates grip for braking on icy and snowy roads, simultaneously increasing longevity. Snowy or dry traction and cornering are improved with the directional tread. Large, wide grooves effectively drain water for anti-hydroplaning performance.



TREAD WEAR WARRANTY
N/A



ROAD HAZARD WARRANTY
N/A



ROADSIDE ASSISTANCE
36 MONTHS



Product Code	P/ LT	Size	XL	LI	SR	PLY	Max Air (psi)	Max Load (lbs)		Rim		Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MSRP
								S	D	Measuring	Approved				Tread-wear	Trac.	Temp.		
16301		195/65R15		91	H	4	51	1,356		6.0	5.5-7.0	7.9	25.0	10.5				Black	TBA
16302		205/55R16		91	H	4	51	1,356		6.0	5.5-7.5	8.4	24.9	10.5				Black	TBA
16648		215/55R16	XL	97	V	4	50	1,609	-	7.0	6.0-7.5	8.9	25.3	10.5	-	-	-	Black	TBA
15914		215/65R16		98	H	4	51	1,653	-	6.5	6.0-7.5	8.7	27.0	10.5	-	-	-	Black	TBA
17742		225/60R16	XL	102	V	4	50	1,874		6.5	6.0-8.0	9.0	26.6	10.5				Black	TBA
15440		205/40R17	XL	84	V	4	50	1,102	-	7.5	7.0-8.0	8.3	23.5	10.5	-	-	-	Black	TBA
15447		205/45R17	XL	88	V	4	50	1,235	-	7.0	6.5-7.5	8.1	24.3	10.5	-	-	-	Black	TBA
15481		205/50R17	XL	93	V	4	50	1,433	-	6.5	5.5-7.5	8.4	25.1	10.5	-	-	-	Black	TBA
17739		205/55R17	XL	95	V	4	50	1,521		6.5	5.5-7.5	8.4	25.9	10.5				Black	TBA
15441		215/40R17	XL	87	V	4	50	1,201	-	7.5	7.0-8.5	8.6	23.8	10.5	-	-	-	Black	TBA
15448		215/45R17	XL	91	V	4	50	1,356	-	7.0	7.0-8.0	8.4	24.6	10.5	-	-	-	Black	TBA
15482		215/50R17	XL	95	V	4	50	1,521	-	7.0	6.0-7.5	8.9	25.5	10.5	-	-	-	Black	TBA
15487		215/55R17	XL	98	V	4	50	1,653	-	7.0	6.0-7.5	8.9	26.3	10.5	-	-	-	Black	TBA
15903		215/60R17		96	H	4	51	1,565	-	6.5	6.0-7.5	8.7	27.2	10.5	-	-	-	Black	TBA
15450		225/45R17	XL	94	V	4	50	1,477	-	7.5	7.0-8.5	8.9	25.0	10.5	-	-	-	Black	TBA
15483		225/50R17	XL	98	V	4	50	1,653	-	7.0	6.0-8.0	9.2	25.9	10.5	-	-	-	Black	TBA
15488		225/55R17	XL	101	V	4	50	1,819	-	7.0	6.0-8.0	9.2	26.8	10.5	-	-	-	Black	TBA
15905		225/60R17	XL	103	H	4	50	1,929	-	6.5	6.0-8.0	9.0	27.6	10.5	-	-	-	Black	TBA
15917		225/65R17		102	H	4	51	1,874	-	6.5	6.0-8.0	9.0	28.5	10.5	-	-	-	Black	TBA
15476		235/45R17	XL	97	V	4	50	1,609	-	8.0	7.5-9.0	9.3	25.4	10.5	-	-	-	Black	TBA

CONTINUED ON NEXT PAGE ...

PERFORMANCE RATINGS



SNOW TRACTION
7



ICE TRACTION
6



DRY HANDLING
8



WET HANDLING
9



ROLLING RESISTANCE
6



COMFORT
6

WINGUARD ice Plus

CONTINUED FROM PREVIOUS PAGE

Product Code	P/ LT	Size	XL	LI	SR	PLY	Max Air (psi)	Max Load (lbs)		Rim		Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MSRP	
								S	D	Measuring	Approved				Tread-wear	Trac.	Temp.			
16133		215/55R16	XL	97	T	4	50	1,609	-	7.0	6.0-7.5	8.9	25.3	11.0	-	-	-	Black	TBA	
16142		215/60R16	XL	99	T	4	50	1,709	-	6.5	6.0-7.5	8.7	26.1	11.0	-	-	-	Black	TBA	
16135		225/55R16	XL	99	T	4	50	1,709	-	7.0	6.0-8.0	9.2	25.7	11.0	-	-	-	Black	TBA	
16144		235/60R16	XL	104	T	4	50	1,984	-	7.0	6.5-8.5	9.4	27.1	11.0	-	-	-	Black	TBA	
16127		205/50R17	XL	93	T	4	50	1,433	-	6.5	5.5-7.5	8.4	25.1	11.0	-	-	-	Black	TBA	
16119		215/45R17	XL	91	T	4	50	1,356	-	7.0	7.0-8.0	8.4	24.6	11.0	-	-	-	Black	TBA	
16128		215/50R17	XL	95	T	4	50	1,521	-	7.0	6.0-7.5	8.9	25.5	11.0	-	-	-	Black	TBA	
16134		215/55R17	XL	98	T	4	50	1,653	-	7.0	6.0-7.5	8.9	26.3	11.0	-	-	-	Black	TBA	
16143		215/60R17		96	T	4	51	1,565	-	6.5	6.0-7.5	8.7	27.2	11.0	-	-	-	Black	TBA	
16120		225/45R17	XL	94	T	4	50	1,477	-	7.5	7.0-8.5	8.9	25.0	11.0	-	-	-	Black	TBA	
16129		225/50R17	XL	98	T	4	50	1,653	-	7.0	6.0-8.0	9.2	25.9	11.0	-	-	-	Black	TBA	
16136		225/55R17	XL	101	T	4	50	1,819	-	7.0	6.0-8.0	9.2	26.8	11.0	-	-	-	Black	TBA	
16122		235/45R17	XL	97	T	4	50	1,609	-	8.0	7.5-9.0	9.3	25.4	11.0	-	-	-	Black	TBA	
16137		235/55R17		99	T	4	51	1,709	-	7.5	6.5-8.5	9.6	27.2	11.0	-	-	-	Black	TBA	
16123		245/45R17	XL	99	T	4	50	1,709	-	8.0	7.5-9.0	9.6	25.7	11.0	-	-	-	Black	TBA	
16116		225/40R18	XL	92	T	4	50	1,389	-	8.0	7.5-9.0	9.1	25.1	11.0	-	-	-	Black	TBA	
16121		225/45R18	XL	95	T	4	50	1,521	-	7.5	7.0-8.5	8.9	25.9	11.0	-	-	-	Black	TBA	
16117		235/40R18	XL	95	T	4	50	1,521	-	8.5	8.0-9.5	9.5	25.4	11.0	-	-	-	Black	TBA	
NEW		18548	235/45R18	XL	98	T	4	50	1,653	-	8.0	7.5-9.0	9.3	26.3	11.0	-	-	-	Black	TBA
NEW		18539	235/50R18		97	T	4	51	1,609	-	7.5	6.5-8.5	9.6	27.3	11.0	-	-	-	Black	TBA
		16118	245/40R18	XL	97	T	4	50	1,609	-	8.5	8.0-9.5	9.8	25.7	11.0	-	-	-	Black	TBA
		16124	245/45R18	XL	100	T	4	50	1,764	-	8.0	7.5-9.0	9.6	26.7	11.0	-	-	-	Black	TBA
		16125	245/45R19	XL	102	T	4	50	1,874	-	8.0	7.5-9.0	9.6	27.7	11.0	-	-	-	Black	TBA

Technical data can be changed without further notice.
TBA — To Be Announced to selected dealers

WINGUARD ice SUV

TOTAL
COVERAGE
WARRANTY
NEXEN TIRE



STUDLESS NORDIC WINTER

The Winguard Ice SUV has a dual V-shape that enhances grip and braking. There are four grooves and two small semi-grooves that drain snow, slush, and water. The Winguard Ice SUV's shoulder stiffness enhances durability, and its 3D block prevents abnormal wear.



TREAD WEAR WARRANTY
N/A



ROAD HAZARD WARRANTY
N/A



ROADSIDE ASSISTANCE
36 MONTHS

Product Code	P/ LT	Size	XL	LI	SR	PLY	Max Air (psi)	Max Load (lbs)		Rim		Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MSRP	
								S	D	Measuring	Approved				Tread-wear	Trac.	Temp.			
13303		215/65R16		98	Q	4	51	1,653	-	6.5	6.0-7.5	8.7	27.0	11.5	-	-	-	Black	TBA	
13304		215/70R16		100	Q	4	51	1,764	-	6.5	5.5-7.0	8.7	27.9	11.5	-	-	-	Black	TBA	
13929		225/70R16		103	Q	4	51	1,929	-	6.5	6.0-7.5	9.0	28.4	11.5	-	-	-	Black	TBA	
NEW		18542	225/75R16		104	T	4	51	1,984	-	6.0	6.0-7.5	8.8	29.3	11.5	-	-	-	Black	TBA
		13944	245/70R16		107	Q	4	51	2,149	-	7.0	6.5-8.0	9.8	29.5	11.5	-	-	-	Black	TBA
		13302	265/70R16		112	Q	4	51	2,469	-	8.0	7.0-9.0	10.7	30.6	11.5	-	-	-	Black	TBA
		13936	225/60R17	XL	103	Q	4	50	1,929	-	6.5	6.0-8.0	9.0	27.6	11.5	-	-	-	Black	TBA
		13301	225/65R17		102	Q	4	51	1,874	-	6.5	6.0-8.0	9.0	28.5	11.5	-	-	-	Black	TBA
		13305	235/65R17	XL	108	Q	4	50	2,205	-	7.0	6.5-8.5	9.4	29.1	11.5	-	-	-	Black	TBA
		13946	265/65R17		112	Q	4	51	2,469	-	8.0	7.5-9.5	10.7	30.6	11.5	-	-	-	Black	TBA
NEW		18538	225/60R18		100	T	4	51	1,764	-	6.5	6.0-8.0	9.0	28.6	11.5	-	-	-	Black	TBA
		13930	235/55R18		100	Q	4	51	1,764	-	7.5	6.5-8.5	9.6	28.1	11.5	-	-	-	Black	TBA
		13931	235/60R18		103	Q	4	51	1,929	-	7.0	6.5-8.5	9.4	29.1	11.5	-	-	-	Black	TBA
		13945	265/60R18		110	Q	4	51	2,337	-	8.0	7.5-9.5	10.7	30.5	11.5	-	-	-	Black	TBA
		13947	285/60R18		116	Q	4	51	2,756	-	8.5	8.0-10.0	11.5	31.5	11.5	-	-	-	Black	TBA
		16345	255/50R19	XL	107	T	4	50	2,149	-	8.0	7.0-9.0	10.4	29.1	11.5	-	-	-	Black	TBA
		16346	265/50R20	XL	111	T	4	50	2,403	-	8.5	7.5-9.5	10.9	30.5	11.5	-	-	-	Black	TBA
		16347	285/50R20	XL	116	T	4	50	2,756	-	9.0	8.0-10.0	11.7	31.3	11.5	-	-	-	Black	TBA

Technical data can be changed without further notice.
TBA — To Be Announced to selected dealers.

NEXEN
NEXEN TIRE
we got you

AC MILAN

1899

OFFICIAL SPONSOR SINCE 2021

PERFORMANCE RATINGS



SNOW TRACTION
8



ICE TRACTION
8



DRY HANDLING
6



WET HANDLING
6



ROLLING RESISTANCE
6



COMFORT
8

CONTINUED FROM PREVIOUS PAGE

Product Code	P/LT	Size	XL	LI	SR	PLY	Max Air (psi)	Max Load (lbs)		Rim		Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MSRP
								S	D	Measuring	Approved				Tread-wear	Trac.	Temp.		
10953		235/55R19	XL	105	T	4	50	2,039	-	7.5	6.5-8.5	9.6	29.2	11.0	-	-	-	Black	TBA
11243		245/45R19	XL	102	T	4	50	1,874	-	8.0	7.5-9.0	9.6	27.7	11.0	-	-	-	Black	TBA
11247		245/50R19	XL	105	T	4	50	2,039	-	7.5	7.0-8.5	10.0	28.7	11.0	-	-	-	Black	TBA
11244		255/50R19	XL	107	T	4	50	2,149	-	8.0	7.0-9.0	10.4	29.1	11.0	-	-	-	Black	TBA
11231		255/55R19	XL	111	T	4	50	2,403	-	8.0	7.0-9.0	10.4	30.0	11.0	-	-	-	Black	TBA
11127		265/50R20		107	T	4	51	2,149	-	8.5	7.5-9.5	10.9	30.5	11.0	-	-	-	Black	TBA
11249		275/45R20	XL	110	T	4	50	2,337	-	9.0	8.5-10.5	10.7	29.8	11.0	-	-	-	Black	TBA
11234		275/50R20	XL	113	T	4	50	2,535	-	8.5	7.5-9.5	11.2	30.9	11.0	-	-	-	Black	TBA
10887		275/55R20		113	T	4	51	2,535	-	8.5	7.5-9.5	11.2	31.9	11.0	-	-	-	Black	TBA
10897		275/60R20		115	T	4	51	2,679	-	8.0	7.5-9.5	11.0	33.0	11.0	-	-	-	Black	TBA
11235		285/50R20	XL	116	T	4	50	2,756	-	9.0	8.0-10.0	11.7	31.3	11.0	-	-	-	Black	TBA

Technical data can be changed without further notice.
T.S.M.I. #12
TBA — To Be Announced to selected dealers.

WINGUARD winSpike

TOTAL
COVERAGE
WARRANTY
NEXEN TIRE



STUDDABLE WINTER

Winguard Winspike tires are molded for installing studs that dig into snow or ice for better traction. The optimized arrangement of sipes and block rigidity maximizes handling and traction on ice in combination with the V-shaped tread pattern. Noise is addressed by the calculated placement of 12 multi-random stud lines.



TREAD WEAR WARRANTY
N/A



ROAD HAZARD WARRANTY
N/A



ROADSIDE ASSISTANCE
36 MONTHS

Product Code	P/LT	Size	XL	LI	SR	PLY	Max Air (psi)	Max Load (lbs)		Rim		Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MSRP
								S	D	Measuring	Approved				Tread-wear	Trac.	Temp.		
12805	LT	235/75R15		110/107	Q	8	65	2,335	2,150	6.5	6.0-7.0	9.3	28.9	16.0	-	-	-	Black	TBA
12804	LT	225/75R16		115/112	Q	10	80	2,680	2,470	6.0	6.0-7.0	8.8	29.3	16.0	-	-	-	Black	TBA
12808	LT	235/85R16		120/116	Q	10	80	3,042	2,778	6.5	6.0-7.5	9.3	31.7	16.0	-	-	-	Black	TBA
12806	LT	245/75R16		120/116	Q	10	80	3,042	2,778	7.0	6.5-7.5	9.8	30.5	16.0	-	-	-	Black	TBA
12807	LT	265/75R16		123/120	Q	10	80	3,415	3,085	7.5	7.0-8.0	10.5	31.7	16.0	-	-	-	Black	TBA
12802	LT	245/70R17		119/116	Q	10	80	3,000	2,755	7.0	6.5-8.0	9.8	30.6	16.0	-	-	-	Black	TBA
14045	LT	245/75R17		121/118	Q	10	80	3,195	2,910	7.0	6.5-7.5	9.8	31.5	16.0	-	-	-	Black	TBA
14039	LT	265/65R17		120/117	Q	10	80	3,085	2,835	8.0	7.5-9.5	10.7	30.6	16.0	-	-	-	Black	TBA
12803	LT	265/70R17		121/118	Q	10	80	3,195	2,910	8.0	7.0-8.5	10.7	31.7	16.0	-	-	-	Black	TBA
14048	LT	31X10.50R15		109	Q	6	50	2,270	-	8.5	7.0-9.0	10.6	30.5	16.0	-	-	-	Black	TBA
14040	LT	195/70R15C		104/102	R	8	65	1,984	1,874	6.0	5.0-6.0	7.9	25.8	12.5	-	-	-	Black	TBA
14041	LT	225/70R15C		112/110	R	8	65	2,469	2,337	6.5	6.0-7.0	9.0	27.4	12.5	-	-	-	Black	TBA
14043	LT	195/75R16C		107/105	R	8	69	2,149	2,039	5.5	5.0-6.0	7.7	27.5	12.5	-	-	-	Black	TBA
16386	LT	235/65R16C		121/119	R	10	83	3,197	2,998	7.0	6.5-7.5	9.4	28.0	12.5	-	-	-	Black	TBA

Technical data can be changed without further notice.
C Type: T.S.M.I #12, LT Metric : T.S.M.I #15
TBA — To Be Announced to selected dealers.



OFFICIAL SPONSOR SINCE 2017

PERFORMANCE RATINGS



EURO WIN

TOTAL
COVERAGE
WARRANTY
NEXEN TIRE

STUDLESS WINTER

The EuroWin is Nexen's Light Truck/SUV Studless Ice & Snow tire developed for the Nissan NV200 and Chevy City Express to transport heavy loads.



TREAD WEAR
WARRANTY
N/A



ROAD HAZARD
WARRANTY
N/A



ROADSIDE
ASSISTANCE
36 MONTHS



Product Code	P/ LT	Size	XL	LI	SR	PLY	Max Air (psi)	Max Load (lbs)		Rim		Section Width (inch)	Overall Diameter (inch)	Tread Depth (/32")	UTQG			Sidewall	MSRP
								S	D	Measuring	Approved				Tread-wear	Trac.	Temp.		
10873		185/60R15C		94/92	T	6	54	1,477	1,389	5.5	5.5-6.0	7.4	23.7	10.5	-	-	-	Black	TBA

Technical data can be changed without further notice.
TBA — To Be Announced to selected dealers.

PERFORMANCE RATINGS



SNOW
TRACTION
8



ICE
TRACTION
8



DRY
HANDLING
6



WET
HANDLING
6



ROLLING
RESISTANCE
6



COMFORT
8

Original Equipment 2022 Patterns

DODGE



NFERA SUR4g

approved for
PORSCHE



NFERA Sport



NFERA AUT

approved for
PORSCHE



NFERA RU1



HYUNDAI



NPriz S



RAM



HYUNDAI

KIA



NPriz AH8



HYUNDAI



MITSUBISHI
MOTORS



ROADIAN GTX



CHRYSLER



Jeep

KIA



NPriz RH7



RAM

LT275/70R18



ROADIAN AT PRO RA8

LT235/80R17



ROADIAN HTX RH5

275/55R20



LT235/80R17



RAM



ROADIAN CT8 HL

KIA



CP662



CHRYSLER

HYUNDAI



FIAT

KIA



CP671

KIA



N blue EV

Original Equipment 2022

Brand	Model	Model Year	Product	Product Code	Size	LI/SR	UTQG Wear	Price	F.E.T.	
	200	2015-2017	CP671	12909	215/55R17	94	H	400 A A	\$136.38	
				12910	235/45R18	94	H	400 A A	\$168.28	
				16312	235/40R19	96	H	400 A A	\$193.58	
	Pacifica	2017-2022	N'PRIZ RH7@	14376	235/60R18	103	H	680 A A	\$161.68	
	Challenger RT Scat Pack 1320	2020-2022	N'FERA SUR4G	17387	275/40R20	102	Y	100 A A	\$387.18	
	Journey	2019-2020	N'PRIZ RH7	16489	225/65R17	102	H	540 A A	\$171.58	
				16490	225/55R19	99	H	440 A A	\$227.68	
Durango	2019-2022	N'PRIZ RH7@	* 16469	P	245/65R18	110	H	500 A A	\$267.28	
	500L	2014-2020	CP671	12525	205/55R16	91	H	400 A A	\$130.88	
				12526	225/45R17	91	V	400 A A	\$138.58	
	500X	2014-2019	CP671	13536	215/55R17	94	V	400 A A	\$136.38	
				13535	215/60R17	96	T	400 A A	\$131.98	
	Elantra	2013-2016	CP671 H	12540	P	205/55R16	89	H	400 A A	\$130.88
		2017-2020	N'PRIZ AH8	14386	195/65R15	91	T	500 A A	\$104.48	
			14194	205/55R16	91	H	560 A A	\$122.08		
		2012-2017	CP671 H	12842	P	215/45R17	87	H	400 A A	\$126.48
		2017-2021	N'PRIZ AH8	14198	225/45R17	91	W	500 A A	\$134.18	
	Kona	2018-2022	N'PRIZ AH8	15605	205/60R16	92	H	500 A A	\$122.08	
				15606	215/55R17	94	V	500 A A	\$137.48	
	Kona EV	2019-2022	N'PRIZ AH8	17068	215/55R17	94	V	560 A A	\$137.48	
	Tucson	2022	Roadian GTX	16581	235/65R17	104	H	600 A A	\$158.38	
	Veloster	2012-2017	CP671 H	12842	P	215/45R17	87	H	400 A A	\$126.48
		2018-2021	N'PRIZ AH8	14749	215/45R17	87	H	500 A A	\$140.78	
	14708			225/40R18	88	W	500 A A	\$147.38		
Venue	2020-2022	N'PRIZ AH8	16094	205/55R17	91	H	500 A A	\$146.28		
	Grand Cherokee	2019-2022	N'PRIZ RH7@	* 16469	P	245/65R18	110	H	500 A A	\$267.28
	Wagoneer	2022	ROADIAN HTX RH5	15278	275/55R20	113	T	640 A A	\$217.78	
	Forte	2014-2016	CP671	12841	P	195/65R15	89	T	440 A A	\$102.28
		2017-2019	N'PRIZ AH8	13466	195/65R15	91	T	500 A A	\$104.48	
		2017-2020	N'PRIZ AH8	14194	205/55R16	91	H	560 A A	\$122.08	
	2014-2018	CP671 H	12842	P	215/45R17	87	H	400 A A	\$126.48	
		CP671	16960	P	225/40R18	88	V	400 A A	\$155.08	
	Optima	2011-2014	CP671	11449	P	205/65R16	94	H	400 A A	\$127.58
		2016-2020	N'PRIZ AH8	13904	205/65R16	95	H	440 A A	\$127.58	
		2011-2015	CP671	12259	P	215/55R17	93	V	400 A A	\$136.38
		2013-2015	CP662	12261	225/45R18	95	V	440 A A	\$159.48	

CONTINUED ON NEXT PAGE ...

CONTINUED FROM PREVIOUS PAGE

Brand	Model	Model Year	Product	Product Code	Size	LI/SR	UTQG Wear	Price	F.E.T.	
	Carnival	2021-2022	Roadian GTX	17136	235/65R17	104	H	600 A A	\$158.38	
	Sorento	2015-2020	N'PRIZ RH7	13423	235/60R18	103	H	440 A A	\$161.68	
	Sorento HEV	2022	Roadian GTX	16581	235/65R17	104	H	600 A A	\$158.38	
	Soul	2010-2013	CP662	11073	P	195/65R15	89	S	440 A A	\$97.88
			CP662	11074	P	205/55R16	89	H	440 A A	\$122.08
		2014-2018	CP671	13333	205/60R16	92	H	400 A A	\$129.78	
			CP671 H	13320	215/55R17	94	V	400 A A	\$136.38	
		2019-2021	N'PRIZ AH8	15605	205/60R16	92	H	500 A A	\$122.08	
	2014-2018	CP671 H	13321	235/45R18	94	V	400 A A	\$168.28		
	Soul EV	2015-2020	N'BLUE EV	15705	205/60R16	92	H	400 A A	\$131.98	
		2019-2021	N'PRIZ AH8	15606	215/55R17	94	V	500 A A	\$137.48	
	Sportage	2011-2013	CP671	11462	215/70R16	100	H	460 A A	\$153.98	
2017-2018		N'PRIZ RH7	14179	225/55R18	98	H	540 A A	\$183.68		
2023		Roadian GTX	16581	235/65R17	104	H	600 A A	\$158.38		
	Outlander Sport	2014-2022	N'PRIZ RH7	12817	P	225/55R18	97	H	440 A A	\$174.88
	Outlander	2022	Roadian GTX	16640	P	255/45R20	101	W	600 A A	\$217.78
	GLE/GLS/GLC	2019-2022	402	16014	T	155/80R19	114	M	-	\$217.78
	1500	2018-2022	ROADIAN HTX RH5	15278	275/55R20	113	T	640 A A	\$221.08	
		2014-2022		13353	LT	235/80R17	120/117	R	-	\$234.28
	3500	2014-2022	ROADIAN AT PRO RA8	13354	LT	235/80R17	120/117	R	-	\$268.38
		2017-2022		14760	LT	275/70R18	125/122	R	-	\$164.98
	ProMaster	2015-2022	ROADIAN CT8 HL	13427	LT	225/75R16	115/112	R	-	\$171.58
		2017-2022		15386	225/75R16C	121/120	R	-	\$129.78	
ProMaster City	2017-2022	N'PRIZ AH8	14369	215/55R16	97	H	440 A A	\$147.38		
	Jetta	2018-2021	N'PRIZ AH8	15530	205/55R17	91	H	500 A A	\$129.78	
		2022	N'FERA AU7	16643	205/60R16	92	H	500 A A	\$157.28	
	Passat	2020-2021	N'FERA AU7	16694	205/55R17	91	H	500 A A	\$141.88	
approved for PORSCHE	Panamera	2021-2022	N'FERA Sport	16391	265/45R19	105	Y	300 AA A	\$382.78	
				16392	295/40R19	108	Y	300 AA A	\$224.38	
	Macan	2017-2018	N'FERA RU1	14969	235/55R19	101	Y	320 AA A	\$224.38	
		2019-2022		15697	235/55R19	101	Y	320 AA A	\$226.58	
		2017-2018		14942	255/50R19	103	Y	320 AA A	\$226.58	
2019-2022	15698	255/50R19	103	Y	320 AA A	\$243.08				

Technical data can be changed without further notice.
* Spare Tire

NEXEN TOTAL COVERAGE WARRANTY

1. ABOUT NEXEN TOTAL COVERAGE WARRANTY

This limited warranty only applies to the original purchaser of new replacement tires sold by NEXEN TIRE USA (as below NEXEN TIRE), and tires must have been used on the same vehicle that they were originally installed on.

This warranty applies to tires purchased after January 1, 2022. Tires purchased before January 1, 2022 are subject to the previous published warranty.

The NEXEN Total Coverage Warranty offers the consumer the following benefits:

- Coverage for Defects in Workmanship and Materials
- Mileage Tread Wear Limited Warranty*
- Road Hazard Replacement Program*
- Roadside Assistance - Flat Tire Change or Tow Service
- 45-day Satisfaction Guarantee Trial Warranty

*Most, but not all, NEXEN TIRE patterns come with a Mileage Tread Wear Warranty and/or Road Hazard Replacement. Check each pattern for coverage.

For purposes of this warranty, the term “usable tread life” will be determined as having at least 2/32” (1.6mm) of tread remaining evenly across the tire. If less than 2/32” (1.6mm) of tread remains at any point on the face of the tire, the tire will be considered past its usable tread life and subject to any and all conditions stated below.

Warranty program NOT APPLICABLE to other U.S. territories. (Guam, Northern Marianas Islands, American Samoa, Puerto Rico, and U.S. Virgin Islands)

2. WORKMANSHIP AND MATERIALS

All NEXEN tires are warranted against defects in workmanship and material and will be replaced 100% free of charge for the initial warranty period, which is the first 2/32” (1.6mm) of original usable tread life, or within 12 months from the period of purchase, whichever comes first.

After the 100% replacement term expires and the tire is still within 72 months from date of manufacture, the amount of credit will be determined by the percentage of original tread depth remaining on the tire. Under all circumstances, the cost of mounting, balancing, and any other service charges, including applicable taxes, are required to be paid by the consumer.

3. MILEAGE TREAD WEAR LIMITED WARRANTY

Designated patterns manufactured by NEXEN TIRE are assigned a mileage warranty that protects the consumer against premature tread wear. If a tire reaches the end of its “usable tread life” before the stated mileage warranty, the consumer will be issued a replacement NEXEN tire on a pro-rated basis, which means the consumer will be responsible for a percentage of the replacement cost. In order to maintain the tread wear warranty, all tires must be rotated at least every 5,000–6,000 miles (8,000–10,000 km). Under all circumstances, the cost of mounting, balancing, and any other service charges, including applicable taxes, are required to be paid by the consumer.

4. WHAT IS NOT COVERED UNDER THIS LIMITED WARRANTY

This warranty does not cover tires damaged due to misuse, abuse, or accident such as:

- Ride complaints after the first 2/32” of tread wear or replacement of three (3) or more tires from the same vehicle will not be accepted.
- Road hazard damage such as cuts, snags, punctures or tire repair, bruises, impact breaks, etc. (Check Road Hazard Replacement Program for patterns that are covered against this type of damage.)
- Premature or irregular wear (a measured tread difference of 2/32” [1.6mm] or more across the tread on the same tire) due to vehicle mechanical deficiencies or failure to rotate the tires at recommended intervals.
- Tires on any vehicle registered and normally operated outside the United States.
- Damage from incorrect mounting or dismounting of the tire, incorrect application, water or other material trapped inside the tire during mounting, or failure to balance the tires.
- Damage from over/under inflation, overload, or defective vehicle mechanical conditions.
- Tires with a lower load index and/or speed rating than that of the OE tire.
- Racing, off-road use, and misapplication of tire to vehicle.
- Ozone or weather cracking on tires after 48 months from the date of manufacture.
- Minor cosmetic ozone or weather cracking.
- Any tires worn beyond the wear indicators (Less than 2/32” remaining tread depth).
- Flat spotting caused by improper storage or brake lock.
- Accident, fire, chemical corrosion, tire alteration, willful abuse, or vandalism.
- Tires in which D.O.T. identification number and/or barcode on bead and/or brand name removed intentionally.
- Loss of time or use, inconvenience, or any incidental or consequential damage.
- Original equipment tires on new vehicle. (See separate warranty, if applicable, in your vehicle’s glove box.)
- Tires purchased as used.
- Tires that have been recapped, retreaded, or regrooved.
- Use of tire chains.
- Tires used on recreational vehicles (for camping and motor homes, etc.) or in commercial service (i.e., tires used for taxi service, delivery, ride-sharing vehicles, etc.).
- Tires stored improperly.

NEXEN TOTAL COVERAGE WARRANTY

5. OTHER LIMITATIONS INCLUDE, BUT ARE NOT LIMITED, TO THE FOLLOWING:

- Failure to rotate tires as recommended voids the tread wear warranty.
- If tires are different sizes on front and rear of vehicle and therefore can’t be rotated, the mileage warranty for the rear tires will be half of the stated mileage warranty.
- Winter tires must be used only in winter months, which are determined to be September 1st through April 30th of the following year. Documentation is required showing date of installation and removal to maintain tread wear warranty.

6. ROAD HAZARD REPLACEMENT PROGRAM

Most patterns sold by NEXEN TIRE are covered by a road hazard warranty that protects the consumer against non-repairable damage caused by puncture, snag, cut, bruise, or impact break. Typical road hazards are nails, glass, potholes, and other debris. Covered tires will be eligible for a free replacement for the first 3/32” of original tread depth, or for a period of two years from the date of purchase, whichever comes first. If the D.O.T. identification number on the tire is greater than two years from the adjustment date, an invoice showing date of purchase is necessary. The cost of mounting, balancing, and any other service charges, including applicable taxes, are required to be paid by the consumer.

7. WHAT IS NOT COVERED UNDER ROAD HAZARD REPLACEMENT PROGRAM

- A tire that is damaged due to vandalism.
- A tire that is damaged due to an accident.
- A tire that is repairable under U.S. Tire Manufacturers Association (USTMA).
- A tire that has failed due to commercial use.
- A tire that is damaged or failed due to racing or off-road use.
- A tire that is damaged due to use of snow chains or studs.
- A tire that is damaged or failed due to irregular wear caused by mechanical issues.
- Original equipment tires on new vehicle.
- Tires transferred from the vehicle that they were originally installed on.

8. 45-DAY SATISFACTION GUARANTEE TRIAL WARRANTY

If you’re not completely satisfied for any reason, other than the conditions that are listed in the “WHAT IS NOT COVERED” section with your eligible tires, simply return them with the proof of purchase to the dealer where they were purchased within 45 days or 500 miles, whichever comes first, for a new complete set of NEXEN brand replacements only.

Limitations and Requirements

- This trial warranty only applies to the original purchaser and is non-transferable.
- Any return of less than a full set of tires will not be accepted.
- Proof of purchase must be provided for both the original set and replacement set.
- Tires must be returned undamaged. Tires exhibiting misuse, road hazard, mounting damage, vehicle mechanical-related problems, repairs, improper inflation, vandalism, run flat, and/or any racing activity wear are excluded from this trial warranty.
- Original purchaser pays the amount due on a new replacement tire, less the amount of credit, including applicable taxes, mounting and balancing charges and/or the cost of other services ordered.
- Replacement tire must be installed on original purchase vehicle.
- Replacement must be done at original place of purchase.
- Only original purchase is covered by 45-day Satisfaction Guarantee Trial Warranty.
- Replacement set is not covered by 45-day Satisfaction Guarantee Trial Warranty.
- Tires measuring more than 1/32” of tread wear from original tread depth are excluded from trial warranty.

9. CONSUMER’S OBLIGATION WHEN FILING CLAIM

To maintain Mileage Tread Wear Warranty and Road Hazard Replacement Program, the consumer is responsible for the following:

- Any claims must be presented to a participating authorized NEXEN TIRE dealer.
- Submit or present a copy of the original purchase receipt with documented automobile mileage at time of tire installation and of tire dismounting.
- Submit a tire rotation record showing that all tires have been rotated at least every 5,000–6,000 miles (8,000–10,000 km). Tire rotation record is not necessary for road hazard claims when tire is within 2/32” difference of remaining tread depth as measured from shoulder to shoulder on the claim tire and compared to the remaining tread depth of the opposite front/rear or left/right tire.
- NEXEN TIRE Claim Adjustment forms are provided by the dealer. Keep a copy for your records and leave the tire with the dealer for warranty processing.

NEXEN TOTAL COVERAGE WARRANTY

Warranty Information by Pattern (for Replacement Tires Only)

Tire Pattern	Tread Wear Mileage Warranty	Road Hazard Replacement Warranty (First 3/32" or 2 Years)	45-day Trial	36-Month Roadside Assistance Program
N'FERA SPORT R	N/A	N/A	N/A	YES
N'FERA SU1	25,000	YES	YES	YES
N'FERA AU7	50,000	YES	YES	YES
N5000 Platinum	55,000 (W)	YES	YES	YES
	70,000 (H,V)			
N'PRIZ AH8	70,000	YES	YES	YES
Aria AH7	80,000	YES	YES	YES
N'PRIZ AH5	50,000	YES	N/A	YES
SB-802	N/A	N/A	N/A	YES
Roadian HP	40,000	YES	N/A	YES
Roadian GTX	70,000	YES	YES	YES
Roadian HTX 2	70,000 (P)	YES	YES	YES
	50,000 (LT)			
Roadian HTX 2 (LT225/75R16 & 235/65R16C)	N/A	N/A	YES	YES
Roadian HTX RH5	65,000 (P)	YES	YES	YES
	40,000 (LT)			
Roadian ATX	65,000 (P)	YES	YES	YES
	60,000 (LT)			
Roadian AT Pro	50,000 (P)	YES	YES	YES
	40,000 (LT)			
Roadian MTX	N/A	N/A	YES	YES
Roadian MT	N/A	N/A	N/A	YES
Roadian CT8 HL	N/A	N/A	YES	YES
Roadian CT8	N/A	N/A	N/A	YES
Winguard Sport 2	N/A	N/A	N/A	YES
Winguard Ice Plus	N/A	N/A	N/A	YES
Winguard Ice SUV	N/A	N/A	N/A	YES
Winguard Winspike 3	N/A	N/A	N/A	YES
Winguard Winspike	N/A	N/A	N/A	YES
Eurowin	N/A	N/A	N/A	YES

10. TIRES PURCHASED FROM UNAUTHORIZED DEALERS

IT IS IMPORTANT TO PURCHASE OUR TIRES FROM AUTHORIZED DEALERS ONLY.

Tires imported by NEXEN TIRE AMERICA INC. are suitable for the U.S. conditions whereas tires not imported by NEXEN TIRE AMERICA INC. may meet an alternative specification that is less suitable for the U.S. conditions. In addition, unauthorized importers or dealers may provide tires that are several months or years older by the time they arrived in the U.S., or they may have been stored in improper or unfavorable conditions.

Taking them into consideration, in order to provide the best quality of our tires and services, we need to ensure that tires are purchased from an authorized dealer and imported by NEXEN TIRE AMERICA INC. Tires purchased from an unauthorized dealer or not imported by NEXEN TIRE AMERICA INC. ARE NOT COVERED by this warranty. If a tire purchased from an unauthorized dealer or not imported by NEXEN TIRE AMERICA INC. fails or is defective, all claims relating to that tire should be directed to the dealer or importer and not to NEXEN TIRE AMERICA INC.

Please note that sellers on Amazon.com, eBay.com, Craigslist, or similar online markets are not authorized dealers of NEXEN branded tires. When purchasing on these online markets, it is fully your responsibility as a customer to ensure that sellers are authorized by NEXEN TIRE AMERICA INC. The following businesses have been identified as unauthorized by NEXEN TIRE AMERICA INC. to sell NEXEN branded tires in the U.S. The list is subject to change/update.

- TGI (TIRE GROUP INTERNATIONAL)
- TIREMAX INTERNATIONAL
- PARTSMAX

If you are concerned about whether sellers are authorized by us, please contact us at 1-800-57-NEXEN (63936), and we can verify whether the seller is authorized or tires are imported by NEXEN TIRE AMERICA INC.

11. ROADSIDE ASSISTANCE

All patterns sold after January 1, 2022, by NEXEN TIRE in the United States and Canada are eligible for free 24/7/365 Roadside Assistance for a period of 36 months from the purchase date. Upon purchasing NEXEN tires, the consumer will have access to a toll-free phone number to call in case of a flat tire. A qualified professional will change your flat tire with your spare tire free of charge. If a working spare is not available, towing will be provided free of charge to the nearest NEXEN TIRE dealer or safe and secure location. Activation is required before Roadside Assistance service can be utilized.

NEXEN TIRE reserves the right to change the terms and conditions of all warranties at any time.

NEXEN TOTAL COVERAGE WARRANTY

12. TIRE CARE AND MAINTENANCE GUIDE

Tire failure can result in serious damage and/or personal injury. To reduce the risk of tire failure, we recommend the following:

- Maintain proper inflation pressure, and do not use at under-inflation or over-inflation. Pressure should be set at the level recommended by vehicle manufacturer.
- Wheel alignment and balancing should be checked at regular intervals.
- Do not overload. The maximum load-carrying capacity is molded on the sidewall of the tire.
- Do not spin your tires excessively, and avoid driving over curbs, potholes, obstacles, and edges of pavement.
- Never drive on smooth (bald) tires. By law, tires must be replaced when 2/32" of tread depth remains, as indicated by tread wear indicator molded in the tread grooves.
- Check your tires frequently for any scrapes, cuts, foreign objects, separations, or bulges. If damage is found, do not attempt to dismount the tire yourself. Change damaged tire with the spare, and contact your local authorized NEXEN TIRE dealer immediately.
- Do not drive in excess of speed limits allowed by law or the maximum speed justified by driving conditions.
- To achieve proper even wear and gain maximum tread life, tire rotation at regular intervals is required.

Please be advised that the extreme ultra high performance tire, N'Fera Sport R, although approved for street use, is targeted for track and competition driving.

- Driving on wet roads, heavy rain, or standing water with competition-oriented tires may cause hydroplaning and loss of control. Use extreme caution and drive slowly on wet roads.
- Competition-oriented tires should not be driven on snow or ice-covered roads. At temperatures below 40°F, tires may experience reduced traction. It is recommended that suitable all season or winter tires be installed at temperatures below 40°F.
- When exposed to temperatures below 20°F, tires may exhibit surface cracking. Never use tires that have cracked. Surface cracking due to cold temperatures is not a warrantable condition.
- Always store competition-oriented tires indoors at temperatures above 20°F. If tires have been subjected to temperatures below 20°F, they must be warmed to at least 50°F for 24 hours before using or installing. If using unheated storage, tires should be removed from the vehicle and deflated to half the normal air pressure. Before use, tires must be inspected for signs of cracking and returned to normal air pressure.

For more information or service regarding NEXEN TIRE, please contact your nearest authorized NEXEN TIRE dealer.

For more information, please call the toll-free technical support number: 1-800-57-NEXEN (63936) / 1-866-70-NEXEN (63936)

NEXEN warranty portal warranty assistance link: service.nexentireonline.com

(Please use this link for any customer warranty assistance needed)

MINIMUM ADVERTISED PRICING POLICY [MAP]

Nexen Tire America, Inc. Minimum Advertised Pricing Policy [MAP] [Effective January 1, 2022]

- I. Nexen Tire America brand (“Nexen”) is synonymous with high-quality products and superior customer service and support. We are committed to maintain and protect our brand. These policies have been established to improve and protect the reputation of the Nexen brand, its resale network, and customer relationships, and give all resellers an equal ability to sell and promote the product. Nexen gives its direct dealers and associated dealers (collectively called “authorized resellers”) and third-party resellers the ability to sell and promote Nexen branded products in ordinary channels of trade, but Nexen requires that all U.S. resellers of Nexen products, whether they be direct dealers, associated dealers, or third-party resellers adhere to this Minimum Advertised Pricing (MAP) policy. This policy is being implemented unilaterally by Nexen, and Nexen will not invite or accept any input into its terms, how it will be administered, or how it will be maintained. Further, this is not an agreement between Nexen and any other party, and Nexen will not ask for or accept any agreement from another party.
- II. This MAP policy applies to only those Nexen branded products sold by Nexen listed in the Appendix to this MAP Policy (the “Products”), and only to the “advertising” practices of the resellers.
- III. Any reseller of Nexen products may not advertise any price below that of the officially published MAP for that particular product. Further detail on prohibited advertising is set forth in Section VI below.
- IV. The Company shall not mandate the actual selling price of any Product by a reseller, and shall not issue any directive or limitation regarding maximum advertised prices. Each reseller remains free to set, independently, the actual resale price, and no employee or agent of Nexen shall be authorized to require anything to the contrary.
- V. This MAP policy applies to all advertisements of Nexen products in any and all media, whether in print, online, or in an email. Without limiting the generality of the foregoing, the MAP policy includes:
 - a. flyers, posters, coupons, mailers, inserts, newspapers, publications, magazines, circulars, catalogs, mail order catalogs, public signage, and other print media, including advertisements and marketing by affiliates;

- b. broadcasts on networks, television, and radio, including advertisements and marketing by affiliates;
- c. Online and any other electronic or social media marketing, including websites that can be accessed directly through any hypertext link or by any other method which uses the hypertext transfer protocol (http); search engine advertising, broadcast e-mail newsletters, e-mail solicitations, automated response pricing e-mails, SMS or other phone/electronic text messages, search engine optimization, banners, pop-ups or pop under ads, price comparison sites, auction functions or websites, shopping websites, shopping feed and portal sites, online display advertising, or similar electronic media, including advertisements and marketing by affiliates.
- d. Email and customer service interactions in response to a customer inquiry are not considered advertising.
- e. This MAP policy does not apply to in-store shelf talkers and point of purchase displays such as signage, price tags, or prices written in a sample book, as long as such displays are not distributed or displayed to any customers in any digital media cross-promotions (e.g., Facebook, Instagram, or Pinterest).
- VI. If the advertising method provides for or suggests a price below the minimum advertised price, such advertising violates this MAP policy. Examples of advertising methods that violate this MAP policy include, but are not limited to, the following:
 - a. The use of a rebate, coupon, promotion, giveaway, or incentive that reduces the advertised price below the minimum advertised price.
 - b. The inclusion in advertising of a fee or discounted products with a Product covered by this MAP policy if it has the effect of discounting the advertised price of the covered Product below the minimum advertised price.
 - c. Offering free shipping and handling of Nexen branded products violates this MAP policy if the monetary value for such offer results in the display of the price for such Product below the established minimum advertised price for such Product.
 - d. If pricing is displayed, any strike-through or other alteration of the established minimum advertised price is prohibited.

MINIMUM ADVERTISED PRICING POLICY [MAP]

- e. The use of “click on” or “click through” button on a website, or any similar buttons or automated price quotation transmission features, to provide automatic price quotations at or below the established minimum advertised price.
- f. Language such as “Click ‘Buy for Price’” or “Click ‘Add to Cart’ for Price” or “Click for Quote” if used on the same website page on which Nexen branded products are being advertised for sale.
- g. Statements such as “Click here for Lower Price,” “Add to Cart for Lower Price,” or “Check Cart for Lower Price.”
- VII. This MAP policy does not:
 - a. Prohibit responses to specific requests for price quotes by an individual customer as long as such responses are not automatic and are given in an individualized personal communication to the requesting customer.
 - b. Apply to the price at which goods are actually sold. Nexen resellers are free to sell the Nexen products at any price.
- VIII. Intentional or repeated failures to comply with this MAP policy for Nexen products can result in sanctions being unilaterally imposed in Nexen’s sole discretion, which may include one or more of the following actions: (1) suspension and/or loss of any future product purchase discounts, rewards earned or to be earned, loyalty bonuses earned or to be earned, brand support bonuses earned or to be earned, and sales incentives; (2) suspension of shipments of products; (3) termination of the reseller’s business relationship with Nexen. Nexen will act in its own unilateral discretion should it observe a failure to comply with this MAP policy. As a standard practice Nexen usually will give - but is not obligated to give - a notice to any reseller violating the policy.
- IX. Nexen reserves the right to modify or suspend this MAP policy or adjust the MAP for any product at any time. Such changes will apply equally to all resellers.
- X. Nexen resellers shall provide a copy of this MAP to all of their third-party resellers, as this MAP applies to such third-party resellers as well.
- XI. All questions regarding this Policy can be directed to the Nexen Tire America Compliance Team at map@nexentireusa.com.

NOTES: _____



NEXEN NEXEN TIRE

NEXEN TIRE AMERICA INC.

Corporate Headquarters

4014 Wheatley Road, Richfield, OH 44286

T: (800) 576-3936 | E: info@nexentireusa.com

NexenTireUSA.com